KOLAR Document ID: 1418714

Confidentiality Requested:

Yes No

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License #  | API No.:   |  |  |  |  |
|--|--|--|--|--|--|
| Name:  | Spot Description:  |  |  |  |  |
| Address 1:   |  |  |  |  |  |
| Address 2:   | Feet from North / South Line of Section                  |  |  |  |  |
| City:  | Feet from East / West Line of Section                    |  |  |  |  |
| Contact Person:  | Footages Calculated from Nearest Outside Section Corner: |  |  |  |  |
| Phone: ()  | □ NE □ NW □ SE □ SW                                      |  |  |  |  |
| CONTRACTOR: License #  | GPS Location: Lat:, Long:                                |  |  |  |  |
| Name:  | (e.g. xx.xxxxx) (e.gxxx.xxxxxx)                          |  |  |  |  |
| Wellsite Geologist:  | Datum: NAD27 NAD83 WGS84                                 |  |  |  |  |
| Purchaser:   | County:  |  |  |  |  |
| Designate Type of Completion:                                    | Lease Name: Well #:                                      |  |  |  |  |
| ☐ New Well ☐ Re-Entry ☐ Workover                                 | Field Name:  |  |  |  |  |
| □ Oil □ WSW □ SWD  | Producing Formation:                                     |  |  |  |  |
| ☐ Gas ☐ DH ☐ EOR   | Elevation: Ground: Kelly Bushing:                        |  |  |  |  |
| □ og □ gsw   | Total Vertical Depth: Plug Back Total Depth:             |  |  |  |  |
| CM (Coal Bed Methane)  | Amount of Surface Pipe Set and Cemented at: Feet         |  |  |  |  |
| Cathodic Other (Core, Expl., etc.):                              | Multiple Stage Cementing Collar Used? Yes No             |  |  |  |  |
| If Workover/Re-entry: Old Well Info as follows:                  | If yes, show depth set: Feet                             |  |  |  |  |
| Operator:  | If Alternate II completion, cement circulated from:      |  |  |  |  |
| Well Name:   | feet depth to:w/sx cmt.                                  |  |  |  |  |
| Original Comp. Date: Original Total Depth:                       |  |  |  |  |  |
| ☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD             | Drilling Fluid Management Plan                           |  |  |  |  |
| ☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer           | (Data must be collected from the Reserve Pit)            |  |  |  |  |
|  | Chloride content:ppm Fluid volume:bbls                   |  |  |  |  |
| ☐ Commingled     Permit #:       ☐ Dual Completion     Permit #: | Dewatering method used:                                  |  |  |  |  |
| SWD Permit #:  | Location of fluid disposal if hauled offsite:            |  |  |  |  |
| EOR Permit #:  | Education of hald disposal in fladied offsite.           |  |  |  |  |
| GSW Permit #:  | Operator Name:   |  |  |  |  |
|  | Lease Name: License #:                                   |  |  |  |  |
| Spud Date or Date Reached TD Completion Date or                  | Quarter Sec TwpS. R                                      |  |  |  |  |
| Recompletion Date  Recompletion Date                             | County: Permit #:  |  |  |  |  |

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

| KCC Office Use ONLY                             |  |  |  |  |  |
|---|--|--|--|--|--|
| Confidentiality Requested                       |  |  |  |  |  |
| Date:   |  |  |  |  |  |
| Confidential Release Date:                      |  |  |  |  |  |
| Wireline Log Received Drill Stem Tests Received |  |  |  |  |  |
| Geologist Report / Mud Logs Received            |  |  |  |  |  |
| UIC Distribution                                |  |  |  |  |  |
| ALT I II III Approved by: Date:                 |  |  |  |  |  |

KOLAR Document ID: 1418714

#### Page Two

| Operator Name:   |                    |                       |  |            | Lease Nam            | ne:  |                            |                | Well #:              |                               |
|--|--------------------|-----------------------|--|------------|----------------------|--|----------------------------|----------------|----------------------|-------------------------------|
| Sec Tw   | pS. F              | R [                   | East   | West       | County:              |  |                            |                |                      |                               |
| INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.  Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF). |                    |                       |  |            |                      |  |                            |                |                      |                               |
| Drill Stem Tests (Attach Addit   |                    |                       | Ye   | es No      |                      | Lo   | og Formatio                | n (Top), Deptl | n and Datum          | Sample                        |
| Samples Sent to  | Geological Sur     | vey                   | Ye   | es 🗌 No    |                      | Name   | )                          |                | Тор                  | Datum                         |
| Cores Taken Electric Log Run Geologist Report / Mud Logs List All E. Logs Run:   |                    | Y€  Y€                | es No  |            |                      |  |                            |                |                      |                               |
|  |                    |                       |  |            |                      |  |                            |                |                      |                               |
|  |                    |                       | Repo   |            | RECORD [             | Nev  | w Used rmediate, producti  | on. etc.       |                      |                               |
| Purpose of St  |                    | ze Hole<br>Orilled    | Size Casing<br>Set (In O.D.)                                 |            | Weight<br>Lbs. / Ft. |  | Setting<br>Depth           | Type of Cement | # Sacks<br>Used      | Type and Percent<br>Additives |
|  |                    |                       |  |            |                      |  |                            |                |                      |                               |
|  |                    |                       |  |            |                      |  |                            |                |                      |                               |
|  |                    |                       |  |            |                      |  |                            |                |                      |                               |
|  |                    |                       |  | ADDITIONAL | OF MENTING /         |  |                            |                |                      |                               |
| Purpose:   | [                  | Depth                 | Typo   |            | # Sacks Use          |  | EEZE RECORD                | Typo a         | ad Paraant Additivas |                               |
| Perforate  |                    |                       | Type of Cement   |            | # Jacks Useu         |  | Type and Percent Additives |                |                      |                               |
| Plug Off Z   |                    |                       |  |            |                      |  |                            |                |                      |                               |
| Did you perform a hydraulic fracturing treatment on this well?      Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?      Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?      No (If No, skip question 2)  No (If No, skip question 3)  No (If No, skip question 3)  |                    |                       |  |            |                      |  |                            |                |                      |                               |
| Date of first Production/Injection or Resumed Production/ Producing Method: Injection: Pumping Cool iff Other (Cyplain)  |                    |                       |  |            |                      |  |                            |                |                      |                               |
|  |                    |                       | Pumping Gas Lift Other (Explain)  Mcf Water Bbls. Gas-Oil Re |            | Gas-Oil Ratio        | Gravity  |                            |                |                      |                               |
| Per 24 Hours   |                    | Oli Bb                | 15.  | Gas        | IVICI                | vvale  | ı Di                       | JIS.           | Gas-Oil Hallo        | Gravity                       |
| DISPOSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTERVAL:   |                    |                       |  |            |                      | N INTERVAL:  |                            |                |                      |                               |
| ☐ Vented ☐ Sold ☐ Used on Lease ☐ Open Hole ☐  |                    |                       | Perf. Dually Comp. Commingled                                |            |                      |  | Bottom                     |                |                      |                               |
| (If vented, Submit ACO-18.) (Submit ACO-5) (Submit ACO-4)  |                    |                       |  |            |                      |  |                            |                |                      |                               |
| Shots Per<br>Foot  | Perforation<br>Top | Perforation<br>Bottom |  |            |                      | Shot, Cementing Squeeze Record<br>int and Kind of Material Used) |                            |                |                      |                               |
|  |                    |                       |  |            |                      |  |                            |                |                      |                               |
|  |                    |                       |  |            |                      |  |                            |                |                      |                               |
|  |                    |                       |  |            |                      |  |                            |                |                      |                               |
|  |                    |                       |  |            |                      |  |                            |                |                      |                               |
|  |                    |                       |  |            |                      |  |                            |                |                      |                               |
| TUBING RECOR   | D: Size:           |                       | Set At:  |            | Packer At:           |  |                            |                |                      |                               |

| Form      | ACO1 - Well Completion |
|-----------|------------------------|
| Operator  | RJ Energy, LLC         |
| Well Name | FRANCE 4-A             |
| Doc ID    | 1418714                |

### Casing

| Purpose<br>Of String | Size Hole<br>Drilled | Size<br>Casing<br>Set | Weight | Setting<br>Depth | Type Of<br>Cement |     | Type and<br>Percent<br>Additives |
|----------------------|----------------------|-----------------------|--------|------------------|-------------------|-----|----------------------------------|
| Surface              | 9.875                | 7                     | 17     | 40               | portland          | 10  |                                  |
| Production           | 5.625                | 2.875                 | 6.5    | 1116             | portland          | 145 |                                  |
|                      |                      |                       |        |                  |                   |     |                                  |
|                      |                      |                       |        |                  |                   |     |                                  |

3613A Y Road Madison, KS 66860 Ph: 620-437-2661 Fax: 620-437-2881

FED ID# 48-1214033 MC ID# 165290



104 Prairie Plaza Parkway Garnett, KS 66032 Ph: 785-448-3100 Fax: 785-448-3102

Remit to: Hurricane Services, Inc. 250 N. Water, Suite 200 Wichita, KS 67202

Customer: R J ENTERPRISES C/O ROGER KENT 22082 NEOSHO RD GARNETT, KS 66032

| OFFICE FILL NO DODGE          | COL     | unty.   | COF      |   |
|-------------------------------|---------|---------|----------|---|
| Date/Description              | HRS/QTY | Rate    | Total    |   |
| Ticket ICT1032 Longstring New | 0.000   | 0.000   | 0.00     | 1 |
| Pump Truck 230                | 1.000   | 506.250 | 506.25   |   |
| Miniumu ton Mile charge       | 1.000   | 225.000 | 225.00   |   |
| Cement Class A                | 145.000 | 10.562  | 1,531.56 | Т |
| Bentonite Gel                 | 273.000 | 0.195   | 53.24    | Т |
| Calcium Chloride              | 408.000 | 0.650   | 265.20   | T |
| Pheno Seal                    | 40.000  | 1.105   | 44.20    | T |
| Top rubber plug 2 7/8"        | 2.000   | 22.500  | 45.00    | T |
|                               |         |         |          |   |

| Net Invoice       | 2,670.45 |
|-------------------|----------|
| Sales Tax (6.50%) | 126.05   |
| Total             | 2,796.50 |

All invoices are due upon receipt. Interest at the rate of 1 1/2% per month may be charged on all invoices not paid within 30 days from date of invoice.

WE APPRECIATE YOUR BUSINESS!



# RJ Energy

22082 NE Neosho Rd Garnett, Kansas 66032

## France 4-A

|           |          |            | Start 4-10-18                  |
|-----------|----------|------------|--------------------------------|
| 4         | soil     | 4          | Finish 4-12-18                 |
| 88        | shale    | 92         |                                |
| 14        | lime     | 106        |                                |
| 195       | shale    | 301        |                                |
| <b>40</b> | lime     | 341        |                                |
| 21        | shale    | 362        |                                |
| 36        | lime     | 398        |                                |
| 63        | shale    | 461        | Set 40' of 7" w/10sxs          |
| 117       | lime     | <b>578</b> | Ran 1116.8' of 2 $\frac{7}{8}$ |
| 51        | shale    | 629        | cemented to surface 145sxs     |
| <b>52</b> | lime     | 681        |                                |
| 7         | shale    | 688        |                                |
| 21        | lime     | 709        |                                |
| 6         | shale    | 715        |                                |
| 18        | lime     | 733        |                                |
| 170       | shale    | 903        |                                |
| 4         | lime     | 907        |                                |
| 11        | shale    | 918        |                                |
| 19        | lime     | 937        |                                |
| <b>50</b> | shale    | 987        |                                |
| 15        | lime     | 1002       |                                |
| <b>57</b> | shale    | 1059       |                                |
| 6         | lime     | 1065       |                                |
| 12        | shale    | 1077       |                                |
| 2         | bkn sand | 1079       | Good show                      |
| 10        | oil sand | 1089       | Good show                      |
| 51        | shale    | 1140       | T.D.                           |