### KOLAR Document ID: 1418723

Сс	onfiden	tiality Red	quested:
	Yes	No	

OPERATOR: License # \_\_\_\_

**KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION** 

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

### WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

API No.: \_\_\_\_

Name:		Spot Description:
Address 1:		
Address 2:		Feet from Dorth / South Line of Section
City: State:	Zip:+	Feet from East / West Line of Section
Contact Person:		Footages Calculated from Nearest Outside Section Corner:
Phone: ()		
CONTRACTOR: License #		GPS Location: Lat:, Long:
Name:		(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:		Datum: NAD27 NAD83 WGS84
Purchaser:		County:
Designate Type of Completion:		Lease Name: Well #:
New Well Re-Entry	Workover	Field Name:
		Producing Formation:
	SWD EOR	Elevation: Ground: Kelly Bushing:
	GSW	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)		Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl.,	etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as for		If yes, show depth set: Feet
Operator:		If Alternate II completion, cement circulated from:
Well Name:		feet depth to:w/sx cmt.
Original Comp. Date: C	Driginal Total Depth:	
Deepening Re-perf.	Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back	Conv. to GSW	(Data must be collected from the Reserve Pit)
Commingled	a:+ #.	Chloride content: ppm Fluid volume: bbls
	nit #:	Dewatering method used:
	nit #:	Location of fluid disposal if hauled offsite:
	nit #:	
GSW Perm	nit #:	Operator Name:
		Lease Name: License #:
Spud Date or Date Reached 1	D Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date	Recompletion Date	County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

### Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II III Approved by: Date:					

### KOLAR Document ID: 1418723

Operator Nam	ne:			Lease Name:	Well #:
Sec	Twp	S. R	East West	County:	

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)		Y	es 🗌 No		Log Formation (Top), I		n (Top), Depth	and Datum	Sample
Samples Sent to Geological Survey			′es 🗌 No	Ν	lame	e		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud Logs List All E. Logs Run:			<ul> <li>Yes</li> <li>No</li> <li>Yes</li> <li>No</li> <li>Yes</li> <li>No</li> <li>Yes</li> <li>No</li> <li>Yes</li> <li>No</li> </ul>						
		Repo	CASING I		] Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled		ze Casing tt (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement		# Sacks Used			Type and Percent Additives		
Protect Casing Plug Back TD Plug Off Zone									
<ol> <li>Did you perform a hydra</li> <li>Does the volume of the is</li> <li>Was the hydraulic fractu</li> <li>Date of first Production/Inj</li> </ol>	total base fluid of the h ring treatment informa	nydraulic fra tion submit	acturing treatment	al disclosure regis	-	Yes Yes Yes Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Injection:			Flowing	Pumping		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas Mcf Water Bbls.			ls.	Gas-Oil Ratio	Gravity	
DISPOSITION	I OF GAS:		METHOD OF			F COMPLETION: PRODUCTION INTE			
Vented Sold Used on Lease (If vented, Submit ACO-18.)			Open Hole Perf.		Dually Comp.     Commingled       (Submit ACO-5)     (Submit ACO-4)		Bottom		
		ition m	n Bridge Plug Bridge Plug Type Set At						
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	STRAWDER 2-A
Doc ID	1418723

### Casing

	Size Hole Drilled	Size Casing Set	U U	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	40	portland	10	
Production	5.625	2.875	6.5	982	portland	125	

### HAMMERSON CORPORATION

### PO BOX 189

# Invoice

Date Invoice # 5/4/2018 12364

#### Bill To

R.J. Engergy LLC/ KO 22082 NE Neosho Rd Garnett, KS 66032

		P.O. No.	Terms	-	Project
			Due on receipt		
Quantity	Description		Ra	ite	Amount
125 1 125 1 125	WELL MUD (\$8.00 PER SACK) Well-Strawder 21 Tick TRUCKING (\$50 PER HOUR) WELL MUD (\$8.00 PER SACK) Well-Strawder 2A Tick TRUCKING (\$50 PER HOUR) WELL MUD (\$8.00 PER SACK) Well-Strawder 3A Tick TRUCKING (\$50 PER HOUR) SALES TAX	tet 12367-12368		8.00 50.00 8.00 50.00 8.00 50.00 6.50%	1,000.00 50.00 1,000.00 50.00 1,000.00 50.00 204.7

# RJ Energy

22082 NE Neosho Rd Garnett, Kansas 66032

## Strawder 2-A

8	soil	8	
17	clay/gravel	25	
161	shale	186	
20	lime	206	
8	shale	214	
19	lime	233	
<b>48</b>	shale	281	
52	lime	333	
19	shale	352	
22	lime	374	
<b>59</b>	shale	433	
74	lime	507	
6	shale	513	
<b>54</b>	lime	567	
165	shale	732	
32	lime	764	
63	shale	827	
30	lime	857	
14	shale	871	
7	lime	878	
11	shale	889	
11	lime	900	
9	shale	909	
6	lime	915	
35	shale	950	
5	bkn sand	955	Good show
33	shale	988	T.D.

 Start
 4-30-18

 Finish
 5-2-18

Set 40' of 7" w/10sxs Ran 982.5' of 2 <sup>7</sup>/<sub>8</sub> cemented to surface 125sxs