For KCC Use:
Effective Date:
District #
CA2 Vos No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
OPERATOR: License#	Sec Twp S. R E feet from N / S Line of Section N / N
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2: + State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
contact Person:	County:
hone:	Lease Name: Well #:
ONTRACTOR: License#	Field Name: Is this a Prorated / Spaced Field? Yes N
ame:	Is this a Prorated / Spaced Field? Target Formation(s):
	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal Wildcat Cable Seismic : # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
OC DR1 #.	Will Cores be taken?
	If Yes, proposed zone:
AF	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual pl	
he undersigned hereby affirms that the drilling, completion and eventual pl	
the undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ugging of this well will comply with K.S.A. 55 et. seq. n drilling rig;
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set The e underlying formation.
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In drilli
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well in the appropriate district office will be notified before well appropriate district office will	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well in the appropriate district office will be notified before well appropriate district office will	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a sent through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the strength	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a sent through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the strength	an drilling rig; The drilling rig; The control of the top; in all cases surface pipe shall be set to underlying formation. The control of the top; in all cases surface pipe shall be set to underlying formation. The control of the top; in all cases surface pipe shall be set to underlying formation. The control of the set to underlying formation and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. The control of the control of the top; in all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	an drilling rig; the drilling rig; the circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY	In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
the undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the agreed and the agreed as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set of t	In drilling rig; In drilling
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically **Ibmitted Electronically** For KCC Use ONLY API # 15	In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
the undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> seen through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the complete of the well of the complete of the well of the complete of the well shall be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disestant of the surface of the spud before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically **TorkCC Use ONLY** API # 15	An drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plug specified. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug specified. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be specified. Ibmitted Electronically For KCC Use ONLY API # 15	An drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be</i> seen through all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plug specified. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug specified. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	An drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the standard interval in the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all be set through all unconsolidated materials plus a minimum of 20 feet into the set through all be cemente or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	An drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Signature of Operator or Agent:

Side Two

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

638 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed:		SecTwp R	
Settling Pit Drilling Pit			Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section	
Is the pit located in a Sensitive Ground Water A	Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	m ground level to dee	pest point:	(feet) No Pit	
		• /	cluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	l utilized in drilling/workover:	
Number of producing wells on lease:		Number of worl	king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:	

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R East	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:	
Contact Person:		
Phone: () Fax: ()		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City: State: Zip:+		
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat at the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form ceing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.	
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
Submitted Electronically		

