| For KCC         | Use:   |  |  |
|-----------------|--------|--|--|
| Effective Date: |        |  |  |
| District #      |        |  |  |
| SGA?            | Yes No |  |  |

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

| Expected Spud Date:  |   |
|--|---|
| monur uay year   | Spot Description:   |
| , ,  | Sec Twp S. R E W  |
| PERATOR: License#  | feet from N / S Line of Section   |
| ame:   | feet from E / W Line of Section   |
| ddress 1:  | Is SECTION: Regular Irregular?  |
| .iddress 2: State: Zip: +  | (Note: Locate well on the Section Plat on reverse side)   |
| ontact Person:   | County:   |
| hone:  | Lease Name: Well #:   |
|  | Field Name:   |
| ONTRACTOR: License#  | Is this a Prorated / Spaced Field?  |
| ame:   | Target Formation(s):  |
| Well Drilled For: Well Class: Type Equipment:  | Nearest Lease or unit boundary line (in footage):   |
| Oil Enh Rec Infield Mud Rotary   | Ground Surface Elevation:feet MSL   |
| Gas Storage Pool Ext. Air Rotary   | Water well within one-quarter mile:   |
| Disposal Wildcat Cable   | Public water supply well within one mile:   |
| Seismic ; # of Holes Other   | Depth to bottom of fresh water:   |
| Other:   | Depth to bottom of usable water:  |
| If OWWO: old well information as follows:  | Surface Pipe by Alternate: I II  Length of Surface Pipe Planned to be set:  |
| _  | Length of Conductor Pipe (if any):  |
| Operator:  | Projected Total Depth:  |
| Well Name: Original Total Depth:   | Formation at Total Depth:   |
| Original Completion Date Original Total Deptil   | Water Source for Drilling Operations:   |
| rirectional, Deviated or Horizontal wellbore?  | Well Farm Pond Other:   |
| Yes, true vertical depth:  | DWR Permit #:   |
| ottom Hole Location:   | ( <b>Note:</b> Apply for Permit with DWR )  |
| (CC DKT #:   | Will Cores be taken?  |
|  | If Yes, proposed zone:  |
| AFI  | FIDAVIT   |
| he undersigned hereby affirms that the drilling, completion and eventual plu   |   |
| tio caread that the following minimum requirements will be used  |   |
| t is agreed that the following minimum requirements will be met:   |   |
| ·  |   |
| <ol> <li>1. Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> </ol>  | drilling rig;   |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i></li> </ol>   | by circulating cement to the top; in all cases surface pipe shall be set  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> </ol>   | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.   |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  Trict office on plug length and placement is necessary <b>prior to plugging</b> ;  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugger</li> </ol>  | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>   | by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation.  Thick office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  Thirtier office on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; defrom below any usable water to surface within <b>120 DAYS</b> of spud date.  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>  | by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation.  Thick office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in; defrom below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>   | by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation.  Thick office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>   | by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation.  Thick office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. [33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.   |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>   | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  circt office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.   |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol> Ibmitted Electronically For KCC Use ONLY  | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Inicit office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification   |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the complete of the spud between the complete of the spud ball be about 15 cm.  Ibmitted Electronically  For KCC Use ONLY  API # 15 -                      | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  circt office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.   |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a submitted Electronically  For KCC Use ONLY  API # 15   | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  crict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be approximately be approximately approximately approximately 15 - Conductor pipe required | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Inicit office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a submitted Electronically    Description  | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  crict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;   |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a submitted Electronically  For KCC Use ONLY  API # 15   | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Inicit office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol> Jubmitted Electronically For KCC Use ONLY   | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Inicit office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  |

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

Side Two

| For KCC Use ONLY |
|------------------|
| API # 15         |

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:  | Location of Well: County:        |
|--|----------------------------------|
| Lease:   | feet from N / S Line of Section  |
| Well Number:   | feet from E / W Line of Section  |
| Field:   | Sec Twp S. R 🗌 E 🔲 W             |
| Number of Acres attributable to well:  | Is Section: Regular or Irregular |
| If Section is Irregular, locate well from nearest corner be Section corner used: NE NW SE SW |                                  |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

## 130 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:   |                        | License Number:   |   |  |  |  |
|--|------------------------|---|---|--|--|--|
| Operator Address:  |                        |   |   |  |  |  |
| Contact Person:  |                        |   | Phone Number:   |  |  |  |
| Lease Name & Well No.:   |                        |   | Pit Location (QQQQ):  |  |  |  |
| Type of Pit:   | Pit is:                |   |   |  |  |  |
| Emergency Pit Burn Pit Proposed  |                        | Existing  | SecTwp R  |  |  |  |
| Settling Pit Drilling Pit  | If Existing, date cor  | nstructed:  | Feet from North / South Line of Section                                   |  |  |  |
| Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  | Pit capacity:          |   | Feet from East / West Line of Section                                     |  |  |  |
|  | (bbls)                 |   | County  |  |  |  |
| Is the pit located in a Sensitive Ground Water A   | rea? Yes I             | No  | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only) |  |  |  |
| Is the bottom below ground level?  Yes No Artificial Liner?  Yes No  |                        | lo  | How is the pit lined if a plastic liner is not used?                      |  |  |  |
| Pit dimensions (all but working pits):   | Length (fee            | et)   | Width (feet) N/A: Steel Pits  |  |  |  |
| Depth fro  | om ground level to dee | pest point:   | (feet) No Pit   |  |  |  |
| If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. |                        |   |   |  |  |  |
| Distance to nearest water well within one-mile of  | of pit:                | Depth to shallor<br>Source of inforr                    | west fresh water feet.  |  |  |  |
| feet Depth of water well   | feet                   | measured  | well owner electric log KDWR  |  |  |  |
| Emergency, Settling and Burn Pits ONLY:  |                        | Drilling, Worko   | ver and Haul-Off Pits ONLY:   |  |  |  |
| Producing Formation:   |                        | Type of materia   | l utilized in drilling/workover:  |  |  |  |
| Number of producing wells on lease:  |                        | Number of work  | ring pits to be utilized:   |  |  |  |
| Barrels of fluid produced daily:   |                        | Abandonment p   | procedure:  |  |  |  |
| Does the slope from the tank battery allow all s flow into the pit? Yes No   | pilled fluids to       | Drill pits must be closed within 365 days of spud date. |   |  |  |  |
|  | -                      |   |   |  |  |  |
| Submitted Electronically   |                        |   |   |  |  |  |
| KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS   |                        |   |   |  |  |  |
| Date Received: Permit Numl   | ber:                   | Permi   |   |  |  |  |

# Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (C  | athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)  |  |
|--|---|--|
| OPERATOR: License #  | Well Location:  |  |
| Name:  | SecTwpS. R East West  |  |
| Address 1:   | County:   |  |
| Address 2:   | Lease Name: Well #:   |  |
| City: State: Zip:+   | If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:   |  |
| Contact Person:  |   |  |
| Phone: ( ) Fax: ( )  |   |  |
| Email Address:   |   |  |
| Surface Owner Information:   |   |  |
| Name:  | When filing a Form T-1 involving multiple surface owners, attach an additional  |  |
| Address 1:   | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the |  |
| Address 2:   | county, and in the real estate property tax records of the county treasurer.  |  |
| City:  |   |  |
| the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice Acowner(s) of the land upon which the subject well is or will be located CP-1 that I am filing in connection with this form; 2) if the form beform; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface owner. | cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this                           |  |
| that I am being charged a \$30.00 handling fee, payable to the Ko  | fee with this form. If the fee is not received with this form, the KSONA-1  |  |
| Submitted Electronically   |   |  |

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT


### **SUPPLEMENTAL PAGE ATTACHED TO C-1 and CDP-1**

| OPERATOR:                      | LEASE NAME: | WELL #: |
|--------------------------------|-------------|---------|
| Woolsey Operating Company, LLC | KERSEY      | 1       |

### <u>Surface Owner Information (2nd owner):</u>

CALVIN & JENNIE LOU UNRUH 409 S. OAK ST. GREENSBURG, KS 67054

## WOOLSEY OPERATING COMPANY, LLC KERSEY LEASE SE. 1/4, SECTION 29, T28S, R18W KIOWA COUNTY, KANSAS




<sup>\*</sup> Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

ocation as shown on thi and may not be legally Contact landowner, department for access.

December 14, 2018

Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Diffield Services, Inc., its officers and employees harmless from all losses, costs and expenses and said entities released from any liability from incidental or consequential damages



State of Kansas, Kiowa County Register of Deeds Karen Butler

Book: MISL2 Page: 115

Receipt #: 26862

Recording Fee: \$38.00

Pages Recorded: 2

Date Recorded: 10/31/2018 10:30:00 AM miButho, Deputy

**DECLARATION OF UNITIZATION** 

### WITNESSETH THAT:

WHEREAS, the undersigned are the owners of the interests in the oil and gas leases more particularly described on Exhibit "A", which is attached hereto and made a part hereof; and,

WHEREAS, under the terms of the oil and gas leases described on Exhibit "A" attached hereto and made a part hereof, lessee is granted the right and power to voluntarily form a unit with respect to the acreage covered by these leases and/or to pool or combine into one or more units the land covered by these leases, or any portion thereof, with other land covered by another lease, or leases when, in Lessee's judgment, it is necessary or advisable to do so in order to properly develop and operate said lease premises so as to promote the conservation of such minerals in and under said land, such pooling to be in a unit or units not exceeding 160 acres each in the event of a vertical oil well, or into a unit or units not exceeding 640 acres each in the event of a vertical gas and/or condensate or distillate well or a combination well that produces both oil and gas, plus a tolerance of ten percent (10%) to conform to Governmental Survey quarter sections; and,

WHEREAS, the undersigned desires to exercise the unitization rights granted to them under the herein described leases;

NOW, THEREFORE, the undersigned, present owners of the interest in the herein described leases, pursuant to the provisions thereof, do hereby unitize, pool, combine, designate and describe, as follows:

Kersey #1 Unit:

Township 28 South, Range 18 West, Kiowa County, KS

Section 29: S/2SW/4SE/4; S/2SE/4SW/4

Section 32: N/2NW/4NE/4; N/2NE/4NW/4, less and except a 1.21 acre tract (See Exhibit "A" for complete tract description)

covering an area of 38.79 acres, more or less, as a consolidated oil leasehold estate, known as the Kersey #1 Unit well, for the purpose of exploration, development and production of oil by a vertical well, in accordance with the terms, provisions and conditions of said leases, described in Exhibit "A" attached hereto and made a part hereof, thereto (the "Unit").

The effective date of this Declaration is September 29, 2018.

WOOLSEY ENERGY CORPORATION

**ACKNOWLEDGMENTS** 

STATE OF KANSAS

COUNTY OF SEDGWICK

The foregoing instrument was acknowledged before me this 24th day of September, 2018, by Scott Fraizer, President of WOOLSEY ENERGY CORPORATION, a Kansas corporation, on behalf of said corporation.

My appointment expires:

October 6, 2018

NOTARY PUBLIC - State of Kansas LINDSAY L. WEBER My Appt. Expires

Book: MISL2 Page: 115

### EXHIBIT "A"

Attached to and made a part of that certain Declaration of Unitization effective September 29<sup>th</sup>, 2018.

Oil and Gas Leases:

Lease Number:

K-6336

Lease Date:

August 9, 2017

Lessor:

Dennis Kersey and Dana Kersey, husband and wife

Lessee:

Paramount Land Inc. Three (3) Years

Term: Recording Data:

Book OG27, Page 124

Description:

Township 28 South, Range 18 West

Section 29: The South Half of the Southwest Quarter (S/2SW/4)

Kiowa County, KS

Lease Number: K-6338a

Lease Date:

August 9, 2017

Lessor:

Calvin Unruh and Jennie Lou Unruh, husband and wife

Lessee: Term:

Paramount Land Inc. Three (3) Years

Recording Data:

Book OG27, Page 127

Description:

Township 28 South, Range 18 West

Section 29: The South Half of the Southeast Quarter (S/2SE/4)

Kiowa County, KS

Lease Number:

K-6338b

Lease Date:

September 5, 2017

Lessor:

V.G. Duvall, as Attorney-in-Fact for Clytis Marie Kersey, a

single person

Lessee:

Woolsey Energy Corporation

Term:

Three (3) Years

Recording Data: Description:

Book OG27, Page 134 Township 28 South, Range 18 West

Section 29: The South Half of the Southeast Quarter (S/2SE/4)

Kiowa County, KS

Lease Number:

K-5992

Lease Date:

February 3, 2016

Lessor:

Calvin Unruh and Jennie Lou Unruh, husband and wife

Lessee:

Paramount Land Inc.

Term:

One (1) Years Book OG26, Page 236

Recording Data: Description:

Insofar and Only insofar as said lease covers Tract 3:

Township 29 South, Range 18 West

Section 32: The Northwest Quarter (NW/4)

Kiowa County, KS

Lease Extension:

K-5992

Affidavit Date: Extension Term: January 31, 2018 Three (3) Years

Recording Data:

Book MISK2, Page 74

Correction Desc.:

K-5992

Date:

August 31, 2018

Recording Data:

Book OG28, Page 30

Lease Number:

K-6374

Lease Date:

April 11, 2018

Lessor:

Charles H. Schroeder, Trustee of the Charles H. Schroeder Trust

Lessee:

Woolsey Energy Corporation

Term:

Three (3) Years

Recording Data:

Book OG28, Page 22

Description:

Township 28 South, Range 18 West

Section 32: The North Half Northeast Quarter (N/2NE/4)

Section 33: The Northwest Quarter (NW/4)

Kiowa County, KS End of Exhibit "A"

# STATE OF KANSAS

Corporation Commission Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



PHONE: 316-337-6200 FAX: 316-337-6211 http://kec.ks.gov/

### GOVERNOR JEFF COLYER, M.D.

SHARI FEIST ALBRECHT, CHAIR | JAY SCOTT EMLER, COMMISSIONER | DWIGHT D. KEEN, COMMISSIONER

December 27, 2018

DEAN PATTISSON Woolsey Operating Company, LLC 125 N MARKET STE 1000 WICHITA, KS 67202-1729

Re: Drilling Pit Application KERSEY 1 SE/4 Sec.29-28S-18W Kiowa County, Kansas

### Dear DEAN PATTISSON:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.