For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	,SecTwpS. R EV
PPERATOR: License#	(O/O/O/O) feet from N / S Line of Section
lame:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
City:	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate:
	Length of Conductor Pipe (if any):
Operator:	Projected Total Depth:
Well Name: Original Total Depth:	
Original Completion Pate.	Water Source for Drilling Operations:
Pirectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	
KCC DKT #:	
	Will Cores be taken?
AF	Will Cores be taken? If Yes, proposed zone: FIDAVIT
AF The undersigned hereby affirms that the drilling, completion and eventual p	Will Cores be taken? If Yes, proposed zone: FIDAVIT
AF The undersigned hereby affirms that the drilling, completion and eventual p	Will Cores be taken? If Yes, proposed zone: FIDAVIT
AF The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig;
AF The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be</i> se	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set
AF The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the seco	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districts agreement agree	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ith drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will set well is dry hole, an agreement between the operator and the district office will be notified before well is either plug	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ith drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will search of the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well appropriate	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this control of the set of the set of the production casing is cemented in; and the set of the production casing is cemented in; and the set of the
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order #	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ith drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; iged from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order #	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this control of the set of the set of the production casing is cemented in; and the set of the production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cementing
AF The undersigned hereby affirms that the drilling, completion and eventual press agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a composition of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of t	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this control of the set of the set of the production casing is cemented in; and the set of the production casing is cemented in; and the set of the
AF The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this control of the set of the set of the production casing is cemented in; and the set of the production casing is cemented in; and the set of the
The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the sequent or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be appropriated.	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this control of the set of the set of the production casing is cemented in; and the set of the production casing is cemented in; and the set of the
The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spunding to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spundiate or the well shall be appropriated before the well shall be appropri	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sequence of the approved notice of intent to drill <i>shall be</i> posted on each and the sequence of the sequence of the appropriate district office will be notified below <i>shall be sequent</i> . 5. The appropriate district office will be notified before well is either plug of the sequence of th	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of t	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be sequented. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	If Yes, proposed zone: FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be computed to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. If 33,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to the process of the spud and the second of the second	Will Cores be taken? If Yes, proposed zone: FIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. The drilling rig; The by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. Strict office on plug length and placement is necessary prior to plugging; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual processing to the appropriate district office <i>prior</i> to spudding of well; 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud to a specified before well is either plug of the spud date or the well shall be computed to appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: FIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. And drilling rig; And by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation. Strict office on plug length and placement is necessary prior to plugging; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Signature of Operator or Agent:

Side Two

For KCC Use ONLY
API # 15

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:			
Lease:	feet from N / S Line of Section feet from E / W Line of Section			
Field:	Sec Twp S. R			
Number of Acres attributable to well:	is section. Regular of Integular			
envenvenvenvenvenven	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW			
Show location of the well. Show footage to the neares lease roads, tank batteries, pipelines and electrical lines, as r	PLAT st lease or unit boundary line. Show the predicted locations of required by the Kansas Surface Owner Notice Act (House Bill 2032). separate plat if desired. 1320 ft.			
	LEGEND			
	O Well Location Tank Battery Location Pipeline Location Electric Line Location			
	Lease Road Location			
	EXAMPLE			
36				
	1980' FSL			

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing		SecTwp R		
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:(bbls)		Feet from East / West_Line of Section		
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No Artificial Liner? Yes No		lo	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	m ground level to dee	pest point:	(feet) No Pit		
		• ,	cluding any special monitoring.		
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:			
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:		

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and abatteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be loced CP-1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I address.	ct (House Bill 2032), I have provided the following to the surface potential: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form peing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. cknowledge that, because I have not provided this information, the provided the control of the KCC performing this
task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the K	of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	





Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

the same are true and correct, so help me God.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1239057

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

WELL PLUGGING RECORD K.A.R. 82-3-117

OPERATOR: License #:			API N	lo. 15		
Name:				Spot Description: Sec Twp S. R East West		
				Feet from	North / South Line of Section	
			Feet from East / West Line of Section			
			Foota	County: Well #: Well #: The plugging proposal was approved on: (Date)		
			Lease Date No The p			
Producing Formation(s): List A					(KCC District Agent's Name)	
•	•	m: T.D	Plugging Commenced:			
•		m: T.D	Plugg	ging Completed:		
Depth to	5 lop: Botto	m: T.D				
Show depth and thickness of	all water, oil and gas forma	ations.	<u>'</u>			
Oil, Gas or Water	r Records		Casing Record	(Surface, Conductor & Produ	uction)	
Formation	Content	Casing	Size	Setting Depth	Pulled Out	
Describe in detail the manner cement or other plugs were us			•		ods used in introducing it into the hole. If	
Plugging Contractor License #	# :		Name:			
Address 1:			Address 2:			
City:			State	:	Zip:+	
Phone: ()						
Name of Party Responsible fo	or Plugging Fees:					
State of	County, _		, SS.			
	•			Employee of Operator or	Operator on above-described well,	
(Print Name)				Employee of Operator or	Uperator on above-described well,	

Submitted Electronically

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and

STATE OF KANSAS

CORPORATION COMMISSION CONSERVATION DIVISION 266 N. MAIN ST., STE. 220 WICHITA, KS 67202-1513



PHONE: 316-337-6200 FAX: 316-337-6211 http://kcc.ks.gov/

GOVERNOR JEFF COLYER, M.D.
SHARI FEIST ALBRECHT, CHAIR | JAY SCOTT EMLER, COMMISSIONER | DWIGHT D. KEEN, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

STATE OF KANSAS

Corporation Commission Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



PHONE: 316-337-6200 FAX: 316-337-6211 http://kcc.ks.gov/

GOVERNOR JEFF COLYER, M.D.
SHARI FEIST ALBRECHT, CHAIR | JAY SCOTT EMLER, COMMISSIONER | DWIGHT D. KEEN, COMMISSIONER

September 18, 2018

Zach Patterson American Oil LLC 1200 MAIN SUITE 410 HAYS, KS 67601

Re: Drilling Pit Application Bradley SWD NE/4 Sec.36-17S-11W Barton County, Kansas

Dear Zach Patterson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of completion of drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 261-6250 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 261-6250.