

# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 809

Date	4-26-68	Sec.	8	Twp.	14	Range	25	County	Trego	State	KS	On Location		Finish	9:15 PM
------	---------	------	---	------	----	-------	----	--------	-------	-------	----	-------------	--	--------	---------

Lease Perinton SHR Well No. 1-8 Location Collyer I-70 11 1/2 S Winto

Contractor Murphy #16 Owner To Quality Oilwell Cementing, Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Type Job Surface Charge To Phillips Exploration

Hole Size 12 1/4 T.D. 218 Street \_\_\_\_\_

Csg. 8 5/8 Depth 217 City \_\_\_\_\_ State \_\_\_\_\_

Tbg. Size \_\_\_\_\_ Depth \_\_\_\_\_

Tool \_\_\_\_\_ Depth \_\_\_\_\_

Cement Left in Csg. 10' Shoe Joint \_\_\_\_\_

Meas Line \_\_\_\_\_ Displace 13 BC. Cement Amount Ordered 150 @ 20 3/4 2/62

**EQUIPMENT**

Pumptrk	No. <u>20</u>	Cementor	<u>Emp</u>	Common	<u>120</u>
		Helper	<u>Sordan</u>	Poz. Mix	<u>30</u>
Bulktrk	No. _____	Driver	_____	Gel.	<u>3</u>
Bulktrk	No. <u>21</u>	Driver	<u>John</u>	Calcium	<u>6</u>

**JOB SERVICES & REMARKS**

Remarks:	Hulls
Rat Hole	Salt
Mouse Hole	Flowseal
Centralizers	Kol-Seal
Baskets	Mud CLR 48
D/V or Port Collar	CFL-117 or CD110 CAF 38
<u>8 5/8 on bottom. Est. Circulation</u>	Sand
<u>Mix 150 SKY Displace</u>	Handling <u>159</u>
<u>Cement Circulated</u>	Mileage _____

**FLOAT EQUIPMENT**

Guide Shoe	<u>8 5/8 Swage &amp; Bull Plug</u>
Centralizer	<u>1</u>
Baskets	
AFU Inserts	
Float Shoe	
Latch Down	

Pumptrk Charge Surface  
Mileage 40

X Signature A. J. [Signature]

Tax \_\_\_\_\_  
Discount \_\_\_\_\_  
Total Charge \_\_\_\_\_

JOB LOG

SWIFT Services, Inc.

DATE 5-10-18 PAGE NO. 1

CUSTOMER Phillips Exploration WELL NO. 1-8 LEASE Purinton JOB TYPE Post Collar TICKET NO. #31513

CHART NO.	TIME	RATE (BPM)	VOLUME (BBL) (GAL)	PUMPS		PRESSURE (PSI)		DESCRIPTION OF OPERATION AND MATERIALS
				T	C	TUBING	CASING	
	0815							on location 2 3/8 x 5 1/2
	0820							Start <del>Opening</del> Post Collar Tool in Hole P.C. - 1837
	0945	0	0		✓		1000	Pressure Test *Hold*
								Open P.C.
		2	4		✓		200	Injection Rate
	0955	3 1/2	95		✓		400	mix 175 sks SMD 1/4" Flo @ 11.2 ppg circulate cement to surface
	1020	3 1/2	6 1/2		✓		600	Displace Cement
	1030							Close P.C. - Pressure test *Hold*
								Run S.Jts
	1040	3 1/2	25		✓		350	Reverse Clean
								wash up truck
								* 175 sks SMD 1/4" Flo total * * 20 sks to Pit *
	1100							Job Complete
								Thank You Dave Preston Kirby



# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 814

Date	5-3-18	Sec.	8	Twp.	14	Range	25	County	Trego	State	KS	On Location		Finish	12:30 AM
------	--------	------	---	------	----	-------	----	--------	-------	-------	----	-------------	--	--------	----------

Lease Perinton Well No. 1-85HR Location Colliver 11 1/2 S Winto Owner

Contractor Martin #16 To Quality Oilwell Cementing, Inc.  
Type Job Production string You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.

Hole Size 7 7/8 T.D. 4049 Charge To Phillips Exploration  
Csg. 5 1/2 14# Depth 4046 Street

Tbg. Size Depth City State  
Tool Port Collar #53 Depth 1838

Cement Left in Csg. 42.85 Shoe Joint 42.85 The above was done to satisfaction and supervision of owner agent or contractor.  
Cement Amount Ordered 225 com 10% Salt 5% Gilsprite

Meas Line Displace 97 1/2 BBL 40 BBL KCL 500 gal mud clear  
Common 225

**EQUIPMENT**

Pumptrk	20	No.	Cementor	
			Helper	
Bulktrk		No.	Driver	
			Driver	
Bulktrk	15	No.	Driver	
			Driver	

Poz. Mix  
Gel.  
Calcium

**JOB SERVICES & REMARKS**

Remarks:  
Rat Hole 30SK  
Mouse Hole 15SK  
Centralizers  
Baskets  
D/V or Port Collar  
5 1/2 sev @ 4046 Baffle @ 4003.  
Bst. Circulation Pump 500 gal mud clear.  
most hole Plug Kettle Cement 5 1/2 with 180SK  
Clear lines & Displace Plug 1/2 40BL with  
KCL Plug land @ 1800#  
Lift Pressure @ 800#

Hulls KCL 4 gal  
Salt 17  
Flowseal  
Kol-Seal 900#  
Mud CLR 48 500 gal  
CFL-117 or CD110 CAF 38  
Sand  
Handling 251  
Mileage

**FLOAT EQUIPMENT**

Guide Shoe 20 Scratchers  
Centralizer 8  
Baskets 2  
AFU Inserts Port Collar  
Float Shoe 1  
Latch Down 1

Pumptrk Charge prod string  
Mileage 40

X Signature [Signature]

Tax  
Discount  
Total Charge