For KCC Use:
Effective Date:
District #
SGA? Ves No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
DPERATOR: License#	
lame:	
ddress 1:	Is SECTION: Regular Irregular?
ddress 2: + State: Zip: +	,
contact Person:	County.
hone:	Lease Name: Well #:
ONTRACTOR: License#	Field Name: Is this a Prorated / Spaced Field? Yes N
ame:	is time a restated, spassa resta
	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal Wildcat Cable Seismic : # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Designate of Total Departs
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	- (Note: Apply for Permit with DWR)
	Will Cores be taken?
OU DNI #	- Will Cores be taken? Yes \(\text{If Yes, proposed zone:} \)
AF	If Yes, proposed zone:
AF he undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
AF the undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
AF The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be</i> see	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; f by circulating cement to the top; in all cases surface pipe shall be set
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved in the second that the second in the secon	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the district office will be notified before well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order #	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. £133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved in the approved on the second of the second of the second of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well in the appropriate district office will be notified before well appropriate district of	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the district office will be notified before well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order #	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. £133,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. £133,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate of the specific production pipe shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date.	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. £133,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the notified before well is either pluging the notified before well is either pluging to pursuant to Appendix "B" - Eastern Kansas surface casing order from the must be completed within 30 days of the spudicate or the well shall be submitted Electronically	If Yes, proposed zone: SFIDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. Sch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
he undersigned hereby affirms that the drilling, completion and eventual prist agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging the appropriate to Appendix "B" - Eastern Kansas surface casing order and the district office will be notified before well is either pluging to the spunding to the spunding order and the district office will be notified before well is either pluging to the spunding order and the district office will be notified before well is either pluging to the spunding order and the district office will be notified before well is either pluging to the spunding order and the district office will be notified before well is either pluging to the spunding order and the district office will be notified before well is either pluging to the spunding order and the district office will be notified before well is either pluging to the spunding order and the district office will be notified before well is either pluging to the spunding order and the district office will be notified before well is either pluging to the spunding order and the district office will be notified before well is either pluging to the spunding order and the district office will be notified before well is either pluging to the spunding order and the district office will be notified before well is either pluging to the spunding order and the district office will be notified before well is either pluging to the spunding order and the district office will be notified before well is either pluging to the spunding order and the district off	If Yes, proposed zone: SFIDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. Sch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the appropriate district office will be notified before well is either pluging to the shall be computed on the district office will be notified before well is either pluging the shall be computed to the specific post of the spudiction of the well shall be appropriated within 30 days of the spudiction of the well shall be appropriated before the appropriated before the appropriated be	If Yes, proposed zone: SFIDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. Sch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the state of the appropriate district office will be notified before well is either pluging the state of the specific of the spunding order of the spunding to the spunding order of the spunding the state of the spunding order of the spunding of the spunding the state of the spunding order of the spunding of the spunding order of the spunding of the spunding of the spunding order of the spunding of	If Yes, proposed zone: SFIDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. Sch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the drill approved in the search of the approved notice of intent to drill <i>shall be</i> posted on each and the drill approved in the appropriate district office prior and the drill appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate to Appendix "B" - Eastern Kansas surface casing order appropriate to Appendix "B" - Eastern Kansas surface casing order appropriate to Appendix "B" - Eastern Kansas surface to the well shall be appropriate to the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the spud d	If Yes, proposed zone: SFIDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. Sch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set through all through the set of the set into the set of the set into the set of the set into the set of the	If Yes, proposed zone: SFIDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. Sch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second and the drill shall be completed. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order and the drill shall be completed within 30 days of the spud date or the well shall be second and the drill shall be completed. Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	If Yes, proposed zone: SFIDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. Sch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the set of the specified below. The appropriate district office will be notified before well is either pluging the set of the specified before well is either pluging the set of the specified below. The specified before well is either pluging the specified before well is either pluging to the specified before well is either pluging. The specified before well is either pluging to the specified before well is either pluging to the specified before well is either pluging. The specified before well is either pluging to the specified before well is either pluging. The specified before well is either pluging to the specified before well is either pluging. The specified before well is either pluging to the specified before well is either pluging to the specified before well is either pluging. The specified before well is either pluging to the specified before well is either pluging. The specified before well is either pluging to the specified before well is	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; Iged or production casing is cemented in; Iged from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
he undersigned hereby affirms that the drilling, completion and eventual properties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set int	If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 2133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Signature of Operator or Agent:

Side Two

For KCC Use ONLY
API # 15

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

perator		Location of Well. County.	
ase:		fee	t from N / S Line of Section
II Number:			t from E / W Line of Section
		SecTwpS	
		p:	
ımber of Acres attributable to well: _		Is Section: Regular or	Irregular
TR/QTR/QTR/QTR of acreage:		io Godieni	in og did.
		If Section is Irregular, locate wel	I from nearest corner houndary
			NW SE SW
		Section comer used.	JKW 3L 3W
		.AT	
		ease or unit boundary line. Show the pr	
lease roads, tank batteries		uired by the Kansas Surface Owner No	otice Act (House Bill 2032).
	You may attach a se	parate plat if desired. t.	
	422 I	<u>. </u>	
	: :	:	
		1607 ft.	LEGEND
	:		
: :	: : :	: 0	Well Location
			Tank Battery Location
	· · · · · · · · · · · · · · · · · · ·	·····	- Pipeline Location
; :	: :	:	- Electric Line Location
		•	Lease Road Location
:	:	:	= Loudo Hoda Loddiidii
: :	: : :	:	
		· · · · · · · · · · · · · · · · · · ·	
		EXAMPLE	
: :	: 20 : :	: :	
	28		······
: : : : : : : : : : : : : : : : : : : :	: :	:	
: :	: : : :		
:			:
: :	: : :	:	1980' FSL
! !	: :	:	1 1 1 1 1 1 1 1 1 1
		: : : : : : : : : : : : : : : : : :	

SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ):	
Type of Pit:	Pit is:		
Emergency Pit Burn Pit			SecTwpR East West
Settling Pit Drilling Pit			Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section County
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	m ground level to dee	pest point:	(feet) No Pit
		• ,	cluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover:	
Number of producing wells on lease: Number		Number of working pits to be utilized:	
Barrels of fluid produced daily: Ab		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.
	-		
Submitted Electronically			
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: () Fax: ()		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an addi	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City: State: Zip:+		
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat at the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form ceing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.	
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
Submitted Electronically		

IA OPERATING, INC. KELLER LEASE NE.1/4, SECTION 28, T11S, R2OW ELLIS COUNTY, KANSAS



LEGEND

0	Well Location
	Tank Battery Location
	Pipeline Location
	Electric Line Location
and the second	Lease Road Location

November 1. 2018

Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

section of land containing 640 acres.

**Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners with a stabilish the precise section lines, were not necessarily located, and the exact location of the stabilish service and acception in the section is not guaranteed. Therefore, the operator securing this service and acception in section is not guaranteed. Therefore, the operator securing this service and acceptions in the section is not guaranteed. Therefore, the operator securing this service and acceptions in the section is afficient and errors accepted in the section of acceptance of the section of the section of acceptance of the section of th

STATE OF KANSAS

CORPORATION COMMISSION CONSERVATION DIVISION 266 N. MAIN ST., STE. 220 WICHITA, KS 67202-1513



PHONE: 316-337-6200 FAX: 316-337-6211 http://kec.ks.gov/

GOVERNOR JEFF COLYER, M.D.

SHARI FEIST ALBRECHT, CHAIR | JAY SCOTT EMLER, COMMISSIONER | DWIGHT D. KEEN, COMMISSIONER

November 13, 2018

Jonathan Allen
IA Operating, Inc.
785 W. COVELL ROAD, SUITE 200
EDMOND, OK 73003

Re: Drilling Pit Application Keller 28-1 NE/4 Sec.28-11S-20W Ellis County, Kansas

Dear Jonathan Allen:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 261-6250 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 261-6250.