### KOLAR Document ID: 1423687

Confiden	tiality Requested	1:
Yes	No	

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

### WELL COMPLETION FORM

WELL	HISTORY	- DESCRIPTION	OF WELL	& I FASE
	III JIONI	- DESCRIF HOR		a LLASL

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD □ Gas □ DH □ EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR         Permit #:           GSW         Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West
Recompletion Date Reached TD Completion Date of Recompletion Date	County: Permit #:

### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

### Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

### KOLAR Document ID: 1423687

Operator Name:	Lease Name: Well #:
Sec TwpS. R East 🗌 West	County:

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c		] Ne	w Used rmediate, productio	on. etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
<ol> <li>Did you perform a hydra</li> <li>Does the volume of the</li> <li>Was the hydraulic fracture</li> </ol>	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold (If vented, Subn	Used on Lease		Open Hole		-	·	nit ACO-4)	юр	Bollom
	foration Perform Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Evans Oil Inc.
Well Name	R.E. CAMP 29-OE
Doc ID	1423687

## Casing

	Size Hole Drilled	Size Casing Set		Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	15	20	portland	5	na

N
5
4
2
5
-

PAGE NO

-

214588 /30/18 35 ***********************************	EXTENSION 194.85	194.85 0.00 17.85 211.90 211.90
TUV # DATE # DATE # CLERK: SE CLERK: SE CLERK: SE TERM # 55 **********************************	PRICE/PER 12.99 /EA	TAXABLE NON-TAXABLE SUB-TOTAL TAX AMOUNT TOTAL INVOICE
H OF MONTH CAMP LEASE	SUG.PRICE	211.90 F 72 F 72 F 72 F 72 F 72 F 72 F 72 F 72

No Signature Required

ВУ

Received

OSAGE ENERG 2100 WEST V COLONY

PC UM EA QUANTITY 15

# 802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

### NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

# 09002

OSAGE ENERGY 2100 W. VIRGINIA RD

18.

# Payless Concrete Products, Inc. 10-1-2018 29-07

### CONDITIONS

CONDITIONS Concrete to be delivered to the nearest accessible point over passable in under truck's own power. Due to delivery at owner's or intermediary's direct seller assumes no responsibility for damages in any manner to sidew roadways, driveways, buildings, trees, shrubbery, etc., which are at custor risk. The maximum allotted time for unloading trucks is 5 minutes per yar charge will be made for holding trucks longer. This concrete contains co water contents for strength or mix indicated. We do not assume responsibilit strength test when water is added at customer's request. Contractor must provide place for truck to wash out. A \$30 charge will be an per truck if contractor does not supply a place to wash truck out. Tow charge buyers responsibility.

LEASE: CAMP WELL#29-0E

105

### 3 N TO HWY 65 E 1MI 54 - Corn ST N 1MI WSD 35TH TO

# COLONY

# KS 66015

# % Air

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSAG
8:06 AM	WELL O NUMBER	10.50	10.50		36		Et la la la la
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUM
10/1/18 W	LL# -DE 29-DE	1	10.50	Parada -	0.00 4	. 00 11	40177
CAUSE BURNS. Avoid Co Contact With Skin or Eyes Attention. KEEP CHILDRE CONCRETE is a PERISHABLE LEAVING the PLANT. ANY O TELEPHONED to the OFFICE The undersigned promises to any sums owed. All accounts not paid within 30	WARNING ING TO THE SKINA Wear Rubber Boots and Gloves. Prontact With Eyes and Prolonged Co Flush Thoroughly With Water, If In NAWAY.	ND EYES ROLONGED CONTACT MAY ontact With Skin. In Case of ritation Persists, Get Medical	(TO BE SIGNED IF DELIVERY T Dear Customer-The driver of this to you for your signature is of the op truck may possibly cause damag property if it places the material in our wish to help you in every way the driver is requesting that you s this supplier from any responsibilit to the premises and/or adjace driveways, curbs, etc., by the del also agree to help him remove mu that he will not litter the public stru- tion, the undersigned agrees to income	MAGE RELEASE TO BE MADE INSIDE CURB LINE) ruck in presenting this RELEASE to inion that the size and weight of his e to the premises and/or adjacent this load where you desire it. It is that we can, but in order to do this ign this RELEASE relieving him and y from any damage that may occur ent property, buildings, sidewalks, ivery of this material, and that you do from the wheels of his vehicle so eet. Further, as additional considera- terminity and hold harmless the driver any and all damage to the premises hay be claimed by anyone to have	H20 Ad GAL X WEIGHMASTER	LOW INDICATES THAT I HAVE F	READ THE HEALTH W
	oss of the Cash Discount will be collect \$60/HR. CODE	ted on all Returned Checks.	X	Jan 250	ATT BI	UNIT PRICE	EXTENDED
10 50	WELL	WELL (IV) S	HACKS PER L	JNIT)			1
at that to been the	3 1 Secon Secon Manual						
205	TRUCKING	TRUCKING	CHARGE		2.00		VIS
225	E E S STOR STOR & C 144 C S STOR	TRUCKING C MIXING AND			2.00		43
10.50	TRUCKING MIX&HAUL	d d 2 Jun pour a 2 m a 4 mm - m				X	\$262
2.25	E E S STOR STOR & C 144 C S STOR	d d 2 Jun pour a 2 m a 4 mm - m				ZX	\$13 \$262 \$;
10.50	E E S STOR STOR & C 144 C S STOR	d d 2 Jun pour a 2 m a 4 mm - m		2 Dur		X X 7.90	\$13 \$262 \$13
RETURNED TO PLANT	MIX&HAUL	MIXING AND	HAUL ING HAUL ING DELAY EXPLANATION/O 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	CYLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	10.50 1055 TIME ALLOWED	X 7.90	\$13 \$267 \$13
10.50 RETURNED TO PLANT	MIX&HAUL	MIXING AND FINISH UNLOADING	HAUL ING MALLING DELAY EXPLANATION/O 1. JOB NOT READY 2. SLOW POUR OR PUMP	CYLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	10.50 1055 TIME ALLOWED	X 7.90	\$13 \$267 \$13 \$13
10.50 RETURNED TO PLANT	MIX&HAUL LEFTJOB	MIXING AND FINISH UNLOADING	HAUL ING HAUL ING DELAY EXPLANATION/O 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	CYLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	TIME ALLOWED	X 7.90 ADDITIONAL CHARGE	\$13 \$267 \$13 \$13
10.50 RETURNED TO PLANT	ILEFT JOB	MIXING AND FINISH UNLOADING	HAUL ING HAUL ING DELAY EXPLANATION/O 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	CYLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	TIME ALLOWED		

