KOLAR Document ID: 1425663

For KCC	Use:
Effective I	Date:
District #	
SGA?	Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
, ,	
PERATOR: License#	feet from N / S Line of Section
ame:	feet fromE / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
olddress 2: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
contact Person:	County:
hone:	Lease Name: Well #:
	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSI
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes Yes N
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
II OWWO. Old Well Information as follows.	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
irectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Yes, true vertical depth:	Well Farm Pond Other:
sottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )
CCC DKT #:	(Note: Apply for Permit with DWR )  Will Cores be taken?  Yes No
	If Yes, proposed zone:
	IDAVIT
he undersigned hereby affirms that the drilling, completion and eventual plu	gging of this well will comply with K.S.A. 55 et. seq.
is agreed that the following minimum requirements will be met:	
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> </ol>	
2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each	
3. The minimum amount of surface pipe as specified below shall be set	by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> a underlying formation.
<ul> <li>3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>4. If the well is dry hole, an agreement between the operator and the dist</li> <li>5. The appropriate district office will be notified before well is either plugg</li> </ul>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in;
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; ed or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> a underlying formation.  The underlying formation is necessary <b>prior to plugging</b> ; and or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the complete of the completed within 30 days of the spud date or the well shall be about the complete of t</li></ol>	by circulating cement to the top; in all cases surface pipe <b>shall be set</b> a underlying formation.  The underlying formation is underlying formation.  The difference on plug length and placement is necessary <b>prior to plugging</b> ; and or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.  Remember to:
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the complete shall be a specified before well in the complete shall be a specified before well is either plugger.  Ibmitted Electronically  For KCC Use ONLY	by circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	by circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about 15 - Conductor pipe required — feet	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  In this content is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	oy circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	py circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	py circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically</li> </ol> For KCC Use ONLY	py circulating cement to the top; in all cases surface pipe shall be set anderlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _							_ Lo	cation of V	Vell: Cou	ınty:				
Lease:											eet fror	$\square$	N / S	Line of Section
Well Numb	oer:									fe	eet fror	n 💹 E	W	Line of Section
Field:	ield:			_ Se	Sec Twp S. R					W				
Number of	Acres attr	ibutable to	well:				– ls :	Section:	Reg	ular or	Irreg	nular		
QTR/QTR/	/QTR/QTR	of acreag	e:				_	000110111			0;	guiui		
							If S	Section is	Irregula	r, locate w	ell fro	m neare	st corner b	oundary.
							Se	ction corn	er used:	NE	NW	SE	SW	
							DLAT							
	SI	now locatio	on of the w	ell Show	footage to	the neare	PLAT	runit houn	dary lina	. Show the	nredic	tod loca	tions of	
					-				-				use Bill 2032	2).
		,	, <b>/</b>		Уон т		a separate					(		-/-
				388	3 ft.				_					
		:	:	:		:	:	:						
2295 ft		:	<u>:</u>	<del>:_</del> •							LI	EGENI	)	
	••••		:		•••••		:			0	) W	ell Loca	ation	
			:	:						$\overline{}$			ery Location	on
		:	:	:		:	:	:					_ocation	
		:	:	:		:	:	•					ine Locatio	on
		:	:	:		:	:	:			<b>—</b> Le	ease Ro	ad Locatio	on
								•						
			:	:			:	:						
		:	:	:	1	:		:		EXAMPL	E			
		:	:		 34	:	<u>:</u>	:			:	i	:	
		:	:			:	:	:				··· ···		• • • •
			• • • • • • • • • • • • • • • • • • • •				•	•			:	i		
		:	:	:		:	:	:			:	:		
		:	:	:			:	:			:	:	:	
		:	:	:		:	:	:			P	7		1980' FSL
		:	:	:		:	:	:			·		•••••	
			•					•			:		:	
		:	:	:		:	:	:			: ┌─	╗╢	:	

SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1425663

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R			
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:	(111)	Feet from East / West Line of Section			
		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dee	pest point:	(feet) No Pit			
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining cluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallor Source of inforr	west fresh water feet.			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	l utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment p	procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.			
	-					
Submitted Electronically						
	КСС	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Numl	ber:	Permi				

KOLAR Document ID: 1425663

### Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East _ West
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be loc	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this ad email address.
KCC will be required to send this information to the surface own	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	
Submitted Electronically	

#### STRATAKAN EXPLORATION, LLC MORROW LEASE NW. 1/4, SECTION 34, T33S, R8W HARPER COUNTY, KANSAS



<sup>\*</sup> Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

ion as shown on this may not be legally sct landowner.

use.

\*Ingress plat is opened t

October 18, 2018

Approximate section I lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Diffield Services. Inc., its officers and employees normless from all losses, costs and expenses and said entities released from any liability Elevations derived from National Geodetic Vertical Datum.

STATE OF KANSAS
STATE CORPORATION COMMISSIO

WELL PLUGGING RECORD K.A.R.-82-3-117

API NUMBER 15-077-21,024-00-2	כ
LEASE NAME Morrow	_
WELL NUMBER 2-34 60'S of	
SPOT LOCATION NE NE NW	
SEC. 34 TWP. 339RGE. 8 000 or (W)	
COUNTY Harper	_
Date Well Completed 8-31-84	
Plugging Commenced 8-31-84	_
Plugging Completed 8-31-84	_
ging this well? Yes	
bottom T.D. 4750	
NG RECORD	
in Pulled out	
none	
dicating where oducing it into er of same and	
l.with rathole	
this form.)	
License No. 5149	
<del></del>	
PECEIVED  f operatoFATGGORPORATION COMMISSION  ath, says: That  ontained and DEC 1 2 1984  true and	

200 Colorado Deri Wichita, Kansas	_				EASE NAME Morrow	
•		TYPE OR PI		l v	VELL NUMBER 2-34 60'S	of.
		and return to	Cons. Div		SPOT LOCATION NE NE	
LEACE OREDATOR	Toyas Enongio	office within	ou days.	5	SEC. <u>34</u> TWP. <u>339</u> RGE. <u>8</u>	<u>(</u>
LEASE OPERATOR			<u> </u>	C	COUNTY Harper	
ADDRESS	P.U. BOX 947	Pratt, KS 6/12	4		Date Well Completed	8-31-84
PHONE # (316) 672	2-7581 OPE	ERATORS LICENSE N	10. 5087	F	lugging Commenced	8-31-84
Character of Well (Oll, Gas, D&A, S		r Supply Well)		F	lugging Completed	8-31-84
Did you notify th	e KCC/KDHE Join	t District Offic	e prior t	o pluggin	g this well? Yes	
Which KCC/KDHE Jo	int Office did	you notify?	Wichi	ta		
Is ACO-1 filed?	YesIf n	ot, is well log	attached?			<del></del>
Producing formati	on	Depth to	top	bo	ttomT.D47	50
Show depth and th	ickness of all	water, oil and g	as format	ions.		
OIL, GAS OR WATER	RECORDS	1		CASING	RECORD	
Formation	Conte	nt From To	Size	Put in	Pulled out	
			8 5/8	266	none	
Describe in detai	   the manner in	which the well	was plugge	ed, indic	ating where	
the mud fluid was the hole. If ceme	placed and the	method or metho	ds used in	n introdu	cing it into	
depth placed, fro	mfeet_tofe	et each set.				
	lugged well wit	h 120 sxs 60-40	poz 3% CC	2% Gel w	<u>ith</u>	
	ith 10 sxs; mou	<u>50 sxs at 300';</u> sehole with 10 s	<u>15 SXS at</u> SXS	_40'; rat	hole	<del></del>
(If ad	ditional descri	ption is necessa	ry, use BA	ACK of th	is form.)	
Name of Plugging		eatstate Oilfiel			License No5149	
Address	P <u>.</u>	<u>O. Box 329 Pra</u>	tt, KS 67	124	<del></del>	
						<del></del> .
STATE OF Kansa	S	_ COUNTY OFP	ratt		,ss. RECEIVED	)
	d D. Harper	Ti ikai a Ailah	(emplo	yee of o	peratorion Conference	MMISSION
XXXXXXXXXXXX of abo I have knowledge the log of the ab	of the facts, s	tatements, and m	atters her	ein conta	ained and DEO 4 O 400	34
correct, so help			(Signa	•	whan shist pour to for	n:
			(Addre	ess) <u>P.</u>	O. Box 947 Pratt,	KS 67124
	SUBSCI	RIBED AND SWORN	TO before	me this 1	7+bday of Contombon	

My Commission expires: 8/27/85

NOTARY PUBLIC - State of Kansas SANDY PATTON


My Appt. Exp. 8 27-85

Form CP-4 Revised 01-84

Surface Owner Notification (Preliminary Non-Binding)

Morrow 2734 SWD NW/4 Section 34 33s-8w Harper County, Kansas





## STATE OF KANSAS

CORPORATION COMMISSION CONSERVATION DIVISION 266 N. MAIN ST., STE. 220 WICHITA, KS 67202-1513



PHONE: 316-337-6200 FAX: 316-337-6211 http://kec.ks.gov/

GOVERNOR JEFF COLYER, M.D.
SHARI FEIST ALBRECHT, CHAIR | JAY SCOTT EMLER, COMMISSIONER | DWIGHT D. KEEN, COMMISSIONER

## NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

## STATE OF KANSAS

CORPORATION COMMISSION CONSERVATION DIVISION 266 N. MAIN ST., STE. 220 WICHITA, KS 67202-1513



PHONE: 316-337-6200 FAX: 316-337-6211 http://kcc.ks.gov/

#### GOVERNOR JEFF COLYER, M.D.

SHARI FEIST ALBRECHT, CHAIR | JAY SCOTT EMLER, COMMISSIONER | DWIGHT D. KEEN, COMMISSIONER

October 26, 2018

Justin R. Prater StrataKan Exploration, LLC 100 S MAIN ST PLAINVILLE, KS 67663-2234

Re: Drilling Pit Application Morrow 2734 SWD NW/4 Sec.34-33S-08W Harper County, Kansas

#### Dear Justin R. Prater:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at this location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

## STATE OF KANSAS

CORPORATION COMMISSION CONSERVATION DIVISION 266 N. MAIN ST., STE. 220 WICHITA, KS 67202-1513



PHONE: 316-337-6200 FAX: 316-337-6211 http://kcc.ks.gov/

#### GOVERNOR JEFF COLYER, M.D.

SHARI FEIST ALBRECHT, CHAIR | JAY SCOTT EMLER, COMMISSIONER | DWIGHT D. KEEN, COMMISSIONER

# HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

<b>82-3-607.</b> (a)		DISPOSAL OF DIKE AND PIT CONTENTS.  Each operator shall perform one of the following when disposing of dike or						
pit	'							
		contents:						
	(1)	Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;						
	(2)	dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well;						
or								
	(3)	<ul> <li>dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following: <ul> <li>(A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);</li> <li>(B) removal and placement of the contents in an on-site disposal area approved by the commission;</li> <li>(C) removal and placement of the contents in an off-site disposal area</li> </ul> </li> </ul>						
on								
lease		acreage owned by the same landowner or to another producing						
10000		or unit operated by the same operator, if prior written permission						
from		the landowner has been obtained; or						

		(D)	removal of the contents to a permitted off-site disposal area
approved			
			by the department.
(b)		Each v	violation of this regulation shall be punishable by the following:
	(1)	A \$1,0	00 penalty for the first violation;
	(2)	a \$2,5	00 penalty for the second violation; and
	(3)	a \$5,0	00 penalty and an operator license review for the third violation.

<u>File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.</u>

Haul-off pit will be located in an on-site disposal area:YesNo
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: YesNo If yes, written permission from the land owner must be obtained. Attach written permission to haul-off pit application.
Haul-off pit is located in an off-site disposal area on another <b>producing</b> lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application.