For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

OPERATOR: License#   Sec. Twp   S. R     Address 1:   Sec. Twp   S	Expected Spud Date:	month day yea	Spot Description:
Is SECTION: Regular Irregular?   Interest Inte	DPERATOR: License#	,	Sec Twp S. R   E     E     S. Line of Section   N /   S. Line of Section   N /   S. Line of Section   S. Line of Section   N /   S. Line of Section   S. Line of Section   N /   S. L
County:   State   Zip:   +     County:     County:   Lease Name:   Well #:   Field Name:   Lease Name:   Well #:   Field Name:   Is this a Prorated / Spaced Field?   Yes Target Formation(s):   Name of the State	lame:		
County:	Address 1:		Is SECTION: Regular Irregular?
County Ontact Person: hone:    County   County   County			(Note. Locate well on the Section Flat on reverse side)
Contractors: License#	•	·	County:
Section   Sect			Lease Name: vveil #: vveil #:
### Target Formation(s): ### Mearest Lease or unit boundary line (in footage): ### Ground Surface Elevation: ### Water Surface Plool Ext.   Air Rotary   Water well within one-quarter mile:   Yes   Yes   Other   Other: ### Surface Pipe Planned to be set:   Depth to bottom of tresh water:   Depth to bottom of tresh water:   Depth to bottom of usable water is   Depth to bottom of to bottom of usable water is   Depth to bottom of to bottom of usable water is   Depth to bottom of to bottom of to bottom of to	none.		Field Name:
Well Drilled For:   Well Class:   Type Equipment:   Nearest Lease or unit boundary line (in footage):   Seismic :   Infield   Mud Rotary   Water well within one-quarter mile:   Yet   Yet   Seismic :   # of Holes   Other			Is this a Prorated / Spaced Field?
Oil   Enh Rec	ame:		Target Formation(s):
Gals   Storage   Pool Ext.   Air Yotary   Water well within one-quarter mile:   Yet   Yet   Gals   Gals   Storage   Pool Ext.   Air Yotary   Public water supply well within one mile:   Yet   Yet   Water well within one-quarter mile:   Yet   Yet   Gals   Wildcat   Gable   Pool Ext.   Air Yotary   Water well within one-quarter mile:   Yet   Yet   Water   Yet	Well Drilled For:	Well Class: Type Equipme	71G
Gas   Slorage   Pool Ext.   Air Rotary   Public water supply well within one mile:   Yes   Depth to bottom of fresh water:   Depth to bottom of susable water:   Depth to bottom of usable water to bottom of the port of pulling ing:   Depth to bottom of the port of the pulling ing:   Depth to bottom of the port of the pulling ing:   Depth to bottom of the port of the pulling ing:   Depth to bottom of the port of pulling ing:   Depth to bottom of the port of pulling ing:   Depth to bottom of the port of the pulling ing:   Depth to bottom of the port of the pulling ing:   Depth to bottom of the port of the pulling ing:   Depth to bottom of the pulling ing:   Depth to bo	Oil Enh Re	ec Infield Mud Rot	Ground Surface Elevation:feet M
Depth to bottom of fresh water:   Depth to bottom of fresh water:   Depth to bottom of usable water:   Depth service of the property of the period	Gas Storage		Water well within one-quarter mile:
Depth to bottom of usable water:   Depth to bottom of usable water:   Surface Pipe by Alternate:   I   I   I   Length of Surface Pipe by Alternate:   I   I   I   Length of Surface Pipe by Alternate:   I   I   I   Length of Surface Pipe Planned to be set:   Length of Conductor Pipe (if any):   Projected Total Depth:   Formation at Total Depth:   Water Source for Drilling Operations:   Well   Farm Pond   Other:   DWR Permit #:   DWR Permit #:   Will Cores be taken?   Notify the paper of the properties district office prior to spudding of well;   A copy of the approved notice of intent to drill shall be posted on each drilling rig;   A repropriate district office of intent to drill shall be posted on each drilling righ and lunconsolidated materials plus a minimum of 20 feet into the underlying formation.   If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notified before well is either plugged or production casing is cemented in;   A repropriate district office will be notif	Dispos	al Wildcat Cable	
Surface Pipe by Alternate: I I I Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Promet to the spet: Length of Conductor Pipe (if any): Projected Total Depth: Prometion at Total Depth: Prometion at Total Depth: Prometion at Total Depth: Prometion at Total Depth: Water Source for Drilling Operations: Water Source of Drilling Operations: Water Source of Drilling Operations: Water Source Source Water Source Promote Source Water Sou	Seismic ; # of	Holes Other	Depth to bottom of fresh water:
Length of Surface Pipe Planned to be set:  Length of Conductor Pipe (if any):  Projected Total Depth:  Formation at Total Depth:  Solution Hole Location:  CC DKT #:  No Will Cores be taken?  If Yes, proposed zone:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approval notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:*  - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill; - File Completion For Apply with Intent to Drill;	Other:		Depth to bottom of usable water:
Operator:  Well Name: Original Completion Date: Original Total Depth: Identitional, Deviated or Horizontal wellbore? Ves, true vertical depth: OCD EXT #:  Water Source for Drilling Operations: Water Source for Drilling Ope	It OMMO, ald wall in	oformation on follows:	
Well Name: Original Completion Date: Original Total Depth: Incettional, Deviated or Horizontal wellbore? Yes No Yes, true vertical depth: Interestional Depth: Interestional, Deviated or Horizontal wellbore? Yes Interestional Depth: Interestional Total Depth: Interestional Depth: Interestional Depth: Interestional Depth: Interestional Depth: Interestional Total Depth: Interest	If OvvvvO: old well in	normation as follows:	Length of Surface Pipe Planned to be set:
Original Completion Date:Original Total Depth:	Operator:		
Water Source for Drilling Operations:  Water Source for Drill operations:  Water Source for Drill operations:  Water Source for Drilling Operations:  Water Source for Drilling Operations:  Water Source for Drilling Operations:  Water Source for Date Form Accentually Operations:  Water Source for Drilling Operations:  (Note: Apply for Permit with DWR   )  Will Cares be taken?  Water Source for Drilling Operations:  (Note: Apply for Permit with DWR   )  Will Cares be taken?  Water Source for Drilling Operations:  (Note: Apply for Permit with DWR   )  Will Cares be taken?  If Yes, proposed zone:  Water Source for Drill Will Dwater Drill with Dwater Drill operations:  (Note: Apply for Permit with DWR   )  Will Cares be taken?  (Note: Apply for Permit with DWR   )  Will Cares be taken?  (Note: Apply for Permit with Dwater Drill op			
rectional, Deviated or Horizontal wellbore?  Yes, true vertical depth:  DWR Permit #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  Sagreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:*  - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date:  - File Completion Form ACO-1 within 120 days of spud date:	Original Completion Date	e: Original Total Depth: _	
DWR Permit #:    DWR Permit #:   DWR Permit #:   (Note: Apply for Permit with DWR   )   Will Cores be taken?     Yes     If Yes, proposed zone:           If Yes, proposed zone:           If Yes, proposed zone:           If Yes, proposed zone:           If Yes, proposed zone:           If Yes, proposed zone:           If Yes, proposed zone:             If Yes, proposed zone:             If Yes, proposed zone:             If Yes, proposed zone:             If Yes, proposed zone:               If Yes, proposed zone:                 If Yes, proposed zone:                     If Yes, proposed zone:			
ottom Hole Location:  CC DKT #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  he undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:**  - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill;  - File Completion Form ACD-1 within 120 days of spud date:  - File Completion Form ACD-1 within 120 days of spud date:  - File Completion Form ACD-1 within 120 days of spud date:			
AFFIDAVIT  the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementir must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Act (KSONA-1) with Intent to Drill;  File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date:			DWK Femili #
If Yes, proposed zone:  AFFIDAVIT  the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:			(Note: Apply for Fernit With DVIN
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  Is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Cill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of soud date:			Will Cores be taken?
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill;  - File Certification (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date:			
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>;</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.</li> </ol>	he undersigned hereby a	ffirms that the drilling, completion and	eventual plugging of this well will comply with K.S.A. 55 et. seq.
<ul> <li>2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;</li> <li>5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.</li> </ul> IDMINITED TECHNICAL STATES II COMPLETION (Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date:  - File Completion Form ACO-1 within 120 days of spud date:  - File Completion Form ACO-1 within 120 days of spud date:  - File Completion Form ACO-1 within 120 days of spud date:  - File Completion Form ACO-1 within 120 days of spud date:  - File Completion Form ACO-1 within 120 days of spud date:  - File Completion Form ACO-1 within 120 days of spud date:  - File Completion Form ACO-1 within 120 days of spud date:  - File Completion Form ACO-1 within 120 days of spud date:  - File Completion Form ACO-1 within 120 days of spud date:  - File Completion Form ACO-1 within 120 days of spud date:  - File Completion Form ACO-1 within 120 days of spud date:  - File Completion	is agreed that the following	ng minimum requirements will be met	
Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:	<ol> <li>A copy of the approvations.</li> <li>The minimum amounthrough all unconsol</li> <li>If the well is dry hole</li> <li>The appropriate dist</li> <li>If an ALTERNATE II</li> <li>Or pursuant to Appe</li> </ol>	wed notice of intent to drill shall be po nt of surface pipe as specified below a lidated materials plus a minimum of 20 e, an agreement between the operator crict office will be notified before well is COMPLETION, production pipe shall endix "B" - Eastern Kansas surface case	sted on each drilling rig;  shall be set by circulating cement to the top; in all cases surface pipe shall be set  feet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date.  sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
Inis authorization expires:	ıbmitted Electron	ically	Remember to:
(This authorization void if drilling not started within 12 months of approval date.)  - Obtain written approval before disposing or injecting salt water.	API # 15 Conductor pipe required Minimum surface pipe requ Approved by:	feetfeet per ALT.	- File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
	API # 15  Conductor pipe required  Minimum surface pipe requ  Approved by:  This authorization expires:	feet uiredfeet per ALT.	Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
Spud date: Agent: please check the box below and return to the address below.	API # 15  Conductor pipe required  Minimum surface pipe requ  Approved by:  This authorization expires:	feet uiredfeet per ALT.	Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

Side Two

For KCC Use ONLY
API # 15


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:			
Lease: Well Number:	feet from N / S Line of Section feet from E / W Line of Section			
Field:	Sec Twp S. R			
Number of Acres attributable to well:	Is Section: Regular or Irregular			
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW			

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Emergency Pit Burn Pit Proposed Exis		SecTwpR East West			
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section			
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:(bbls)		Feet from East / West Line of SectionCounty			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	m ground level to dee	pest point:	(feet) No Pit			
material, thickness and installation procedure.						
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:				
feet Depth of water wellfeet		measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS						
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:			

#### Kansas Corporation Commission Oil & Gas Conservation Division


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat at the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form ceing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	



ALTON OIL LLC. LEO #1 PLAT



**Notice:** Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

### Kansas Corporation Commission Oil & Gas Conservation Division

1071934

Employee of Operator or Operator on above-described well,

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

# WELL PLUGGING RECORD

OFERATOR: License #: 33982  Name: Alton Oil LLC  Address 1: PO BOX 117  Address 2: PO BOX 117  Address 2: PO BOX 117  Contact Person: Michael A, Pressnall Phone (620 ) 221-4268  Type of Well: (Creex cere   Oil Well   Gas Well   Go   D&A   Candoc   Possible   Gas Well   Go   D&A   Candoc   Go   Well   Green   Go   Well   Go   We			N.A.N. O	2-3-117			
Address 1: PO BOX 117  Address 2: Settle					API No. 15	15-035-244	59-00-00
Address 2:	Name: Alton Oil LLC					•	
City: WINFIELD State: KS Zip: 67156 + 0117 Contact Person: Michael A. Pressnall Phone: (620 ) 221-4268  Type of Weit (Check one) Oil Weil Gas Weil OG DaA cathodic Water Supply Weil Other: Gas Storage Permit #: Date Well Completed: The plugging proposal was approved on: (Cate) Date Well Completed: The plugging proposal was approved on: (Cate) by: (KCC District Agent's Name) Producing Formation(s): List All (if needed attach another sheet)  Depth to Top: Bottom: T.D. Depth to T	Address 1: PO BOX 117			I			
Contact Person: _Michael A. Pressnall					Feet from North / South Line of Section		
Phone: (620_) 221-4268  Type of Wells: (Check knet)			Zip: <u>67156_</u> + <u>011</u>	<b>Z</b> _	Feet from East / West Line of Section		
Type of Well: (Check one) Oil Well Gas Well OG DaA Cathodic Water Supply Well Other: Surface Surgae Permit #: Date Well Completed: The plugging proposal was approved on: (Date) Date Well Completed: The plugging proposal was approved on: (Date) by: MCC District Agent's Name) Producing Formation(s): List All (if needed attach another sheet)  Depth to Top: Bottom: T.D. Dep					Footages (	Calculated from Near	est Outside Section Corner:
Water Supply Well Other: Gas Storage Permit #: Lease Name: Le0 Well #: 1    ENRR Permit #: Gas Storage Permit #: Date Well Completed: The plugging proposal was approved on: (Date) by: (KCC District Agent's Name) Producing Formation(s): List All (If needed attach another sheet)	Phone: (620 ) 221-420	68				✓ NE NW	SE SW
Water Supply Well   Other:	Type of Well: (Check one)	Oil Well Gas Well	OG 🖊 D&A Cathodi	ic	County:	Cowley	
	Water Supply Well C	Other:	SWD Permit #:		•		
Is ACO-1 filed?	ENHR Permit #:	Gas Sto	rage Permit #:				
Depth to Top: Bottom: T.D. Plugging Commenced: 12/17/2011 Depth to Top: Bottom: T.D. Depth to Top: Bot	Is ACO-1 filed? Yes	No If not, is well	log attached? Yes	No			
Depth to Top: Bottom: T.D. Plugging Commences: 12/17/2011  Show depth and thickness of all water, oil and gas formations.  Oil, Gas or Water Records Casing Record (Surface, Conductor & Production)  Formation Content Casing Size Setting Depth Pulled Out  Surface 8.6250 201 0  Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.  Lay down drill pipe-35 sacks@ 251'-25 sacks@ 60'- 20 sacks in Rathole-Job complete.  Plugging Contractor License #: 33961  Name: Consolidated Oil Well Services LLC  Address 1: 1322 S GRANT  Address 2: PO BOX 884  City: CHANUTE  State: KS Zip: 66720 +  Phone: (620_) 431-9210	• ,	,	,		by:		(KCC <b>District</b> Agent's Name)
Depth to Top: Bottom: T.D. Plugging Completed: 12/17/2011  Show depth and thickness of all water, oil and gas formations.    Oil, Gas or Water Records	Depth to				Pluaaina C	Commenced: 12/17	7/2011
Show depth and thickness of all water, oil and gas formations.    Oil, Gas or Water Records   Casing Record (Surface, Conductor & Production)	Depth to	Top: Botton	m: T.D			40/4-	
Oil, Gas or Water Records  Casing Record (Surface, Conductor & Production)  Formation  Content  Casing  Size  Setting Depth  Pulled Out  Surface  8.6250  201  0  Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.  Lay down drill pipe-35 sacks@ 251'-25 sacks@ 60'- 20 sacks in Rathole-Job complete.  Plugging Contractor License #: 33961  Name: Consolidated Oil Well Services LLC  Address 1: 1322 S GRANT  Address 2: PO BOX 884  City: CHANUTE  State: KS  Zip: 66720 + Phone: (620 _ ) 431-9210	Depth to	Top: Botton	m: T.D	—			
Formation   Content   Casing   Size   Setting Depth   Pulled Out	Show depth and thickness of a	all water, oil and gas forma	ations.				
Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.  Lay down drill pipe-35 sacks@ 251'-25 sacks@ 60'- 20 sacks in Rathole-Job complete.  Plugging Contractor License #: 33961  Name: Consolidated Oil Well Services LLC  Address 1: 1322 S GRANT  Address 2: PO BOX 884  City: CHANUTE  State: KS  Zip: 66720 +  Phone: (620 ) 431-9210	Oil, Gas or Water	Records		Casing F	Record (Surfa	nce, Conductor & Produ	uction)
Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.  Lay down drill pipe-35 sacks@ 251'-25 sacks@ 60'- 20 sacks in Rathole-Job complete.  Plugging Contractor License #:	Formation	Content	Casing	Size		Setting Depth	Pulled Out
Lay down drill pipe-35 sacks@ 251'-25 sacks@ 60'- 20 sacks in Rathole-Job complete.  Plugging Contractor License #:33961			Surface	8.625	0	201	0
Lay down drill pipe-35 sacks@ 251'-25 sacks@ 60'- 20 sacks in Rathole-Job complete.  Plugging Contractor License #:33961							
Lay down drill pipe-35 sacks@ 251'-25 sacks@ 60'- 20 sacks in Rathole-Job complete.  Plugging Contractor License #:33961							
Lay down drill pipe-35 sacks@ 251'-25 sacks@ 60'- 20 sacks in Rathole-Job complete.  Plugging Contractor License #:33961							
Lay down drill pipe-35 sacks@ 251'-25 sacks@ 60'- 20 sacks in Rathole-Job complete.  Plugging Contractor License #:33961							
Address 1:1322 S GRANT Address 2:PO BOX 884	cement or other plugs were us	sed, state the character of	same depth placed from (bot	ttom), to (1	top) for each	plug set.	·
·	Address 1: 1322 S GR	ANT		Address	2: PO E	3OX 884	
	•	210					
	,, ,		Oil LLC.				

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

\_ County, \_

(Print Name)

### STATE OF KANSAS

Corporation Commission Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



PHONE: 316-337-6200 FAX: 316-337-6211 http://kec.ks.gov/

#### GOVERNOR JEFF COLYER, M.D.

SHARI FEIST ALBRECHT, CHAIR | JAY SCOTT EMLER, COMMISSIONER | DWIGHT D. KEEN, COMMISSIONER

November 26, 2018

Michael A. Pressnall Alton Oil LLC PO BOX 117 WINFIELD, KS 67156-0117

Re: Drilling Pit Application Leo 1 NE/4 Sec.22-33S-04E Cowley County, Kansas

#### Dear Michael A. Pressnall:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 337-7400 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 337-7400.