| For KCC    | Use:   |
|------------|--------|
| Effective  | Date:  |
| District # |        |
| SGA?       | Yes No |

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

| Expected Spud Date:   | Spot Description:  |
|---|--|
| month day year  | Sec Twp S. R [ E [ ] \   |
| DPERATOR: License#  | feet from N / S Line of Section  |
| Vame:   | feet from E / W Line of Section  |
| Address 1:  | Is SECTION: Regular Irregular?   |
| Address 2:  | (Note: Locate well on the Section Plat on reverse side)  |
| City:   | County:  |
| Contact Person:   | Lease Name: Well #:  |
| Phone:  | Field Name:  |
| CONTRACTOR: License#  | Is this a Prorated / Spaced Field?   |
| lame:   | Target Formation(s):   |
| Mall Drillad Fav. Mall Class. Time Favingsont.  | Nearest Lease or unit boundary line (in footage):  |
| Well Drilled For: Well Class: Type Equipment:   | Ground Surface Elevation:feet MS   |
| Oil Enh Rec Infield Mud Rotary  | Water well within one-quarter mile:  |
| Gas Storage Pool Ext. Air Rotary  | Public water supply well within one mile:  |
| Disposal Wildcat Cable  | Depth to bottom of fresh water:  |
| Seismic ; # of Holes Other  | Depth to bottom of usable water:   |
| Other:  | Surface Pipe by Alternate: I II  |
| If OWWO: old well information as follows:   | Length of Surface Pipe Planned to be set:  |
|   | Length of Conductor Pipe (if any):   |
| Operator:   |  |
| Well Name:  | Projected Total Depth:   |
| Original Completion Date: Original Total Depth:   | Formation at Total Depth: Water Source for Drilling Operations:  |
| Directional, Deviated or Horizontal wellbore?   | Well Farm Pond Other:  |
| f Yes, true vertical depth:   |  |
| Bottom Hole Location:   | DWR Permit #:(Note: Apply for Permit with DWR )  |
| VCC DVT #:  | (Note: Apply for a strike that BVVV  |
| NOC DN 1 #:   | Will Cores be taken?   |
| NOC DN I #  | Will Cores be taken?  If Yes, proposed zone:   |
|   | If Yes, proposed zone:   |
| AFF   | If Yes, proposed zone:   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug  | If Yes, proposed zone:   |
| The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:   | If Yes, proposed zone:   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  | If Yes, proposed zone:   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each   | If Yes, proposed zone:  IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig;   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to   | If Yes, proposed zone:  IDAVIT  IDAVIT |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the   | If Yes, proposed zone:  IDAVIT  IDAVIT |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to   | If Yes, proposed zone:  IDAVIT  In gring of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In drilling |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distress. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  | If Yes, proposed zone:  IDAVIT  In gring of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In ict office on plug length and placement is necessary prior to plugging;  In dead or production casing is cemented in;  If from below any usable water to surface within 120 DAYS of spud date.   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13   | If Yes, proposed zone:  IDAVIT  In gring of this well will comply with K.S.A. 55 et. seq.  In drilling rig; In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set un |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented  | If Yes, proposed zone:  IDAVIT  In gring of this well will comply with K.S.A. 55 et. seq.  In drilling rig; In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set un |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13   | If Yes, proposed zone:  IDAVIT  In gring of this well will comply with K.S.A. 55 et. seq.  In drilling rig; In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the complete of the complete of the complete of the cases of the complete of the comp |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be   | If Yes, proposed zone:  IDAVIT  In gring of this well will comply with K.S.A. 55 et. seq.  In drilling rig; In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the complete of the complete of the complete of the cases of the complete of the comp |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be   | If Yes, proposed zone:  IDAVIT  In gring of this well will comply with K.S.A. 55 et. seq.  In drilling rig; In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set un |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest. 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  | IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distrection of the interval of the set of t | IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest. 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  | IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distrection of the interval of the set of t | IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;   |
| The undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distrection of the surface of the specific of the set of t | IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;  |
| The undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distrection of the distrection  | IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;  |
| The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distrection of the intensity of the specific of the well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required  | IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;  |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distrection of the distrection  | IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;   |
| The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distrection of the intensity of the specific of the well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required  | IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);   |

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

Side Two

| For KCC Use ONLY |
|------------------|
| API # 15         |


## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |
|---------------------------------------|--|
| Lease:                                | feet from N / S Line of Section  |
| Well Number:                          | feet from E / W Line of Section  |
| Field:                                | Sec Twp S. R 🗌 E 🔲 W   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



## 165 ft.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:  |                        |   | License Number:  |  |  |
|---|------------------------|---|--|--|--|
| Operator Address:   |                        |   |  |  |  |
| Contact Person:   |                        |   | Phone Number:  |  |  |
| Lease Name & Well No.:  |                        |   | Pit Location (QQQQ):   |  |  |
| Type of Pit:  | Pit is:                |   |  |  |  |
| Emergency Pit Burn Pit  | Proposed               | Existing  | SecTwpR East West  |  |  |
| Settling Pit Drilling Pit If Existing, date compared to the supply API No. or Year Drilled)  If Existing, date compared to the supply API No. or Year Drilled)  Pit capacity: |                        | nstructed:  | Feet from North / South Line of Section  |  |  |
|   |                        | (111)   | Feet from East / West Line of Section  |  |  |
|   |                        | (bbls)  | County   |  |  |
| Is the pit located in a Sensitive Ground Water A  | rea? Yes I             | No  | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)      |  |  |
| Is the bottom below ground level?  Yes No Artificial Liner?  Yes No   |                        | lo  | How is the pit lined if a plastic liner is not used?                           |  |  |
| Pit dimensions (all but working pits):  | Length (fee            | et)   | Width (feet) N/A: Steel Pits   |  |  |
| Depth fro   | om ground level to dee | pest point:   | (feet) No Pit  |  |  |
| If the pit is lined give a brief description of the li<br>material, thickness and installation procedure.   | ilei                   |   | dures for periodic maintenance and determining cluding any special monitoring. |  |  |
| Distance to nearest water well within one-mile of   | of pit:                | Depth to shallor<br>Source of inforr                    | west fresh water feet.   |  |  |
| feet Depth of water well  | feet                   | measured  | well owner electric log KDWR   |  |  |
| Emergency, Settling and Burn Pits ONLY:   |                        | Drilling, Worko   | ver and Haul-Off Pits ONLY:  |  |  |
| Producing Formation:  |                        | Type of materia   | l utilized in drilling/workover:   |  |  |
| Number of producing wells on lease:   |                        | Number of working pits to be utilized:                  |  |  |  |
| Barrels of fluid produced daily:  |                        | Abandonment procedure:                                  |  |  |  |
| Does the slope from the tank battery allow all s flow into the pit? Yes No  | pilled fluids to       | Drill pits must be closed within 365 days of spud date. |  |  |  |
|   | -                      |   |  |  |  |
| Submitted Electronically  |                        |   |  |  |  |
| KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS  |                        |   |  |  |  |
| Date Received: Permit Numl  | ber:                   | Permi   |  |  |  |

## Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (C  | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)  |
|--|--|
| OPERATOR: License #  | Well Location:   |
| Name:  | SecTwpS. R East West   |
| Address 1:   | County:  |
| Address 2:   | Lease Name: Well #:  |
| City:  | If filing a Form T-1 for multiple wells on a lease, enter the legal description of   |
| Contact Person:  | the lease below:   |
| Phone: ( ) Fax: ( )  |  |
| Email Address:   |  |
| Surface Owner Information:   |  |
| Name:  | When filing a Form T-1 involving multiple surface owners, attach an additional   |
| Address 1:   | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the  |
| Address 2:   | county, and in the real estate property tax records of the county treasurer.   |
| City:  |  |
| the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following: | dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat of the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.                   |
|  | cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.  |
| KCC will be required to send this information to the surface own   | cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form. |
| If choosing the second option, submit payment of the \$30.00 handling to form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1                                 | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.   |
| Submitted Electronically   |  |

| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

Operator:\_

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: \_

1980' FSL

SEWARD CO. 3390' FEL

| Lease:       |  |                         |        |   | feet from N / S Line of Sect   | on |
|--------------|--|-------------------------|--------|---|--|----|
| Well Number: |  |                         |        |   | feet from E / W Line of Sect   | on |
| Field:       |  | Sec                     | Twp    | S. R                                      |  |    |
|              |  |                         | 10 000 | tion: Regular c                           | or Irregular   |    |
|              |  |                         |        | tion is Irregular, loca<br>n corner used: | ate well from nearest corner boundary.  NE NW SE SW  |    |
|              |  | and electrical lines, a |        | e Kansas Surface Ov                       | w the predicted locations of<br>wner Notice Act (House Bill 2032).                                 |    |
|              |  |                         |        |   | LEGEND   |    |
|              |  |                         |        |   | O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location |    |
|              |  |                         |        | EXA                                       | AMPLE : :  |    |

NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.