





REMIT TO  
QES Pressure Pumping LLC  
Dept:970  
P.O.Box 4346  
Houston, TX 77210-4346

MAIN OFFICE  
P.O.Box884  
Chanute, KS 66720  
620/431-9210, 1-800/467-8676  
Fax 620/431-0012

Invoice Invoice# 814278

Invoice Date: 10/02/18 Terms: Net 30 Page 1

ALTAVISTA ENERGY INC  
PO BOX 128  
WELLSVILLE KS 66092  
USA  
7858834057

STRAHM WEST #AI-40

Part No	Description	Quantity	Unit Price	Discount(%)	Total
CE0450	Cement Pump Charge 0 - 1500'	1.000	1,500.0000	45.000	825.00
CE0002	Equipment Mileage Charge - Heavy Equipment	40.000	7.1500	45.000	157.30
CE0711	Minimum Cement Delivery Charge	1.000	660.0000	45.000	363.00
WE0853	80 BBL Vacuum Truck (Cement Services)	2.000	100.0000	45.000	110.00
CC5840	Poz-Blend I A (50:50)	141.000	13.5000	45.000	1,046.93
CC5965	Bentonite	337.000	0.3000	45.000	55.61
CC5326	Sodium Chloride, Salt	296.000	1.0000	45.000	162.80
CC6077	Kolseal	705.000	0.5000	45.000	193.88
CP8176	2 7/8" Top Rubber Plug	1.000	45.0000	45.000	24.75

Subtotal 5,344.10  
Discounted Amount 2,404.85  
SubTotal After Discount 2,939.25

Amount Due 5,546.46 If paid after 11/01/18

Tax: 111.30  
Total: 3,050.57





PRESSURE PUMPING LLC  
 PO Box 884, Chanute, KS 66720  
 620-431-9210 or 800-467-8676

11737  
 11620

TICKET NUMBER 55473  
 LOCATION Ottawa, KS  
 FOREMAN Carey Kennedy

FIELD TICKET & TREATMENT REPORT  
 CEMENT

Invoice # 814278

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
10/11/18	3244	Strahm West # A1-40	NW 11	24	16	WO

CUSTOMER Altavista Energy  
 MAILING ADDRESS PO Box 128  
 CITY Wellsville STATE KS ZIP CODE 66092

TRUCK #	DRIVER	TRUCK #	DRIVER
503 /	CarKen	✓ Safety	Meeting
467 /	KeiCar	✓	
675 /	KeiDet	✓	
		669	Jim Gre *

JOB TYPE long string HOLE SIZE 5 7/8" HOLE DEPTH 1110' CASING SIZE & WEIGHT 2 7/8" EUE  
 CASING DEPTH 7105' DRILL PIPE \_\_\_\_\_ TUBING baffle - 1075' OTHER \_\_\_\_\_  
 SLURRY WEIGHT \_\_\_\_\_ SLURRY VOL \_\_\_\_\_ WATER gal/sk \_\_\_\_\_ CEMENT LEFT in CASING 30'  
 DISPLACEMENT 6.22 bbls DISPLACEMENT PSI \_\_\_\_\_ MIX PSI \_\_\_\_\_ RATE 4 bpm

REMARKS: held safety machine, established circulation, mixed & pumped 100 # Gel followed by 5 bbls fresh water, mixed & pumped 141 stks Portland A cement w/ 2% gel, 5% salt, & 5 # Kalseal per stk, cement to surface, flushed pump clean, pumped 2 1/2" rubber plug to well w/ 6.22 bbls fresh water, pressured to 800 PSI, released pressure to set that valve.

*AK*

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
CE0450	1	PUMP CHARGE	1500.00	✓
CE0002	40 mi	MILEAGE	286.00	✓
CE0711	min	ton mileage	1000.00	✓
WE0853	2 hrs	80 Vac	200.00	✓
		trucks	2646.00	
		- 45%	1190.70	
		subtotal		1455.30
CC5840	141 stks	Portland A cement	1903.50	✓
CC5965	337 #	Gel	101.10	✓
CC5326	296 #	Salt	296.00	✓
CC6077	705 #	Kalseal	352.50	✓
CP8176	1	2 1/2" rubber plug	45.00	✓
		materials	2698.10	
		- 45%	1214.15	
		subtotal		1483.95
		7.5%		
		SALES TAX		111.30
		ESTIMATED TOTAL		3050.59

SCANNED

vin 3737 AUTHORIZATION Bryan Miller TITLE \_\_\_\_\_ DATE (5546.46)

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's