KOLAR Document ID: 1429747

Confidentiality Requested:

Yes No

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No.:			
Name:			Spot Description:			
Address 1:				Sec Twp	S. R	_ East _ West
Address 2:				Feet from	North / Sc	outh Line of Section
City: S	state: Zip	:+		Feet from	East / W	est Line of Section
Contact Person:			Footages Calculated	from Nearest Out	side Section Cor	ner:
Phone: ()			□ NE 〔	□NW □SE	$\square$ sw	
CONTRACTOR: License #			GPS Location: Lat:		, Long:	
Name:				(e.g. xx.xxxxx)	¬	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27			
Purchaser:			County:			
Designate Type of Completion:			Lease Name:		Well	#:
New Well Re	e-Entry	Workover	Field Name:			
	□swd		Producing Formation	n:		
☐ Gas ☐ DH	☐ EOR		Elevation: Ground:_		Kelly Bushing:	
OG	GSW		Total Vertical Depth:	Plu	g Back Total Dep	oth:
CM (Coal Bed Methane)	_		Amount of Surface P	ipe Set and Ceme	nted at:	Feet
Cathodic Other (Cor	re, Expl., etc.):		Multiple Stage Ceme	enting Collar Used	? Yes N	lo
If Workover/Re-entry: Old Well In	nfo as follows:		If yes, show depth se	et:		Feet
Operator:			If Alternate II comple	tion, cement circul	lated from:	
Well Name:			feet depth to:	w	//	sx cmt.
Original Comp. Date:	Original Tot	tal Depth:				
☐ Deepening ☐ Re-perf. ☐ Plug Back ☐ Liner	Conv. to GS		Drilling Fluid Manag	•	it)	
Commingled	Dormit #:		Chloride content:	ppm	Fluid volume: _	bbls
Dual Completion			Dewatering method u	used:		
SWD			Location of fluid disp	osal if hauled offsi	te:	
EOR						
☐ GSW			Operator Name:			
			Lease Name:			
Spud Date or Date Re	ached TD	Completion Date or	Quarter Sec.	Twp	S. R	East _ West
Recompletion Date		Recompletion Date	County:	Perr	nit #:	

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I I II Approved by: Date:

KOLAR Document ID: 1429747

#### Page Two

Operator Name:					Lease Nam	ne:			Well #:		
Sec Tw	pS. F	R [	East	West	County:						
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool erature, fluid recovery,  Digital electronic log	
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample	
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name	)		Тор	Datum	
Cores Taken Electric Log Run Geologist Report / Mud Logs List All E. Logs Run:		Y€  Y€	es No								
			Repo		RECORD [	Nev	w Used rmediate, producti	on. etc.			
Purpose of St		ze Hole Orilled	Size Casing Set (In O.D.)		Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
				ADDITIONAL	OF MENTING /						
Purpose:	[	Depth	Typo		# Sacks Use		EEZE RECORD	Typo a	ad Paraant Additivas		
Perforate Protect Casing Plug Back TD		Type of Cement		# Jacks Useu		d Type and Percent Additives					
Plug Off Z											
Did you perform     Does the volum     Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,	
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)			
Estimated Production Oil Bbls.		le.	Flowing Pumping  Gas Mcf			Gas Lift Other (Explain)  Nater Bbls.		Gas-Oil Ratio	Gravity		
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity	
DISPOSITION OF GAS:				N	METHOD OF COMPLETION:			PRODUCTION INTERVAL:			
☐ Vented ☐ Sold ☐ Used on Lease ☐					Oually Comp. Commingled Submit ACO-5) (Submit ACO-4)		-	Тор	Bottom		
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (SUDI	nit ACO-4)			
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At	Acid, Fracture, Shot, Cementing Squeeze Record (Amount and Kind of Material Used)		Record			
TUBING RECOR	D: Size:		Set At:		Packer At:						

Form	ACO1 - Well Completion
Operator	American Oil LLC
Well Name	BRADLEY UNIT 1
Doc ID	1429747

### Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement	Type and Percent Additives
Surface	12.25	8.625	23	346	common	3% CC, 2% gel
Production	7.875	5.5	15.5	3337	common	10% salt 5% gilsonite

# QUALITY JILWELL CEMENTING, INC. Federal Tax I.D.# 20-2886107

Phone 785-483-2025 Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 927

Date 8-18-18 Sec.	Twp. Range	Barton	State Ks	On Location	Finish 1.30PM		
0 11 0		Location Clafi	n-Eto	156 Dung:	IN E/s		
Lease Bradley un	Well No.	Owner		31			
Contractor Discovery	4	To Quality O	ilwell Cementing, In	C.			
Type Job Cohastana		cementer an	d helper to assist o	t cementing equipmen vner or contractor to d	it and furnish o work as listed.		
Hole Size	T.D. 3340'	Charge 1		N .			
Csg. 5/2" 15.50# New	Depth 3337, 5	Street					
Tbg. Size	Depth	City		State			
Tool	Depth <sub>1</sub>	The above wa	s done to satisfaction	and supervision of owner	agent or contractor		
Cement Left in Csg. 25	Shoe Joint 25			Cam 10% Salt			
Meas Line	Displace 78 3/4 1	BUS SUD opal	Mud Clear		KCL		
EQUIPM	ENT	Common /	75				
Pumptrk 16 No. Cementer Helper	avid	Poz. Mix					
Bulktrk 9 No. Driver Driver Jac	K	Gel.					
Bulkerk P. U No. Driver Right	k	Caletum	CL 20	300			
JOB SERVICES 8	& REMARKS	Hulls	, ,				
Remarks:		Salt /5	Salt /5				
Rat Hole		Flowseal	Flowseal				
Mouse Hole		Kol-Seal Z	Kol-Seal 750 #				
Centralizers / 3579		Mud CLR 48	Mud CLR 48 500 gal				
Baskets //		CFL-117 or C	CFL-117 or CD110 CAF 38				
DN or Port Collar pipe on b	ottom, bleak gire	ulations and					
pump Soogal mud	Clear 48	DWMP Handling	37				
10 BLS KEL plug	Rothole w/ 30 5	Mileage					
plug mausehole w/158			FLOAT EQUIPM	IENT			
casing w/ 130sx.	shut down wash	Quide Shoe					
tines Displaced u		Centralizer	5	51			
10 BLS w/ KCL.	Released + held	Baskets	1				
- 7.51		AFU Inserts					
Litt pressure	100 #	Float Shoe	10 8 8 5 6		1		
Land plug to	1500 #	Latch Down	1		100		
, ,		Rotatine	c head		•		
			U				
		Pumptrk Char	ge Prod 5	Fring			
		Mileage 3/					
				Tax			
V	f			Discount			
Signature Cha-Woavall	ing			Total Charge			