

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD

K.A.R. 82-3-117

Form CP-4

March 2009

Type or Print on this Form

Form must be Signed

All blanks must be Filled

OPERATOR: License #: _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic

Water Supply Well Other: _____ SWD Permit #: _____

ENHR Permit #: _____ Gas Storage Permit #: _____

Is ACO-1 filed? Yes No If not, is well log attached? Yes No

Producing Formation(s): List All (If needed attach another sheet)

_____ Depth to Top: _____ Bottom: _____ T.D. _____

_____ Depth to Top: _____ Bottom: _____ T.D. _____

_____ Depth to Top: _____ Bottom: _____ T.D. _____

API No. 15 - _____

Spot Description: _____

____ - ____ - ____ Sec. ____ Twp. ____ S. R. ____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

NE NW SE SW

County: _____

Lease Name: _____ Well #: _____

Date Well Completed: _____

The plugging proposal was approved on: _____ (Date)

by: _____ (KCC District Agent's Name)

Plugging Commenced: _____

Plugging Completed: _____

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: _____ Name: _____

Address 1: _____ Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Phone: (_____) _____

Name of Party Responsible for Plugging Fees: _____

State of _____ County, _____, ss.

(Print Name) Employee of Operator or Operator on above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

TREATMENT REPORT

Customer		Lease No.		Date	
Lease		Well #		Date	
Field Order #	Station	Casing	Depth	County	State
Type Job			Formation	Legal Description	

PIPE DATA		PERFORMING DATA		FLUID USED		TREATMENT RESUME	
Casing Size	Tubing Size	Shots/Ft	Acid	Pre Pad	Max	RATE	ISIP
Depth	From	To			Max		5 Min.
Volume	From	To	Pad	Min	Min		10 Min.
Max Press	From	To	Frac	Avg	Avg		15 Min.
Well Connection	Annulus Vol.	From		HHP Used	Annulus Pressure		
Packer Depth	Packer Depth	From	Flush	Gas Volume	Total Load		

Customer Representative		Station Manager		Treater	
Service Units	Driver Names				

Time	Casing Pressure	Tubing Pressure	Bbls. Pumped	Rate	Service Log
11:00					Called Log
11:05					in the work. 5.0 gpm
11:40	200	200	18.4	4	D.P. 20580' H2O Sp. 11.0 PL
11:45	200	200	10.7	4	our work. 13.7 PPS
11:48	100	100	6.6	4	H2O Sp. 13.7 PPS
11:52	100	100	21.8	7	R.D. 100' H2O Sp. 13.7 PPS
18:00	150	150	15.4	4	D.P. 21600' H2O Sp. 13.7 PPS
18:04	150	150	20.3	4	our work. 13.7 PPS
18:09	150	150	6.6	4	H2O Sp. 13.7 PPS
18:11	150	150	10.9	5	R.D. 100' H2O Sp. 13.7 PPS
18:21	150	150	18.4	4	D.P. 21600' H2O Sp. 13.7 PPS
18:24	150	150	13.7	4	our work. 13.7 PPS
18:27	150	150	1.5	4	R.D. 100' H2O Sp. 13.7 PPS
18:30	150	150	18.4	4	D.P. 21600' H2O Sp. 13.7 PPS
18:33	150	150	2.4	4	our work. 13.7 PPS
18:36	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
18:39	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
18:42	150	150	2.4	4	our work. 13.7 PPS
18:45	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
18:48	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
18:51	150	150	2.4	4	our work. 13.7 PPS
18:54	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
18:57	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
18:59	150	150	2.4	4	our work. 13.7 PPS
19:02	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
19:05	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
19:08	150	150	2.4	4	our work. 13.7 PPS
19:11	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
19:14	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
19:17	150	150	2.4	4	our work. 13.7 PPS
19:20	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
19:23	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
19:26	150	150	2.4	4	our work. 13.7 PPS
19:29	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
19:32	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
19:35	150	150	2.4	4	our work. 13.7 PPS
19:38	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
19:41	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
19:44	150	150	2.4	4	our work. 13.7 PPS
19:47	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
19:50	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
19:53	150	150	2.4	4	our work. 13.7 PPS
19:56	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
19:59	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
20:02	150	150	2.4	4	our work. 13.7 PPS
20:05	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
20:08	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
20:11	150	150	2.4	4	our work. 13.7 PPS
20:14	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
20:17	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
20:20	150	150	2.4	4	our work. 13.7 PPS
20:23	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
20:26	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
20:29	150	150	2.4	4	our work. 13.7 PPS
20:32	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
20:35	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
20:38	150	150	2.4	4	our work. 13.7 PPS
20:41	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
20:44	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
20:47	150	150	2.4	4	our work. 13.7 PPS
20:50	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
20:53	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
20:56	150	150	2.4	4	our work. 13.7 PPS
20:59	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
21:02	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
21:05	150	150	2.4	4	our work. 13.7 PPS
21:08	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
21:11	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
21:14	150	150	2.4	4	our work. 13.7 PPS
21:17	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
21:20	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
21:23	150	150	2.4	4	our work. 13.7 PPS
21:26	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
21:29	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
21:32	150	150	2.4	4	our work. 13.7 PPS
21:35	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
21:38	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
21:41	150	150	2.4	4	our work. 13.7 PPS
21:44	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
21:47	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
21:50	150	150	2.4	4	our work. 13.7 PPS
21:53	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
21:56	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
21:59	150	150	2.4	4	our work. 13.7 PPS
22:02	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
22:05	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
22:08	150	150	2.4	4	our work. 13.7 PPS
22:11	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
22:14	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
22:17	150	150	2.4	4	our work. 13.7 PPS
22:20	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
22:23	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
22:26	150	150	2.4	4	our work. 13.7 PPS
22:29	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
22:32	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
22:35	150	150	2.4	4	our work. 13.7 PPS
22:38	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
22:41	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
22:44	150	150	2.4	4	our work. 13.7 PPS
22:47	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
22:50	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
22:53	150	150	2.4	4	our work. 13.7 PPS
22:56	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
22:59	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
23:02	150	150	2.4	4	our work. 13.7 PPS
23:05	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
23:08	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
23:11	150	150	2.4	4	our work. 13.7 PPS
23:14	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
23:17	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
23:20	150	150	2.4	4	our work. 13.7 PPS
23:23	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
23:26	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
23:29	150	150	2.4	4	our work. 13.7 PPS
23:32	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
23:35	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
23:38	150	150	2.4	4	our work. 13.7 PPS
23:41	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
23:44	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
23:47	150	150	2.4	4	our work. 13.7 PPS
23:50	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
23:53	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
23:56	150	150	2.4	4	our work. 13.7 PPS
23:59	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
00:02	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
00:05	150	150	2.4	4	our work. 13.7 PPS
00:08	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
00:11	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
00:14	150	150	2.4	4	our work. 13.7 PPS
00:17	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
00:20	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
00:23	150	150	2.4	4	our work. 13.7 PPS
00:26	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
00:29	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
00:32	150	150	2.4	4	our work. 13.7 PPS
00:35	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
00:38	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
00:41	150	150	2.4	4	our work. 13.7 PPS
00:44	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
00:47	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
00:50	150	150	2.4	4	our work. 13.7 PPS
00:53	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
00:56	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
00:59	150	150	2.4	4	our work. 13.7 PPS
01:02	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
01:05	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
01:08	150	150	2.4	4	our work. 13.7 PPS
01:11	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
01:14	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
01:17	150	150	2.4	4	our work. 13.7 PPS
01:20	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
01:23	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
01:26	150	150	2.4	4	our work. 13.7 PPS
01:29	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
01:32	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
01:35	150	150	2.4	4	our work. 13.7 PPS
01:38	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
01:41	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
01:44	150	150	2.4	4	our work. 13.7 PPS
01:47	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
01:50	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
01:53	150	150	2.4	4	our work. 13.7 PPS
01:56	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
01:59	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
02:02	150	150	2.4	4	our work. 13.7 PPS
02:05	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
02:08	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS
02:11	150	150	2.4	4	our work. 13.7 PPS
02:14	150	150	5.0	4	R.D. 100' H2O Sp. 13.7 PPS
02:17	150	150	9.6	4	D.P. 21600' H2O Sp. 13.7 PPS