For KCC Use:
Effective Date:
District #
CA2 Vos No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
OPERATOR: License#	Sec Twp S. R E feet from N / S Line of Section N / N / S Line of Section N / N
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2: + State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
contact Person:	County:
hone:	Lease Name: Well #:
ONTRACTOR: License#	Field Name: Is this a Prorated / Spaced Field? Yes N
ame:	Is this a Prorated / Spaced Field? Target Formation(s):
	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal Wildcat Cable Seismic : # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
OC DR1 #.	Will Cores be taken?
	If Yes, proposed zone:
AF	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual pl	
he undersigned hereby affirms that the drilling, completion and eventual pl	
the undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ugging of this well will comply with K.S.A. 55 et. seq. n drilling rig;
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set The e underlying formation.
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In drilli
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well appropriate district offic	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well is either plug and the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well appropriate district offic	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a sent through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the strength	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a sent through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the strength	an drilling rig; The drilling rig; The control of the top; in all cases surface pipe shall be set to underlying formation. The control of the top; in all cases surface pipe shall be set to underlying formation. The control of the top; in all cases surface pipe shall be set to underlying formation. The control of the set to underlying formation and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. The control of the control of the top; in all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	an drilling rig; the drilling rig; the circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY	In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing as plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
the undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the agreed and the agreed as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set of t	In drilling rig; In drilling
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically **Ibmitted Electronically** For KCC Use ONLY API # 15	In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
the undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> seen through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the complete of the well of the complete of the well of the complete of the well shall be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disestant of the surface of the spud before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically **TorkCC Use ONLY** API # 15	An drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plug specified. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug specified. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be specified. Ibmitted Electronically For KCC Use ONLY API # 15	An drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be</i> seen through all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plug specified. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug specified. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	An drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the standard interval in the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all be set through all unconsolidated materials plus a minimum of 20 feet into the set through all be cemente or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	An drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Signature of Operator or Agent:

Side Two

For KCC Use ONLY
API # 15

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

1980 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		SecTwp R East West	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(111)	Feet from East / West Line of Section	
	-	(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	pest point:	(feet) No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining cluding any special monitoring.	
Distance to nearest water well within one-mile of pit: Depth to shallo Source of infor		west fresh water feet.		
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Drilli		Drilling, Worko	ver and Haul-Off Pits ONLY:	
Producing Formation: Type of		Type of materia	l utilized in drilling/workover:	
Number of producing wells on lease:		Number of work	ring pits to be utilized:	
Barrels of fluid produced daily: Abando		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		Drill pits must b	e closed within 365 days of spud date.	
	-			
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	ber:	Permi		

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).


Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and abatteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will be loced CP-1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I address.	ct (House Bill 2032), I have provided the following to the surface potential: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form peing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. cknowledge that, because I have not provided this information, the process. To mitigate the additional cost of the KCC performing this		
task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the K	of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			

L.D. DRILLING, INC. MCINTYRE LEASE SE. 1/4, SECTION 20, T185, R16W RUSH COUNTY, KANSAS

Directions;

From the intersection of Highway 183 and Highway 96 (in Rush Center, Konsas) go 11.0 miles East on Highway 96 to the SE. corner of Section 20, then go 0.37 miles North, then go 0.18 miles West to location.



Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

ion as shown on this may not be legally act landowner. rtment for access.

001y USB.

d egress r usoge public county

* Ingress plat is opened f

December 26, 2018

^{*}Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the pracise section lines, were not necessarily located, and the exact location of the drillsite location in the section not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Dilfield Services. Inc. its officers and employees harmless from all losses, costs and expenses and said entities released from any liability from incidental or consequential damages.

STATE OF KANSAS

Corporation Commission Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



PHONE: 316-337-6200 FAX: 316-337-6211 http://kcc.ks.gov/

GOVERNOR JEFF COLYER, M.D.

SHARI FEIST ALBRECHT, CHAIR | JAY SCOTT EMLER, COMMISSIONER | DWIGHT D. KEEN, COMMISSIONER

January 03, 2019

MARILYN DAVIS L. D. Drilling, Inc. 7 SW 26TH AVE GREAT BEND, KS 67530-6525

Re: Drilling Pit Application McIntyre 1-20 SE/4 Sec.20-18S-16W Rush County, Kansas

Dear MARILYN DAVIS:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 96 hours of completion of drilling operations.

KEEP PITS on West side of stake.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please file form CDP-5, Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.