#### KOLAR Document ID: 1432974

Confiden	tiality Requested
Yes	No

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM

WELL	HISTORY -		WELL &	IEASE
VV ĽLL		DESCRIP	WELL Q	LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD □ Gas □ DH □ EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled         Permit #:           Dual Completion         Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR         Permit #:	Location of huid disposa if hadred offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date Recompletion Date	County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II III Approved by: Date:					

#### KOLAR Document ID: 1432974

Operator Nam	ne:			Lease Name:	_ Well #:
Sec	Twp	S. R	East West	County:	

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep			Ne		on, etc.		
CASING RECC Report all strings set-conduc Purpose of String Size Hole Drilled Size Casing Set (In O.D.) ADDITIONAL CEM Purpose: Depth Top Bottom Type of Cement # 1 Perforate Protect Casing Plug Back TD Plug Off Zone 4 1. Did you perform a hydraulic fracturing treatment on this well?				Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Perforate		Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Plug Back TD									
<ol> <li>Did you perform a hydra</li> <li>Does the volume of the</li> <li>Was the hydraulic fracture</li> </ol>	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold (If vented, Subn	Used on Lease		Open Hole		-	·	mingled	юр	
	foration Perform Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Owens Oil Company, LLC
Well Name	RENO 30
Doc ID	1432974

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set		Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11.75	7	20	20	portland	5	na
Production	5.625	2.875	5	816	portland	105	na

### HAMMERSON CORPORATION

PO BOX 189 Gas, KS 66742

 Date
 Invoice #

 8/19/2018
 12861

Bill To R.J. Engergy LLC/ KO 22082 NE Neosho Rd Garnett, KS 66032

	_	P.O. No.	Terms		Project
			Due on receipt		
Quantity	Description		Rate		Amount
1.5 170 1.5	WELL MUD (\$8.00 PER SACK) Well-KO South Tebbins         TRUCKING (\$50 PER HOUR)         WELL MUD (\$8.00 PER SACK) Well-KO Tebbins 5         TRUCKING (\$50 PER HOUR)         WELL MUD (\$9.00 PER SACK) Well-KO Reno 30         TRUCKING (\$50 PER HOUR)         SALES TAX         NOTE FROM OWENS OIL COMPANY, LLC:         Company equipment was used for surface, long plugging. No detail report is made.         Cement invoices reflect cement that was used for surface, long string. Additional extra cement was used for plugging wells.	# 12866-12867 # 12871-12872 string and or both surface and		8.00 50.00 8.00 50.00 9.00 50.00 7.50%	840.0 75.0 1,360.0 75.0 1,440.0 50.0 288.0
	pur business.		Total		\$4,128.0