KOLAR Document ID: 1436299

For KCC Use:
Effective Date:
District #
SGA? Yes No

### Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form CB-1 Oct 2016 Form must be Typed Form must be Signed All blanks must be Filled

### **CATHODIC PROTECTION BOREHOLE INTENT**

Must be approved by the KCC sixty (60) days prior to commencing well.

Contact Person:   Facility Name:   Fac	Form KSONA-1, Certification of Compliance with the Kansas S	Surface Owner Notification Act, MUST be submitted with this form.
Control   Cont	Expected Spud Date:	Snot Description:
Consideration		
Name:		(0/0/0/0)
Address 1:  Address 2:  Address 2:  Address 2:  Address 2:  Address 2:  Address 3:  Addres		
Address 2:    Chick   State:   Zip:		
County: State: Zip: + +		
Country   Coun		(Check directions from nearest outside corner boundries)
Contact vertaction   Facility Name:		County:
Borenois Numer:		Facility Name:
Value   Type Drilling Equipment:   Mud Rotary   Cable   Construction Features   Air Rotary   Other	Phone:	Borehole Number:
Cathodic Surface (Non-Metallic) Casing   Palaned to be set:	CONTRACTOR: License#	Ground Surface Elevation: MSL
Air Rotary   Other		Cathodic Borehole Total Depth:feet
Construction Features  Length of Cathodic Surface (Non-Metallic) Casing Panend to be set:  Length of Conductor pipe (if army):  feet length of Conductor pipe (if army):  Surface casing borehole size:  Cathodic surface casing swill terminate at:  Cathodic surface sating will terminate at:  Cathodic surface sating will terminate at:  Cathodic surface sating swill terminate at:  Cathodic surface sating sating swill terminate at:  Concrate   Nation of Stream   Other Water Well Location    Cathodic surface sating swill terminate at:  Concrate   Nation of Stream   Other Water Well Location    Cathodic surface sating swill be prouted with:  Cathodic surface sating swill be s	Type Drilling Equipment:	Depth to Bedrock: feet
Aguifer Penetration:   None   Single   Multiple		Water Information
Planned to be set:		Aquifer Penetration: None Single Multiple
Planned to be set:	Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Surface casing borehole size:   inches Cathodic surface casing dentralizers set at depths of:   ; ;   ;   ;   ;   ;   ;   ;   ;   ;		Depth to bottom of usable water:
Public water supply well within one mile:	Length of Conductor pipe (if any): feet	Water well within one-quarter mile: Yes No
Cathodic surface casing size:		Public water supply well within one mile: Yes No
Cathodic surface casing centralizers set at depths of:   ; ; ; ;   ;   ;   ;   ;   ;   ;   ;		Water Source for Drilling Operations:
Water Well Location:		
DWR Permit # Standard Casing will terminate at:		Water Well Location:
Pitless casing adaptor will be used: \  yes \  No Depth \  feet Anode installation depths are: \  ; ; ; ; ; ; \  ; ; \  ; \  ; \  ; \		DWR Permit #
Anode installation depths are:	☐ Above surface ☐ Surface Vault ☐ Below Surface Vault	Standard Dimension Ratio (SDR) is =
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq.  Is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with intent to Drill (form CB-1). b. File Completion Form (ACO-1) within 60 days from spud date.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor   pipe required   feet   Minimum Cathodic Surface Casing Required:   feet   feet   pipe   feet   f	Pitless casing adaptor will be used: Yes No Depth feet	
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq.  Is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of casing as specified below shall be set by grouting to the top when the cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Anada installation depths are:	Annular space between borehole and casing will be grouted with:
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify appropriate District Office 49 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1). c. File Completion Form (ACO-1) within 60 days from spud date.  Submitted Electronically  If this permit has expired or will not be drilled, check a box below, sign, date and reconductor pipe required	Anode installation depths are:;;;;;	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging for this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	;;;;;;	Anode vent pipe will be set at: feet above surface
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging if this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required		Anode conductor (backfill) material TYPE:
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  d. Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required		Depth of BASE of Backfill installation material:
The undersigned hereby affirms that the drilling, completion and eventual plugging if this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify the appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notificatic Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  If this permit has expired or will not be drilled, check a box below, sign, date and reference to the address below.    Permit Expired   Well Not Drilled   Permit Expired   Well Not Drilled   Permit Expired   Well Not Drilled   Permit Expired   Date   Signature of Operator or Agent	AFFIDAVIT	Depth of TOP of Backfill installation material:
it is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1). c. File Completion Form (ACO-1) within 60 days from spud date.  d. Submitted Electronically  For KCC Use ONLY  API # 15 -	The undersigned hereby affirms that the drilling, completion and eventual plugging	Borehole will be Pre-Plugged? Yes No
Lis agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansass Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  Submitted Electronically  For KCC Use ONLY  API # 15 -		
Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  For KCC Use ONLY  API # 15		
and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  If this permit has expired or will not be drilled, check a box below, sign, date and reto the address below.  Minimum Cathodic Surface Casing Required: feet  Approved by:	is agreed that the following minimum requirements will be met.	
Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1). c. File Completion Form (ACO-1) within 60 days from spud date.  d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15		
t. A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  d. Submitted Electronically  For KCC Use ONLY  API # 15		to any grouting.
The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15		
File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15		
Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15		
d. Submitted Electronically  For KCC Use ONLY  API # 15	, , , , , , , , , , , , , , , , , , , ,	,
Submitted Electronically  For KCC Use ONLY  API # 15		suon i onn (ACO-1) within oo days nom spud date.
For KCC Use ONLY  API # 15	ar cashin plagging report (cr. 1) main to days after that plagging to complete a	
For KCC Use ONLY  API # 15		
For KCC Use ONLY  API # 15	Submitted Floctronically	
API # 15	Submitted Electronically	
API # 15		
Conductor pipe required	For KCC Use ONLY	
Conductor pipe required	ADI # 45	
Minimum Cathodic Surface Casing Required:feet  Approved by:		
Approved by:	Conductor pipe requiredfeet	to the dediction polon.
Approved by:	Minimum Cathodic Surface Casing Required:feet	Permit Expired Well Not Drilled
This authorization expires:  (This authorization void if drilling not started within 12 months of approval date.)  Date  Signature of Operator or Agent		
(This authorization void if drilling not started within 12 months of approval date.)  Date Signature of Operator or Agent		
Date Signature of Operator or Agent		
	(11) authorization void it drilling not started within 12 months of approval date.)	
	Could date:	Date Signature of Operator or Agent
Spud date: Agent:	Spud date: Agent:	

Sida	TWO

For KCC Use ONLY	
API # 15	

### IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.


In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator:	Location of Well: County:
Facility Name:	feet from N / S Line of Section feet from E / W Line of Section
Borehole Number:	feet from L E / W Line of Section
	Sec Twp S. R
	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

### **PLAT**

Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



### 1575 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.:
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1436299

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		-	License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R
Settling Pit Drilling Pit	If Existing, date con	structed:	Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section
		(bbls)	County
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to deep	pest point:	(feet) No Pit
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining cluding any special monitoring.
· · · · · · · · · · · · · · · · · · ·		Depth to shallow Source of inforr	west fresh water feet. nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	l utilized in drilling/workover:
Number of producing wells on lease: Number		Number of work	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all s flow into the pit?  Yes  No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.
Submitted Electronically			
	KCC C	OFFICE USE OI	NLY  Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No

KOLAR Document ID: 1436299

### Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East \[ \] West
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Contact Person:	
Phone: ( ) Fax: ( )  Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathod the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	batteries, pipelines, and electrical lines. The locations shown on the plat
owner(s) of the land upon which the subject well is or will be loc	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this id email address.
KCC will be required to send this information to the surface own	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	
Submitted Electronically	
Ι	_

Form	CB1CDP1 - Cathodic Protection Borehole Intent	
Operator	Tallgrass Interstate Gas Transmission, LLC	
Well Name	PXP #76 #1	
Doc ID	1436299	

# Anode Installation Depths

Depth
90
80
70
60
50
40
30
20
10
00
90
80
70
60
50
40
30
20
10
00
0
0
0
0

Form	CB1CDP1 - Cathodic Protection Borehole Intent	
Operator	Tallgrass Interstate Gas Transmission, LLC	
Well Name	PXP #76 #1	
Doc ID	1436299	

# Anode Installation Depths

Depth	
50	

# Tallgrass Energy

