KOLAR Document ID: 1437073

Confiden	tiality Requeste	d:
Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL	HISTORY	 DESCRIPTION 	VOF WELL	& LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from D North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD □ Gas □ DH □ EOR	Elevation: Ground: Kelly Bushing:
Gas DH EOR	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #: EOR Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East _ West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

KOLAR Document ID: 1437073

Operator Nam	ne:			Lease Name:	_ Well #:
Sec	Twp	S. R	East West	County:	

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c		Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
 Did you perform a hydra Does the volume of the Was the hydraulic fracture 	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		METHOD OF		MPLE	TION:		PRODUCTION INTERVAL: Top Bottom	
Vented Sold Used on Lease Open H		Open Hole	en Hole Perf. Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4)		•	юр			
Shots Per Perforation Perforation Bridge Plug Foot Top Bottom Type		Bridge Plug Acid, Fracture, Shot, Cementing Squeeze Record Set At (Amount and Kind of Material Used)							
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion	
Operator	RJ Energy, LLC	
Well Name	MURRAY TWINS 6-I	
Doc ID	1437073	

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	40	portland	5	
Production	5.625	2.875	6.5	978	portland	130	

HAMMERSON CORPORATION

PO BOX 189 Gas, KS 66742

Invoice

 Date
 Invoice #

 12/3/2018
 13888

Bill To R.J. ENERGY LLC 22082 NE NEOSHO RD GARNETT, KS 66032

		P.O. No.	Terms	Project
			Due on receipt	
Quantity	Description		Rate	Amount
1 130	WELL MUD (\$8.00 PER SACK) Well-Murray 61 TRUCKING (\$50 PER HOUR) WELL MUD (\$8.00 PER SACK) Well-Murray 10 TRUCKING (\$50 PER HOUR) SALES TAX			8.00 1,040.0 50.00 50.0 8.00 1.040.0 50.00 50.0 50% 141.7
iank you for yo	our business.		Total	\$2.321.



RJ Energy

22082 NE Neosho Rd Garnett, Kansas 66032

Murray Twins 6-I

soil	9	
clay/gravel	29	
shale	86	
lime	168	
shale	265	
lime	376	
shale	427	
lime	497	
shale	503	
lime	554	
shale	744	
lime	765	
shale	819	
lime	847	
shale	861	
lime	871	
shale	883	
lime	892	
shale	897	
lime	901	
shale	934	
Sandy shale	938	odor
bkn sand	950	good show
Shale	984	T.D.
	clay/gravel shale lime shale lime shale lime shale lime shale lime shale lime shale lime shale lime shale lime shale lime shale lime shale bkn sand	clay/gravel29shale86lime168shale265lime376shale427lime497shale503lime554shale744lime765shale819lime847shale861lime871shale883lime892shale897lime901shale934Sandy shale938bkn sand950

Start	11-21-18
Finish	11-28-18

Set 40' of 7" 5sxs Ran 978.4' of 2 ⁷/₈ cemented to surface 130sxs