



BASICSM
ENERGY SERVICES
PRESSURE PUMPING & WIRELINE

10244 NE Hwy. 61
P.O. Box 8613
Pratt, Kansas 67124
Phone 620-672-1201

TMK-53

FIELD SERVICE TICKET
0041129482
1718 17130 A

DATE _____ TICKET NO. _____

| | | | | | | | | |
|---|------------|--|-----|------------|-----|----------------------------|----------------|-------------|
| DATE OF JOB <i>8-24-16</i> DISTRICT <i>Pratt Kansas</i> | | NEW WELL <input checked="" type="checkbox"/> OLD WELL <input type="checkbox"/> PROD <input type="checkbox"/> INJ <input type="checkbox"/> WDW <input type="checkbox"/> CUSTOMER ORDER NO.: | | | | | | |
| CUSTOMER <i>Colbath Energy LLC</i> | | LEASE <i>Bonita Unit</i> WELL NO. <i>2-130</i> | | | | | | |
| ADDRESS | | COUNTY <i>Graham</i> STATE <i>Kansas</i> | | | | | | |
| CITY STATE | | SERVICE CREW <i>Fenns, EDDY, SOSE</i> | | | | | | |
| AUTHORIZED BY | | JOB TYPE: <i>5 1/2 production casing 2-42</i> | | | | | | |
| EQUIPMENT# | HRS | EQUIPMENT# | HRS | EQUIPMENT# | HRS | TRUCK CALLED | DATE | TIME |
| <i>20920</i> | <i>5.5</i> | | | | | | <i>8-24-16</i> | <i>0600</i> |
| <i>19460</i> | <i>5.5</i> | | | | | ARRIVED AT JOB | | <i>1330</i> |
| | | | | | | START OPERATION | | <i>1420</i> |
| | | | | | | FINISH OPERATION | | <i>1645</i> |
| | | | | | | RELEASED | | <i>1900</i> |
| | | | | | | MILES FROM STATION TO WELL | | <i>1.00</i> |

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only those terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without the written consent of an officer of Basic Energy Services LP.

SIGNED: *Ruby Papp*
(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

| ITEM/PRICE REF. NO. | MATERIAL, EQUIPMENT AND SERVICES USED | UNIT | QUANTITY | UNIT PRICE | \$ AMOUNT |
|---------------------|---|------|----------|------------|---------------------|
| CP01 | A-con Blend Common | SK | 150 | | 2700.00 |
| CP105 | AA2 cement | SK | 150 | | 2550.00 |
| CP107 | A-con Blend Common | SK | 300 | | 900.00 |
| CC102 | CelloFlake | lb | 75 | | 272.60 |
| CC105 | C-41P | lb | 71 | | 284.00 |
| CC111 | Salt | lb | 815 | | 407.50 |
| CC113 | Gypsum | lb | 705 | | 528.75 |
| CC148 | C-17 | lb | 71 | | 1420.00 |
| CC201 | Gilsonite | lb | 849 | | 602.33 |
| CC109 | Calcium chloride | lb | 423 | | 444.15 |
| CC130 | C-51 | lb | 15 | | 375.00 |
| CF1101 | Cementing shoe basket type 5 1/2 (blue) | EA | 1 | | 1700.00 |
| CF607 | Latex paint Ply & BA FEK 5 1/2 (blue) | EA | 1 | | 400.00 |
| CF1901 | 5 1/2" Basket (blue) | EA | 4 | | 1160.00 |
| CF1651 | Turbolizer 5 1/2 (blue) | EA | 8 | | 680.00 |
| CC151 | mud flush | load | 500 | | 750.00 |
| E100 | Pickup mileage | mi | 100 | | 450.00 |
| E101 | Heavy equipment mileage | mi | 200 | | 1500.00 |
| E113 | Bulk Delivery Charge | TN/m | 1620 | | 41050.00 |
| SUB TOTAL | | | | | 71054.75 |

| CHEMICAL / ACID DATA: | | | |
|-----------------------|--|--|--|
| | | | |
| | | | |
| | | | |

| | | |
|----------------------------|------------|---------------------------|
| SERVICE & EQUIPMENT | %TAX ON \$ | |
| MATERIALS | %TAX ON \$ | |
| <i>Discard</i> Discount | | TOTAL 71054.75 |

SERVICE REPRESENTATIVE: *[Signature]* THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY: *Ruby Papp*
(WELL OWNER OPERATOR CONTRACTOR OR AGENT)

FIELD SERVICE ORDER NO. _____

Customer Cobalt Energy LLC Lease No. _____ Date 8-24-18
 Lease Bonita unit Well # A-130
 Field Order # 17130 Station Pratt, Kansas Casing 5 1/2 Depth 2222.32 County Graham State KS
 Type Job 5 1/2 Production casing 2-47 Formation _____ Legal Description 30-6-25W

| PIPE DATA | | PERFORATING DATA | | FLUID USED | | TREATMENT RESUME | | |
|----------------------------|--------------|------------------|----|------------|------------|------------------|------------------|--|
| Casing Size | Tubing Size | Shots/Ft | | Acid | RATE | PRESS | ISIP | |
| <u>5 1/2</u> | | | | Pre Pad | Max | | 5 Min. | |
| Depth <u>2222.32</u> | Depth | From | To | Pad | Min | | 10 Min. | |
| Volume <u>52.89</u> | Volume | From | To | Frac | Avg | | 15 Min. | |
| Max Press <u>2000psi</u> | Max Press | From | To | | HHP Used | | Annulus Pressure | |
| Well Connection <u>8cd</u> | Annulus Vol. | From | To | Flush | Gas Volume | | Total Load | |
| Plug Depth | Packer Depth | From | To | | | | | |

Customer Representative _____ Station Manager _____ Treater _____
 Service Units 78866 84960 20920 19869 79800
 Driver Names Ferris EDDY EDDY Basc Jose

| Time | Casing Pressure | Tubing Pressure | Bbls. Pumped | Rate | Service Log |
|-----------------|-----------------|-----------------|--------------|------------|--|
| <u>1330</u> | | | | | <u>Arrived on location / safety meeting</u> |
| <u>1345</u> | | | | | <u>Rig up equipment</u> |
| <u>1420</u> | | | | | <u>Install Turbines 375 - 1, 4, 9, 10, 16, 23, 30</u> |
| | | | | | <u>Install cement basket 375 - 7, 16, 23, 30</u> |
| <u>1630</u> | | | | | <u>Drop ball</u> |
| <u>1643</u> | <u>400</u> | | <u>0.5</u> | <u>1</u> | <u>Set Basket shoe</u> |
| <u>1644</u> | <u>100</u> | | <u>12</u> | <u>5</u> | <u>Pump mud flush</u> |
| <u>1647</u> | | | | | <u>Pump H2O spacer / Plug RH/MH 30% / 20% x</u> |
| <u>1714</u> | <u>100</u> | | | <u>4.5</u> | <u>Start lead cement @ 11.3 ppl</u> |
| <u>1723</u> | <u>50</u> | | <u>40.7</u> | <u>4</u> | <u>75% lead away @ 11.3 ppl</u> |
| <u>1733</u> | <u>50</u> | | <u>81.5</u> | <u>4</u> | <u>End lead start tail cement @ 14.8 ppl</u> |
| 1738 | <u>100</u> | | <u>20.5</u> | <u>4</u> | <u>75% tail away @ 14.8 ppl</u> |
| <u>1746</u> | <u>100</u> | | <u>41</u> | <u>4</u> | <u>End Tail</u> |
| <u>1755</u> | <u>100</u> | | | <u>4.5</u> | <u>Wash pumps & drop plug start displacement</u> |
| <u>1805</u> | <u>450</u> | | <u>42</u> | <u>3</u> | <u>Slow to land plug</u> |
| <u>1807</u> | <u>1600</u> | | <u>51</u> | <u>3</u> | <u>Land Plug, Pressure to 1500psi</u> |
| <u>1808</u> | <u>0</u> | | | | <u>Release Pressure, Shut Head: T.N. 25% 30% 30%</u> |
| <u>1845</u> | <u>0</u> | | | | <u>Open Head Cement Hold</u> |
| <u>1930</u> | | | | | <u>Rig down, Leave Location</u> |
| | | | | | <u>Hot - 1294.49' Tot - 927.83'</u> |
| | | | | | <u>140L - 927.83' Tol - Surface</u> |
| | | | | | <u>Save cement @ surface @ 350psi displacement @ way = 30% to pt</u> |

Thank you!! Ferris & Eddy