

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1085037

Form ACO-4 Form must be typed March 2009

APPLICATION FOR COMMINGLING OF Commingling ID # _ PRODUCTION (K.A.R. 82-3-123) OR FLUIDS (K.A.R. 82-3-123a)

OPERATOR: License #		API No. 15				
Name:_		Spot Desc	ription:			
Address 1:		Sec Twp S. R				
Address	2:			Feet from North /	South Line of Section	
City:	+++			Feet from East /	West Line of Section	
Contact I	Person:	County: _				
Phone:	()	Lease Na	ne:	Well #:		
1.	Name and upper and lower limit of each production interval to be com	nmingled:				
	Formation:		(Perfs):			
	Formation:		(Perfs):			
	Formation:		(Perfs):			
	Formation:		(Perfs):			
	Formation:		(Perfs):			
2.	Estimated amount of fluid production to be commingled from each int	erval:				
	Formation:	BOPD: _		MCFPD:	BWPD:	
	Formation:	BOPD: _		MCFPD:	BWPD:	
	Formation:	BOPD: _		MCFPD:	BWPD:	
	Formation:	BOPD: _		MCFPD:	BWPD:	
	Formation:	BOPD: _		MCFPD:	BWPD:	
□ 3.	Plat map showing the location of the subject well, all other wells on the subject well, and for each well the names and addresses of the le	•	•	<u> </u>	in a 1/2 mile radius of	
4.	Signed certificate showing service of the application and affidavit of p	ublication a	s required ir	n K.A.R. 82-3-135a.		
For Com	nmingling of PRODUCTION ONLY, include the following:					
<u> </u>	Wireline log of subject well. Previously Filed with ACO-1: $\ $ Yes $\ $	No				
6.	Complete Form ACO-1 (Well Completion form) for the subject well.					
For Com	nmingling of FLUIDS ONLY, include the following:					
7.	Well construction diagram of subject well.					
8.	Any available water chemistry data demonstrating the compatibility of	the fluids to	be commir	ngled.		
current in mingling	IT: I am the affiant and hereby certify that to the best of my formation, knowledge and personal belief, this request for comistrue and proper and I have no information or knowledge, which stent with the information supplied in this application.		Sub	mitted Electronically	,	

KCC Office Use Only

Denied Approved

15-Day Periods Ends:

Approved By: ______ Date: _

Protests may be filed by any party having a valid interest in the application. Protests must be in writing and comply with K.A.R. 82-3-135b and must be filed wihin 15 days of publication of the notice of application.

POSTROCK



Current Completion

WELL : Moorhead, Michael W 6-1


: Cherokee Basin CBM

STATE : Kansas COUNTY : Wilson

FIELD

SPUD DATE: 4/10/2007 COMP. Date: 5/30/2007 API: 15-205-27078-00-00

LOCATION: 6-29S-15E (NE, SE) ELEVATION: GL - 948'



PREPARED BY: POSTROCK

APPROVED BY: _

DATE: June, 2012


DATE:_


POSTROCK



LEGEND

PostRock[®]





KGS STATUS

- → DA/PA
- EOR
- **⇔** GAS
- △ INJ/SWD
- OIL
- OIL/GAS
- OTHER

Moorhead, Michael W 6-1 6-29S-15E 1" = 1,000'



Kansas Corporation Commission Oil & Gas Conservation Division CONFIDENTIAL

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ADINA 15

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
☐ New Well ☐ Re-Entry ☐ Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows:	Amount of Surface Pipe Set and Cemented at: Fee Multiple Stage Cementing Collar Used?
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW Plug Back: Plug Back Total Depth Commingled Permit #:	Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite: Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec. Twp. S. R. East Wes
■ ENHR Permit #: ■ GSW Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Letter of Confidentiality Received					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

Side Two



Operator Name: _ Lease Name: _ _ Well #: _ County: _ INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report. **Drill Stem Tests Taken** Yes No Log Formation (Top), Depth and Datum Sample (Attach Additional Sheets) Name Top Datum Samples Sent to Geological Survey ☐ Yes □ No Cores Taken Yes No Electric Log Run Electric Log Submitted Electronically Yes No (If no, Submit Copy) List All E. Logs Run: CASING RECORD Used New Report all strings set-conductor, surface, intermediate, production, etc. Size Hole Size Casing Weight # Sacks Type and Percent Type of Purpose of String Drilled Set (In O.D.) Lbs. / Ft. Additives Depth Cement Used ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Depth Type of Cement # Sacks Used Type and Percent Additives Top Bottom Perforate **Protect Casing** Plug Back TD Plug Off Zone PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record Shots Per Foot Specify Footage of Each Interval Perforated (Amount and Kind of Material Used) Depth TUBING RECORD: Size: Set At: Packer At: Liner Run: No Yes Producing Method: Date of First, Resumed Production, SWD or ENHR. Pumping Gas Lift Other (Explain) Flowing **Estimated Production** Bbls. Water Bbls. Gas-Oil Ratio Oil Gas Mcf Gravity Per 24 Hours **DISPOSITION OF GAS:** METHOD OF COMPLETION: PRODUCTION INTERVAL: Open Hole Dually Comp. Perf. Commingled Vented Sold Used on Lease (Submit ACO-5) (Submit ACO-4) (If vented, Submit ACO-18.) Other (Specify)

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

June 06, 2012

CLARK EDWARDS
PostRock Midcontinent Production LLC
Oklahoma Tower
210 Park Ave, Ste 2750
OKLAHOMA CITY, OK 73102

Re: ACO1 API 15-205-27078-00-00 MOORHEAD MICHAEL W 6-1 SE/4 Sec.06-29S-15E Wilson County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, CLARK EDWARDS

	Α	В	С	D	Е	F	G	Н	1	1	K
1	Produced Fluids #	Б	1	2	3	4	5	11		<u> </u>	I
	Parameters	Units	Input	Input	Input	Input	Input		Click her	re	Click
3	Select the brines	Select fluid	7	Ī		V	Ī	Mixed brine:	to run SS	-	
4	Sample ID	by checking						Cell H28 is	10 1411 00	•	Click
5	Date	the box(es),	3/19/2012	3/4/2012	3/14/2012	1/20/2012	1/20/2012	STP calc. pH.			
6	Operator	Row 3	PostRock	PostRock	PostRock	PostRock	PostRock	Cells H35-38			Click
7	Well Name		Ward Feed	Ward Feed	Clinesmith	Clinesmith	Clinesmith	are used in	Goal Seek	SSP	
8	Location		#34-1	#4-1	#5-4	#1	#2	mixed brines			Click
9	Field		CBM	CBM	Bartles	Bartles	Bartles	calculations.			
10	Na ⁺	(mg/l)*	19,433.00	27,381.00	26,534.00	25689.00	24220.00	24654.20	Initial(BH)	Final(WH)	SI/SR
11	K ⁺ (if not known =0)	(mg/l)						0.00	Saturation Index	values	(Final-Initial)
	Mg ²⁺	(mg/l)	1,096.00	872.00	1,200.00	953.00	858.00	995.91		lcite	
	Ca ²⁺	(mg/l)	1,836.00	2,452.00	2,044.00	1920.00	1948.00	2040.23	-0.73	-0.60	0.13
	Sr ²⁺		1,050.00	2,432.00	2,044.00	1720.00	1740.00				0.13
	Ba ²⁺	(mg/l)						0.00	Ба	rite	
.,		(mg/l)						0.00			
	Fe ²⁺	(mg/l)	40.00	21.00	18.00	82.00	90.00	50.21		lite	
	Zn ²⁺	(mg/l)						0.00	-1.77	-1.80	-0.03
18	Pb ²⁺	(mg/l)						0.00	Gyp	osum	
19	Cl	(mg/l)	36,299.00	48,965.00	47,874.00	45632.00	43147.00	44388.44	-3.19	-3.18	0.00
20	SO ₄ ²⁻	(mg/l)	1.00	1.00	8.00	1.00	1.00	2.40	Hemil	ıydrate	
	F	(mg/l)						0.00	-3.96	-3.90	0.06
	Br'	(mg/l)						0.00		ydrite	3.00
	SiO2	(mg/l) SiO2						0.00	-3.47	-3.36	0.12
_			100.00	224.00	250.00	200 00	254.00				0.12
	HCO3 Alkalinity**	(mg/l as HCO3)	190.00	234.00	259.00	268.00	254.00	241.03	Cele	estite	
	CO3 Alkalinity	(mg/l as CO3)						_			
	Carboxylic acids**	(mg/l)						0.00		Sulfide	
27	Ammonia	(mg/L) NH3						0.00	-0.16	-0.22	-0.06
28	Borate	(mg/L) H3BO3						0.00	Zinc S	Sulfide	
29	TDS (Measured)	(mg/l)						72781			
30	Calc. Density (STP)	(g/ml)	1.038	1.051	1.050	1.048	1.045	1.047	Calcium	fluoride	
31	CO ₂ Gas Analysis	(%)	19.97	18.76	22.41	35.53	33.79	26.16			
	H ₂ S Gas Analysis***	(%)	0.0289	0.0292	0.0296	0.0306	0.0151	0.0269		rbonate	
33	Total H2Saq	(mgH2S/l)	1.00	1.00	1.00	1.00	0.50	0.90	-0.74	-0.51	0.23
34	pH, measured (STP)	pН	5.67	5.76	5.72	5.54	5.55	5.63	Inhibitor ne	eeded (mg/L)	
	Chasse one ention	0-CO2%+Alk,							Calcite	NTMP	
35	Choose one option to calculate SI?		0	0	0	0					
	Gas/day(thousand cf/day)	(Mcf/D)	•		0	U		0	0.00	0.00	
	Oil/Day	(B/D)	0	0	1	1	1	4	Barite	BHPMP	1
	Water/Day	(B/D)	100	100	100	100	100	500	0.00	0.00	
39	For mixed brines, enter val	ues for temperat	tures and pressi	res in Cells (H	(40-H43)			(Enter H40-H43)		Н	
40	Initial T	iucs for tempera						(Lince 1140-1143)	р	п	
41		(F)	66.0	71.0	70.0	41.0	49.0	60.0	5.69	5.60	1
	Final T		66.0	71.0	70.0	41.0	49.0	60.0 89.0	5.69 Viscosity (5.60 CentiPoise)	
	Final T Initial P	(F)	66.0 25.0	71.0 25.0	70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0	5.69 Viscosity (1.196	5.60 CentiPoise) 0.826	
42 43	Initial P Final P	(F) (F) (psia) (psia)	66.0	71.0	70.0	41.0	49.0	60.0 89.0	5.69 Viscosity (1.196 Heat Capaci	5.60 CentiPoise) 0.826 ty (cal/ml/ ⁰ C)	
42 43 44	Initial P Final P Use TP on Calcite sheet?	(F) (F) (psia) (psia) 1-Yes;0-No	66.0 25.0	71.0 25.0	70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0	5.69 Viscosity (1.196 Heat Capaci 0.955	5.60 CentiPoise) 0.826 ty (cal/ml/ ⁰ C) 0.959	
42 43 44 45	Initial P Final P Use TP on Calcite sheet? API Oil Grav.	(F) (psia) (psia) 1-Yes;0-No API grav.	66.0 25.0	71.0 25.0	70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne	5.60 CentiPoise) 0.826 ty (cal/ml/ ⁰ C) 0.959 eeded (mg/L)	
42 43 44 45 46	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav.	(F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav.	66.0 25.0	71.0 25.0	70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne	5.60 CentiPoise) 0.826 ty (cal/ml/ ⁰ C) 0.959 eded (mg/L) HDTMP	
42 43 44 45 46 47	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day	(F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D)	66.0 25.0	71.0 25.0	70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00	
42 43 44 45 46 47 48	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day	(F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav.	66.0 25.0	71.0 25.0	70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne	5.60 CentiPoise) 0.826 ty (cal/ml/ ⁰ C) 0.959 eded (mg/L) HDTMP	
42 43 44 45 46 47 48 49	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (B/D)	66.0 25.0	71.0 25.0	70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 48 49 50	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) *	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (B/D)	66.0 25.0	71.0 25.0	70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 48 49 50 51	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) † OH (Strong base) †	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (B/D) (N)	66.0 25.0	71.0 25.0	70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 48 49 50 51	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) † OH* (Strong base) † Quality Control Checks at	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (B/D) (N) (N) STP:	66.0 25.0	71.0 25.0	70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 48 49 50 51 52 53	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) * OH (Strong base) † Quality Control Checks at H ₂ S Gas	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (B/D) (N)	66.0 25.0	71.0 25.0	70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 48 49 50 51 52 53 54 55	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) * OH' (Strong base) * Quality Control Checks at H ₂ S Gas Total H2Saq (STP) pH Calculated	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (B/D) (N) (N) STP: (%) (mgH2S/l) (pH)	66.0 25.0	71.0 25.0	70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 48 49 50 51 52 53 54 55 56	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) † OH* (Strong base) † Quality Control Checks at H ₂ S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (N) (N) (N) STP: (%) (mgH2S/I) (pH) (%)	66.0 25.0	71.0 25.0	70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) † OH (Strong base) † Quality Control Checks at H ₂ S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Caclulated	(F) (F) (psia) (psia) (1-Yes;0-No API grav. Sp.Grav. (B/D) (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3	66.0 25.0	71.0 25.0	70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) † OH (Strong base) † Quality Control Checks at H ₂ S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Caclulated \$\times\$Cations=	(F) (F) (psia) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3 (equiv./I)	66.0 25.0	71.0 25.0	70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) † OH (Strong base) † Quality Control Checks at H ₂ S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Caclulated	(F) (F) (psia) (psia) (1-Yes;0-No API grav. Sp.Grav. (B/D) (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3	66.0 25.0	71.0 25.0	70.0 25.0	41.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) * OH (Strong base) * Quality Control Checks at H ₂ S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Caclulated SCations= EAnions=	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/l) as HCO3 (equiv./l) (equiv./l)	66.0 25.0	71.0 25.0	70.0 25.0	41.0 25.0 25.0	49.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60 0	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) * OH* (Strong base) * Quality Control Checks at H ₂ S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Caclulated ECations= ECations= Calc TDS=	(F) (F) (psia) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3 (equiv./I) (equiv./I) (mg/I)	66.0 25.0 25.0 0 0	71.0 25.0 25.0	70.0 25.0 25.0 1nhibitor NTMP	41.0 25.0 25.0 Unit Converter	49.0 25.0 25.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60 0	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite 0.00	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) † OH* (Strong base) † Quality Control Checks at H ₂ S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Caclulated \$\textstyle{\textstyle{2}}\text{Collections=} \text{\$\textstyle{2}}\text{\$\text{Anions=}} \text{\$\text{Calc}} Calc TDS= Inhibitor Selection	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3 (equiv./I) (equiv./I) (mg/I) Input	66.0 25.0 25.0 0 0	71.0 25.0 25.0	70.0 25.0 25.0	41.0 25.0 25.0 Unit Converter From Unit	49.0 25.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60 0	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite 0.00	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) † OH (Strong base) † Quality Control Checks at H,S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Caclulated E\(\text{Calculated}\) Alkalinity Caclulated E\(\text{Calculated}\) E\(\tex	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3 (equiv./I) (equiv./I) (mg/I) Input	66.0 25.0 25.0 0 0	71.0 25.0 25.0	70.0 25.0 25.0 1nhibitor NTMP	41.0 25.0 25.0 Unit Converter	49.0 25.0 25.0 25.0	60.0 89.0 25.0 120.0 30.00 0.60 0	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite 0.00	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 60 61 62 63	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) * OH (Strong base) * Quality Control Checks at H ₂ S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Caclulated 2Cations= 2Anions= Calc TDS= Inhibitor Selection Protection Time Have ScaleSoftPitzer	(F) (F) (psia) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3 (equiv./I) (equiv./I) (equiv./I) Input 120	66.0 25.0 25.0 0 0	71.0 25.0 25.0 25.0	Inhibitor NTMP BHPMP	41.0 25.0 25.0 Unit Converter From Unit	49.0 25.0 25.0 25.0 (From metric Value 80	60.0 89.0 25.0 120.0 30.00 0.60 0	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite 0.00	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) * OH (Strong base) * Quality Control Checks at H ₂ S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Caclulated ECations= EAnions= Calc TDS= Inhibitor Selection Protection Time Have ScaleSoftPitzer pick inhibitor for you?	(F) (F) (psia) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3 (equiv./I) (equiv./I) (equiv./I) (mg/I) Input 120	0 0 0 0 Unit min	# 1 2 3	Inhibitor NTMP BHPMP PAA	Unit Converter From Unit C m³	49.0 25.0 25.0 25.0 (From metric Value 80 100	60.0 89.0 25.0 120.0 30.00 0.60 0	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite 0.00	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) * OH (Strong base) * Quality Control Checks at H ₂ S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Caclulated SCations= EAnions= Calc TDS= Inhibitor Selection Protection Time Have ScaleSoftPitzer pick inhibitor for you? If No, inhibitor # is:	(F) (F) (psia) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3 (equiv./I) (equiv./I) (equiv./I) (mg/I) Input 120	0 0 0 0 Unit min	# 1 2 3 4	Inhibitor NTMP BHPMP PAA DTPMP	Unit Converter From Unit °C m³ m³	49.0 25.0 25.0 25.0 (From metric Value 80 100 100	60.0 89.0 25.0 120.0 30.00 0.60 0 0 To Unit	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite 0.00 Value 176 3,531 629	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) * OH (Strong base) * Quality Control Checks at H ₂ S Gas Total H2Saq (STP) pH Calculated Alkalinity Caclulated Alkalinity Caclulated Seatons= Calc TDS= Inhibitor Selection Protection Time Have ScaleSoftPitzer pick inhibitor for you? If No, inhibitor # is: If you select Mixed,	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3 (equiv./I) (mg/I) Input 120 1 4	0 0 0 0 Unit min 1-Yes;0-No #	## 1 2 3 4 5 5	Inhibitor NTMP BHPMP PAA DTPMP PPCA	Unit Converter From Unit °C m³ m³ MPa	49.0 25.0 25.0 25.0 (From metric Value 80 100 1,000	60.0 89.0 25.0 120.0 30.00 0.60 0 0 To Unit °F ft³ bbl(42 US gal) psia	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite 0.00 Value 176 3,531 629 145,074	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 48 49 50 51 52 53 55 56 57 58 59 60 61 62 63 64 65 66 67	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) * OH* (Strong base) † Quality Control Checks at H ₂ S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Caclulated ECations= EAnions= Calc TDS= Inhibitor Selection Protection Time Have ScaleSoftPitzer pick inhibitor for you? If No, inhibitor # is: If you select Mixed, 1st inhibitor # is:	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/I) as HCO3 (equiv./I) (mg/I) Input 120 1 4	0 0 0 0 Unit min 1-Yes;0-No #	# 1 2 3 4 5 5 6	Inhibitor NTMP BHPMP PAA DTPMP PPCA SPA	Unit Converter From Unit °C m³ m³ MPa Bar	49.0 25.0 25.0 25.0 	60.0 89.0 25.0 120.0 30.00 0.60 0 0 To Unit "F ft ³ bbl(42 US gal) psia	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite 0.00 Value 176 3,531 629 145,074 7,194	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	
42 43 44 45 46 47 48 49 50 51 52 53 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69	Initial P Final P Use TP on Calcite sheet? API Oil Grav. Gas Sp.Grav. MeOH/Day MEG/Day Conc. Multiplier H* (Strong acid) * OH* (Strong base) * Quality Control Checks at H ₂ S Gas Total H2Saq (STP) pH Calculated PCO2 Calculated Alkalinity Caclulated ECAtions= EAnions= Calc TDS= Inhibitor Selection Protection Time Have ScaleSoftPitzer pick inhibitor # is: If you select Mixed, 1st inhibitor # is: % of 1st inhibitor is:	(F) (F) (psia) (psia) 1-Yes;0-No API grav. Sp.Grav. (B/D) (N) (N) STP: (%) (mgH2S/I) (pH) (%) (mg/l) as HCO3 (equiv./l) (equiv./l) (mg/l) Input 120 1 4 1 50	0 0 0 0 Unit min 1-Yes;0-No # # %	## 1 2 3 4 4 5 5 6 7 7	Inhibitor NTMP BHPMP PAA DTPMP PPCA SPA HEDP	Unit Converter From Unit C m³ m³ MPa Bar Torr	49.0 25.0 25.0 25.0 25.0 Value 80 100 1,000 496 10,000	60.0 89.0 25.0 120.0 30.00 0.60 0 0 To Unit °F ft³ bbl(42 US gal) psia psia	5.69 Viscosity (1.196 Heat Capaci 0.955 Inhibitor ne Gypsum 0.00 Anhydrite 0.00 Value 176 3,531 629 145,074 7,194 193	5.60 CentiPoise) 0.826 ty (cal/ml/°C) 0.959 ceded (mg/L) HDTMP 0.00 HDTMP	

Saturation Index Calculations

Champion Technologies, Inc. (Based on the Tomson-Oddo Model)

Brine 1: Ward Feed Yard 34-1
Brine 2: Ward Feed Yard 4-1
Brine 3: Clinesmith 5-4
Brine 4: Clinesmith 1
Brine 5: Clinesmith 2

			Ratio			
	20%	20%	20%	20%	20	
Component (mg/L)	Brine 1	Brine 2	Brine 3	Brine 4	Brine 5	Mixed Brine
Calcium	1836	2452	2044	1920	1948	1952
Magnesium	1096	872	1200	953	858	865
Barium	0	0	0	0	0	0
Strontium	0	0	0	0	0	0
Bicarbonate	190	234	259	268	254	253
Sulfate	1	1	8	1	1	1
Chloride	36299	48965	47874	45632	43147	43206
CO ₂ in Brine	246	220	264	422	405	401
Ionic Strength	1.12	1.48	1.46	1.38	1.31	1.31
Temperature (°F)	89	89	89	89	89	89
Pressure (psia)	50	50	120	120	120	119

Saturation Index

Calcite	-1.71	-1.41	-1.48	-1.68	-1.69	-1.69
Gypsum	-3.71	-3.64	-2.82	-3.73	-3.72	-3.69
Hemihydrate	-3.70	-3.65	-2.83	-3.74	-3.71	-3.69
Anhydrite	-3.89	-3.79	-2.97	-3.89	-3.88	-3.85
Barite	N/A	N/A	N/A	N/A	N/A	N/A
Celestite	N/A	N/A	N/A	N/A	N/A	N/A

PTB

Calcite	N/A	N/A	N/A	N/A	N/A	N/A
Gypsum	N/A	N/A	N/A	N/A	N/A	N/A
Hemihydrate	N/A	N/A	N/A	N/A	N/A	N/A
Anhydrite	N/A	N/A	N/A	N/A	N/A	N/A
Barite	N/A	N/A	N/A	N/A	N/A	N/A
Celestite	N/A	N/A	N/A	N/A	N/A	N/A

AFFIDAVIT

STATE OF KANSAS

SS.

County of Sedgwick

Mark Fletchall, of lawful age, being first duly sworn, deposeth and saith: That he is Record Clerk of The Wichita Eagle, a daily newspaper published in the City of Wichita, County of Sedgwick, State of Kansas, and having a general paid circulation on a daily basis in said County, which said newspaper has been continuously and uninterruptedly published in said County for more than one year prior to the first publication of the notice hereinafter mentioned, and which said newspaper has been entered as second class mail matter at the United States Post Office in Wichita, Kansas, and which said newspaper is not a trade, religious or fraternal publication and that a notice of a true copy is hereto attached was published in the regular and entire Morning issue of said The Wichita Eagle for 1 issues, that the first publication of said notice was

made as aforesaid on the 1st of

June A.D. 2012, with

subsequent publications being made on the following dates:

And affiant further says that he has personal knowledge of the statements above set forth and that they are true.

Fletchall

Subscribed and sworn to before me this

1st day of June, 2012

PENNY L. CASE Notary Public - State of Kansa My Appt. Expires

Notary Public Sedgwick County, Kansas

Printer's Fee: \$134.80

LEGAL PUBLICATION

PUBLISHED IN THE WICHITA EAGLE
JUNE 1, 2012 (3187775)
BEFORE THE STATE CORPORATION
COMMISSION OF THE STATE
OF KANSAS

OF KANSAS

NOTICE OF FILING APPLICATION

RE: In the Matter of Postrock Midconfinent

Production, LLC Application
for Commingling of Production in
the Moorehead, Michael W 6-1 located in Wilson County, Kansas.
To: All Oil & Gas Producers, Unleased
MineralInterestOwners, Landowners,

Of All Oil & Gas Producers, Unleased MineralInterest Owners, Landowners, and all persons whomever concerned You, and each of you, are hereby notified that Postrock Midcontinent Production, LLC has filled an application to commingle the Bartlesville, Fleming, Croweburg, Bevier, Mulky and Summit producing formations at the Moorehead, Michael W 6-1, located in the N2 NE SE, S6-T29S-R15E, Approximately 2310 FSL & 660 FEL, Wilson County, Kansas.

Any persons who object to or protest his application shall be required to file their objections or protest with the Conservalion Division of the State Corporation Commission of the State of Kansas within fifteen (15) days from the date of this publication. These protests shall be filed pursuant to Commission regulations and must state specific reasons why granting the application may cause waste, violate correlative rights or pollute the natural resources of the State of Kansas.

All persons interested or concerned. of Kansas.

of Kansas.

All persons interested or concerned shall take notice of the foregoing and shall govern themselves accordingly. All person and/or companies wishing to protest his application are required to file a written protest with the Conservation Division of the Kansas Oil and Gas Commission.

Upon the receipt of any protest, the Commission will convene a hearing and protestants will be expected to enter an appearance either through proper legal counsel or as Individuals, appearing on their own behalf.

Postrock Midcontinent Production, LLC 210 Park Avenue, Suite 2750

Oklahoma City, Oklahoma 73102

(405) 660-7704

PROOF OF PUBLICATION

STATE OF KANSAS Wilson County - SS

JOSEPH S. and RITA M. RELPH, of lawful age, being duly sworn upon oath that they are the Owners and Publishers of the WILSON COUNTY CITIZEN:

THAT said newspaper has been published at least weekly fifty (50) times a year and has been so published for at least five years prior to the first publication of the attached notice:

THAT said newspaper is a general circulation on a daily, or weekly, or monthly, or yearly basis in;

WILSON COUNTY, KANSAS and is NOT a trade, religious or fraternal publication and has been PRINTED and PUBLISHED in Wilson County, Kansas.

THE ATTACHED was published on the following dates in a regular issue of said newspaper:

2111

1st publication was made on the	NNY		_day of
Ma	y_	. 20–	12
2nd publication was made on the	V		
		. 20-	
3rd publication was made on the			_day of
		. 20-	i
4th publication was made on the			_day of
		. 20–	
5th publication was made on the			_day of
		. 20-	·
6th publication was made on the			_day of
	102		
TOTAL PUBLICATION FEE: \$_	39		
(Signed) Mine Shilling			
Subscribed and sworn to before me, this	Isv	c	lay of
- June		0/2)
A Sita M. I See	Ju (N	otary	Public
My commission expires Rug.	30	20	14
			

(Published in the Wilson County Citizen on Thursday, May 31, 2012.)

BEFORE THE STATE CORPORATION COMMISSION OF THE STATE OF KANSAS

NOTICE OF FILING APPLICATION

RE: In the Matter of Postrock Midcontinent Production, LLC Application for Commingling of Production in the Moorehead, Michael W 6-1 located in Wilson County, Kansas.

TO: All Oil & Gas Producers, Unleased Mineral Interest Owners, Landowners, and all persons whomever concerned.

You, and each of you, are hereby notified that Postrock Midcontinent Production, LLC has filed an application to commingle the Bartlesville, Fleming, Croweburg, Bevier, Mulky and Summit producing formations at the Moorehead, Michael W 6-1, located in the N2 NE SE, S6-T29S-R15E, Approximately 2310 FSL & 660 FEL, Wilson County, Kansas.

Any persons who object to or protest this application shall be required to file their objections or protest with the Conservation Division of the State Corporation Commission of the State of Kansas within fifteen (15) days from the date of this publication. These protests shall be filed pursuant to Commission regulations and must state specific reasons why granting the application may cause waste, violate correlative rights or polute the natural resources of the State of Kansas.

All persons interested or concerned shall take notice of the foregoing and shall govern themselves accordingly. All person and/or companies wishing to protest this application are required to file a written protest with the Conservation Division of the Kansas Oil and Gas Commission

Upon the receipt of any protest, the Commission will convene a hearing and protestants will be expected to enter an appearance either through proper legal counsel or as individuals, appearing on their own behalf

POSTROCK MIDCONTINENT PRODUCTION, LLC 210 Park Avenue, Suite 2750 Oklahoma City, Oklahoma 73102 (405) 660-7704 30 1 cpy.



1 NAME & UPPE	R & LOWER LIMIT OF EACH PRODU	JCTION INTERVAL TO BE	COMMING	LED			
FORMATION:	BARTLESVILLE	(PERFS):	1098 -	1110			
FORMATION:	BARTLESVILLE	(PERFS):	1068 -	1072			
FORMATION:	BARTLESVILLE	(PERFS):	1058 -	1060			
FORMATION:		(PERFS):	-				
FORMATION:		(PERFS):	-				
FORMATION:		(PERFS):	-				
FORMATION:		(PERFS):					
FORMATION:		(PERFS):					
FORMATION:		(PERFS):		·			
FORMATION:		(PERFS):					
FORMATION:		(PERFS):					
FORMATION:		(PERFS):		·			
	MOUNT OF FLUID PRODUCTION TO		1 EACH INT				
FORMATION:	BARTLESVILLE	BOPD:	1	MCFPD:	0	BWPD:	6.67
FORMATION:	BARTLESVILLE	BOPD:	1	MCFPD:	0	BWPD:	6.67
FORMATION:	BARTLESVILLE	BOPD:	1	MCFPD:	0	BWPD:	6.67
FORMATION:		BOPD:		MCFPD:		BWPD:	
FORMATION:		BOPD:		MCFPD:		BWPD:	
FORMATION:		BOPD:		MCFPD:		BWPD:	
FORMATION:		BOPD:		MCFPD:		BWPD:	
FORMATION:		BOPD:		MCFPD:		BWPD:	
FORMATION:		BOPD:		MCFPD:		BWPD:	
FORMATION:		BOPD:		MCFPD:		BWPD:	
FORMATION!				NACEDD.		DIAIDD	
FORMATION:		BOPD:		MCFPD:		BWPD:	
FORMATION: FORMATION:		BOPD:		MCFPD:		BWPD:	

Affidavi	t of Notice Served		DNA A C MINO
Re:	Application for: APPLICATION FOR COMMINGLE	NG OF PRODUCTION OR FLUIDS - ACO-4	
	Well Name: MOORHEAD, MICHAEL W 6-1	Legal Location: N2NESE S6-T29S-R15E	
The unde	rsigned hereby certificates that he / she is a duly authorized age	nt for the applicant, and that on the dayofJUNE	'
2012	, a true and correct copy of the application reference	d above was delivered or mailed to the following parties:	
Note: A c	opy of this affidavit must be served as a part of the application.		
	Name	Address (Attach additional sheets if necessary)	
ENE	RGY ASSETS OPERATING CO	P O BOX 2229, HOUSTON, TX 77252	
JAME	ES D LORENZ	543A 22000 RD, CHERRYVALE, KS 67335	
SEK	ENERGY, LLC	149 BENEDICT RD, PO BOX 55, BENEDICT, KS 6671	4
DALE	R THARP	10249 HARPER RD, FREDONIA, KS 6673	6
SEE	ATTACHED		
I further att	est that notice of the filing of this application was published in th	eWILSON COUNTY CITIZEN , the official county publicate	lion
of WIL	SON	county. A copy of the affidavit of this publication is attached.	
Signed this	29th day of JUNE	2012	
		Quifu B Beal	
	Subscribed and sworn to	Applicant or Duly Authorized Agent before me this 29 44 day of JUNE 2012	
A Thinks	DENISE V. VENNEMAN OFFICIAL MY COMMISSION EXPIRES	Notary Public Ullemanas	_
A STATE OF THE STA	July 1, 2012	My Commission Expires: 7-/-/-	

			THE STATE OF THE S
	•		- 1

NW (small portion)	N&E of Hwy **M&B in \$2 N2 NE Tract in NW4 tract in SW4 Tract in NE M&B in NE E2 NE4 less tracts	S2 SW less tract tract in S2 SW tract in S2 tract in S2 SE lying	N2 SW N2 SW	S2 NW
8 29S 15E None	6 295 15E 6 295 15E OR dtd 1.24.07 6 295 15E OR dtd 1.24.07 6 295 15E None 7 295 15E None 7 295 15E	5 295 15E None 5 295 15E 6 295 15E OR dtd 1.24.07	5 295 15E OR dtd 3.30.04	5 1 K little 5 29S 15E No TO or OR
Donald V. Parsons	Chuck & Juti Ward The Sec. of Trans. of KS Jayson Studebaker Mary M. Ambrose Kent A & Lynnerte Ambrose Mick & Peggy Powers The Sec. of Trans. of KS Kenton G. & Kathryn S. Cleiborne Uving Trust	Cliraon & Amy Gilbert Naili Bros., Inc. Clarence V. Taylor	(1/2) AND E. WAYNS WILLHITSB. BUSENA L. WILLHITE RSW. Trust (1/2)	Unleased Mineral Owners CREAGER LWing Truct GARY D WILLHITE & DESPA A. WILLHITE I dire Revocable Trust
1508 S WICHITA	3095 1030 Rd 534 S. Kansas Aver 12794 lade Rd 2115 E WASHINGT 11505 1400 RD 11596 Jack Rd 554 S. Kansas Aver 21596 Coyville Ros	10804 1200 Rd 8967 HARPER RD 9660 1200 Rd	1708 N MAIN	3954 JADE RD
Wichite, KS 67213	3098 1050 Rd Fradonia, KS 66603 12794 Jade Rd Fredonia, KS 66736 2115 6 WASHINGTON Fradonia, KS 66736 11505 1400 RD Fradonia, KS 65736 11505 1400 RD Fradonia, KS 65786 554 S. Kansas Avanue Topeka, KS 65786 21596 Coyville Road Fradonia, KS 65786	Rredonie, KS 66736 Predonia, KS 66736 Fredonia, KS 66736	EL DOSADO (S 6704 <u>2</u>	2954 LADERO Fredonia, KS 68736
added	added Transportation Dept does not claim minerals added added added added added	added added	updated	Add'I Notes updated

MOORHEAD, MICHAEL W 6-1 - APPLICATION FOR COMMINGLING OF PRODUCTION OR FLUIDS Offset Operators, Unleased Mineral Owners and Landowners acreage (Attach additional sheets if necessary) Legal Description of Leasehold: SEE ATTACHED I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Applicant of Duly Anthorized Agent Subscribed and sworn before me this 294 2012 DENISE V. VENNEMAN OFFICIAL MY COMMISSION EXPIRES Notary Public July 1, 2012 My Commission Expires:

MOORHEAD, MICHAEL W 6-1 OFFSET OPERATORS, UNLEASED MINERAL OWNERS AND LANDOWNERS ACREAGE

SPOT	LEGAL LOCATION	CURR_OPERA
NE SW SE	S6-T29S-R15E	Energy Assets Operating Company
SW SE NE SE	S6-T29S-R15E	Lorenz, James D.
NE NE SW SE	S6-T29S-R15E	Lorenz, James D.
NW NW SE SE	S6-T29S-R15E	Lorenz, James D.
SW NW SW	S5-T29S-R15E	SEK Energy, LLC
NW SE SE NW	S6-T29S-R15E	Tharp, Dale R

NW (small portion) 8 295	N&E of Hwy 6 29S 15E **M&B in S2 6 29S 15E N2 NE 6 29S 15E N2 NE 6 29S 15E Tract in NW4 6 29S 15E Tract in NE NE 7 29S 15E M&B in NE 7 29S 15E E2 NE4 less tracts 7 29S 15E	52 SW less tract 5 298 tract in S2 SW 5 298 tract in S2 SW 6 298 tract in S2 SE lying	5 295	5 29S
8 295 15E None	15E OR dtd 1.24.07 15E OR dtd 1.24.07 15E None 15E None 15E None	15E None 15E 15E OR dtd 1.24,07	295 15E OR dtd 3.30,04	29S 15E No TO or OR
Donald V. Parsons	Chuck Subit Ward The Sec. of Trans. of KS Jayson Studebaker Many M. Ambroos Kent A S. Lynnews Ambroos Midk S. Paggu Powers The Sec. of Trans. of KS Kenton G. S. Kethryn S. Cleiborne Living Trust	Clinton & Amy Gilbert Neili Bros, Inc. Clarence V. Taylor	Unleased Mineral Owners CREAGER Living Trust GARY D WILLHITE & DEBRA A, WILLHITE Joint Revocable Trust (1/2) AND E, WAYNE WILLHITE & GUGSNA L, WILLHITE Rev. Trust (1/2)	
1609 S WICHTA	3098 1050 Rd 534 S. Kansas Aveni 12794 Jade Rd 21.15 B WASHINGTO 11.508 1400 RD 11.595 lade Rd 534 S. (Kansas Aveni 21595 Copyille Ross	10304 1200 Rd 8967 HARPER RD 9660 1200 Rd	1708 N MAIN	8964.JADE AD
Wichia, KS 67213	3053 1050 Rd Fredonia, KS 66736 12794 Jade Rd Fredonia, KS 66736 21.25 & WASHINGTON Fredonia, KS 66736 11.503 1400 RD Fredonia, KS 66735 11.503 1400 RD Fredonia, KS 66735 21.595 lade Rd Fredonia, KS 66705 21.595 Cayville Road Fredonia, KS 66705	Pradonia, KS 66736 Pradonia, KS 66738 Fradonia, KS 66736	EL DORADO KS 67043	9954.4ADE AD Fredenia, KS 65756
added	added Transportation Dept does not claim minerals added added added added added	a dded added	updated	Add'l Notes updated

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Sam Brownback, Governor

July 16, 2012

Clark Edwards
PostRock Midcontinent Production LLC
Oklahoma Tower
210 Park Ave, Ste 2750
Oklahoma City, OK 73102

RE: Approved Commingling CO071228

Moorhead, Michael W. 6-1, Sec.6-T29S-R15E, Wilson County

API No. 15-205-27078-00-01

Dear Mr. Edwards:

Your Application for Commingling (ACO-4) for the above described well, received by the KCC on July 2, 2012, has been reviewed and approved by the Kansas Corporation Commission (KCC) per K.A.R. 82-3-123. Notice was examined and found to be proper per K.A.R. 82-3-135a. No protest had been filed within the 15-day protest period.

Based upon the depth of the Bartlesville formation perforations, total oil production shall not exceed 100 BOPD and total gas production shall not exceed 50% of the absolute open flow (AOF).

Commingling ID number CO071228 has been assigned to this approved application. Use this number for well completion reports (ACO-1) and other correspondence that may concern this approved commingling.

Sincerely,

Rick Hestermann Production Department