

# JOB SUMMARY

COUNTY		State		COMPANY		PROJECT NUMBER	START DATE
Clark		Kansas		Reeder Operating, LLC		SOK1110	01/06/12
LEASE NAME				Well No.		JOB TYPE	
Ronny Evans				1-36H		Surface	
EMPLOYEE NAME				EMPLOYEE NAME			
Matt Wilson				Tommy Whitlow			

EMP NAME					
Matt Wilson					
David Settmyer					
David Thomas					

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_

Packer Type \_\_\_\_\_ Set At \_\_\_\_\_ 0

Bottom Hole Temp. 87 F Pressure \_\_\_\_\_

Retainer Depth \_\_\_\_\_ Total Depth 800'

Date	Called Out	On Location	Job Started	Job Completed
	1/6/2012	1/6/2012	1/6/2012	1/6/2012
Time	4:00 am	9:00 am	3:20 pm	5:00 pm

Type and Size	Qty	Make
Auto Fill Tube	0	IR
float collar	1	IR
Centralizers	6	IR
Top Plug	1	IR
HEAD	1	IR
Limit clamp	0	IR
Weld-A	2	IR
Guid shoe	1	IR
Cement Basket	1	IR

	New/Used	Weight	Size	Grade	From	To	Max. Allow
Casing		36.0	9 5/8"		Surface	793	1,000
Liner							
Liner							
Tubing			0				
Drill Pipe							
Open Hole			12 1/4"		Surface	793	Shots/Ft.
Perforations							
Perforations							

Materials			
Mud Type	WBM	Density	9 Lb/Gal
Disp. Fluid	Fresh Water	Density	8.33 Lb/Gal
Spacer type	Fresh Water BBL.		10 8.33
Spacer type	BBL.		
Acid Type	Gal.	%	
Acid Type	Gal.	%	
Surfactant	Gal.	In	
NE Agent	Gal.	In	
Fluid Loss	Gal/Lb	In	
Gelling Agent	Gal/Lb	In	
Fric. Red.	Gal/Lb	In	
MISC.	Gal/Lb	In	

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
1/6	8.0	1/6	4.0	Surface
Total	8.0	Total	4.0	

MAX 1,000 PSI		Pressures	
		AVG. 150	
MAX 6 BPM		Average Rates in BPM	
		AVG 4	
Cement Left in Pipe			
Feet 40		Reason SHOE JOINT	

Cement Data						
Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal
1	170	0-Tex Lite Standard	(6%Gel) 2% Calcium Chloride - 1/4 lb/sk Cellflake - 0.5% C-41P	10.88	1.84	12.70
2	180	Standard	2% Calcium Chloride - 1/4 lb/sk Cellflake	5.20	1.18	15.60
3	0	0		0.00	0.00	0.00

Summary					
Preflush	_____	Type:	_____	Preflush:	Bbl 10.00
Breakdown	_____	MAXIMUM	1,000 PSI	Load & Bkdn:	Gal - Bbl N/A
	_____	Lost Returns-t	NO/FULL	Excess /Return	Bbl 20
	_____	Actual TOC	SURFACE	Calc. TOC:	SURFACE Actual Disp. 58.00
Average	_____	Bump Plug PSI:	_____	Final Circ.	PSI: 240
ISP	5 Min.	10 Min.	15 Min.	Cement Slurry	Bbl 93.5
				Total Volume	Bbl 161.54

CUSTOMER REPRESENTATIVE \_\_\_\_\_ SIGNATURE \_\_\_\_\_



<b>JOB SUMMARY</b>				PROJECT NUMBER	TICKET DATE	
COUNTY	State	COMPANY		<b>SOK1142</b>	<b>01/16/12</b>	
<b>Clark</b>	<b>Kansas</b>	<b>Reeder Operating, LLC</b>		CUSTOMER REP	<b>Tommy Whitlow</b>	
LEASE NAME	Well No.	JOB TYPE		EMPLOYEE NAME	<b>Charles Spracklen</b>	
<b>Ronny Evans</b>	<b>1-36H</b>	<b>Surface</b> <i>Lat</i>				
EMP NAME						
<b>Charles Spracklen</b>						
<b>Robert Burris</b>						
<b>Bryan Douglas</b>						
Form. Name _____ Type: _____						
Packer Type _____	Set At _____	0				
Bottom Hole Temp. _____	Pressure _____					
Retainer Depth _____	Total Depth _____	<b>6,099'</b>				
Tools and Accessories						
Type and Size	Qty	Make				
Auto Fill Tube	0	IR				
Insert Float Val	0	IR				
Centrifizers	0	IR				
Top Plug	0	IR				
HEAD	0	IR				
Limit clamp	0	IR				
Weld-A	0	IR				
Texas Pattern Guide Shoe	0	IR				
Cement Basket	0	IR				
Materials						
Mud Type	WBM	Density	9	Lb/Gal		
Disp. Fluid	Fresh Water	Density	8.33	Lb/Gal		
Spacer type	Fresh Water	BBL	20	8.33		
Spacer type	Caustic	BBL	10	8		
Acid Type	Gal.		%			
Acid Type	Gal.		%			
Surfactant	Gal.		In			
NE Agent	Gal.		In			
Fluid Loss	Gal/Lb		In			
Gelling Agent	Gal/Lb		In			
Fric. Red.	Gal/Lb		In			
MISC.	Gal/Lb		In			
Perpac Balls	Qty.					
Other						
Other						
Other						
Other						
Other						
			Well Data			
	Called Out	On Location	Job Started	Job Completed		
Date	<b>1/16/2012</b>	<b>1/16/2012</b>	<b>1/16/2012</b>	<b>1/16/2012</b>		
Time	<b>10:00</b>	<b>16:00</b>		<b>22:30</b>		
	New/Used	Weight	Size	Grade	From To Max. Allow	
Casing		26#	7"		Surface 6,099' 1,000	
Liner						
Liner						
Tubing			0			
Drill Pipe						
Open Hole			8 3/4"		Surface 6,099' Shots/Ft.	
Perforations						
Perforations						
Perforations						
Hours On Location			Operating Hours		Description of Job	
Date	Location	Date	Hours			
1/16		1/16		Surface		
Total	0.0	Total	0.0			
			Pressures			
MAX	2000	AVG	800			
			Average Rates in BPM			
MAX	8	AVG	5			
			Cement Left in Pipe			
Feet	41	Reason	SHOE JOINT			
Cement Data						
Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal
1	260	50:50 Premium:Poz	(Includes 2% Gel) - 2% Additional Gel(4%) - .4% C-12 - .1% C-37 - 1pps Ph	6.70	1.44	13.60
2	0	0		0	0.00	0.00
3	0	0		0	0.00	0.00
Summary						
Preflush Breakdown	10	Type: CAUSTIC	Preflush: BBI	20.00	Type: FRESH WATER	
		MAXIMUM	Load & Bkdn: Gal - BBI	N/A	Pad:Bbl - Gal	N/A
		Lost Returns-N	Excess /Return BBI	N/A	Calc. Disp Bbl	232
		Actual TOC	Calc. TOC:	4.333'	Actual Disp.	233.00
Average		Bump Plug PSI:	Final Circ. PSI:		Disp:Bbl	
ISIP	5 Min.	10 Min.	Cement Slurry: BBI	66.7		
		15 Min.	Total Volume	BBI	319.70	
CUSTOMER REPRESENTATIVE _____			SIGNATURE _____			



# JOB SUMMARY

Ticket Number <b>WO1504</b>	TICKET DATE <b>01/28/12</b>
COMPANY <b>REEDER OPER, LLC</b>	
CUSTOMER REP <b>EDWARD NOREILL</b>	
Employee name <b>JOSHUA COLEMAN</b>	

LEASE NAME  
**RONNY EVANS #1-36H**

Well No. \_\_\_\_\_

JOB TYPE  
**Liner**

EMP NAME	<b>COLEMAN</b>				
	<b>TAYLOR</b>				
	<b>FLOW ???</b>				

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_

Packer Type \_\_\_\_\_ Set At \_\_\_\_\_

Bottom Hole Temp. \_\_\_\_\_ Pressure \_\_\_\_\_

Retainer Depth \_\_\_\_\_ Total Depth \_\_\_\_\_

Date	Called Out	On Location	Job Started	Job Completed
	<b>1/27/2012</b>	<b>1/28/2012</b>	<b>1/28/2012</b>	<b>1/28/2012</b>
Time	<b>4:30PM</b>	<b>12:05AM</b>	<b>6:43AM</b>	<b>9:00AM</b>

Type and Size	Qty	Make
Float Collar		IR
Float Shoe		IR
Centralizers		IR
Top Plug		IR
HEAD		IR
Limit clamp		IR
Weld-A		IR
Guide Shoe		IR
BTM PLUG		IR

	New/Used	Weight	Size	Grade	From	To	Max. Allow
Casing		11.6	4 1/2		5711	10,195	
Liner			7		SURFACE	6,899	
Liner							
Tubing							
Drill Pipe							
Cased Hole							Shots/Ft.
Hole							
Open Hole							
Perforations							

Materials		
	Density	Lb/Gal
Mud Type		
Disp. Fluid		
Spacer type	BBL	
Spacer type	BBL	
Acid Type	Gal.	%
Acid Type	Gal.	%
Surfactant	Gal.	In
NE Agent	Gal.	In
Fluid Loss	Gal/Lb	In
Gelling Agent	Gal/Lb	In
Fric. Red.	Gal/Lb	In
MISC.	Gal/Lb	In

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
<b>1/28</b>	<b>9.5</b>	<b>1/28</b>	<b>5.0</b>	<b>Liner</b>
<b>Total</b>	<b>9.5</b>	<b>Total</b>	<b>5.0</b>	

Perfpac Balls \_\_\_\_\_ Qty. \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Pressures	
MAX <b>4000</b>	AVG. <b>900</b>
Average Rates in BPM	
MAX <b>6</b>	AVG <b>4</b>
Cement Left in Pipe	
Feet <b>42</b>	Reason <b>Shoe Joint</b>

Cement Data										
Stage	Sacks	Cement	Additives			W/Rq.	Yield	Lbs/Gal		
<b>1</b>	<b>475</b>	<b>50/50 PREM POZ</b>	<b>4%GEL</b>	<b>.4%C-12</b>	<b>.1%C-37</b>	<b>2PPS PHENOSEAL</b>	<b>.5%C-41P</b>	<b>6.77</b>	<b>1.44</b>	<b>13.60</b>
<b>2</b>										
<b>3</b>										

Summary						
Circulating	Displacement	Preflush:	BBI	<b>30.00</b>	Type:	
Breakdown	MAXIMUM	Load & Bkdn:	Gal - BBI		Pad: Bbl -Gal	
	Lost Returns-I	Excess /Return	BB1		Calc. Disp Bbl	
	Actual TOC	Calc. TOC:			Actual Disp.	<b>110.0</b>
Average	Frac. Gradient	Treatment:	Gal - BBI		Disp: Bbl	
ISIP	5 Min.	Cement Slurry	BB1	<b>130.0</b>		
	10 Min.	Total Volume	BBI	<b>270.00</b>		
	15 Min.					

CUSTOMER REPRESENTATIVE \_\_\_\_\_

SIGNATURE \_\_\_\_\_

