

DRILL STEM TEST REPORT

FG Holl Company LLC
 9431 East Central
 Suite 100
 Wichita, Kansas 67206+2563
 ATTN: Renee Husted


Reece Unit #1-32
32/22S/21W/Hodgeman
 Job Ticket: 18788 DST#: 2
 Test Start: 2011.10.22 @ 00:01:00

GENERAL INFORMATION:

Formation: **Mississippian**
 Deviated: No Whipstock: ft (KB)
 Test Type: Conventional Bottom Hole (Initial)
 Time Tool Opened: 01:56:30
 Tester: Ken Swinney
 Time Test Ended: 06:33:30
 Unit No: 3325 Great Bend/112
 Interval: **4468.00 ft (KB) To 4498.00 ft (KB) (TVD)**
 Reference Elevations: 2234.00 ft (KB)
 Total Depth: 4498.00 ft (KB) (TVD) 2224.00 ft (CF)
 Hole Diameter: 7.88 inches Hole Condition: Fair KB to GR/CF: 10.00 ft

Serial #: 6749 Outside
 Press@RunDepth: 60.61 psig @ 4495.00 ft (KB) Capacity: 5000.00 psig
 Start Date: 2011.10.22 End Date: 2011.10.22 Last Calib.: 2011.10.22
 Start Time: 00:02:00 End Time: 06:33:30 Time On Btm: 2011.10.22 @ 01:50:00
 Time Off Btm: 2011.10.22 @ 04:28:30

TEST COMMENT: 1ST Open 15 Minutes/Weak blow/Blow built to 1/2 inch
 1ST Shut In 60 Minutes/No blow back
 2ND Open 15 Minutes/No blow/Flush tool didn't help
 2ND Shut In 60 Minutes/No blow back



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2195.00	114.91	Initial Hydro-static
7	44.43	115.39	Open To Flow (1)
19	50.18	116.42	Shut-In(1)
82	1418.01	118.83	End Shut-In(1)
83	53.65	118.56	Open To Flow (2)
97	60.61	119.33	Shut-In(2)
156	1393.30	121.44	End Shut-In(2)
159	2177.94	121.60	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
5.00	Mud with show of oil	0.02

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

