KOLAR Document ID: 1439188

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL PLUGGING APPLICATION

Form CP-1 March 2010 This Form must be Typed Form must be Signed All blanks must be Filled

Form KSONA-1, Certification	of Compliance with the Kansas Surface Owner	Notification Act,

MUST be submitted with this form.

OPERATOR: License #:		API No. 15		
Name:		If pre 1967, supply original comp	letion date:	
Address 1:		Spot Description:		
		Sec Tv	vp S. R	East West
Address 2:		Feet from	North / So	outh Line of Section
City: State:		Feet from	East / W	est Line of Section
Contact Person:		Footages Calculated from Neare	st Outside Section (Corner:
Phone: ()		NE NW	SE SW	
		County:		
		Lease Name:	Well #: _	
Check One: Oil Well Gas Well OG	D&A Cathodi	ic Water Supply Well	Other:	
SWD Permit #:	ENHR Permit #:	Gas Storage	Permit #:	
Conductor Casing Size:	_ Set at:	Cemented with:		Sacks
Surface Casing Size:				
Production Casing Size:	Set at:			
List (ALL) Perforations and Bridge Plug Sets:	-			
Elevation: (nhudrita Danthu		
	РЫО: А		Stone Corral Formation)	
Condition of Well: Good Poor Junk in Hole		Interval)		
Proposed Method of Plugging (attach a separate page if additional additi	ional space is needed):			
Is Well Log attached to this application?	Is ACO-1 filed? Yes	No		
If ACO-1 not filed, explain why:				
Plugging of this Well will be done in accordance with K.	S A EE 101 of and the Pul	as and Pagulations of the State Cor	noration Commiss	ion
Company Representative authorized to supervise plugging		-		
Address:				
Phone: ()		State	Zip	+
Plugging Contractor License #:				
Address 1:				
City: Phone: ()		State:	∠ıp:	+
Proposed Date of Plugging (if known):				

Payment of the Plugging Fee (K.A.R. 82-3-118) will be guaranteed by Operator or Agent

Submitted Electronically

KOLAR Document ID: 1439188

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:

- □ I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically

Form	CP1 - Well Plugging Application
Operator	Daystar Petroleum, Inc.
Well Name	NEWKIRK C 1
Doc ID	1439188

Perforations And Bridge Plug Sets

Perforation Top	Perforation Base	Formation	Bridge Plug Depth
3057	3063	LKC	3192

SORN NUST BE TYPED	SIDE ONE
STATE CORPORATION COMMISSION OF KANSAS OIL & GAS CONSERVATION DIVISION WELL COMPLETION FORM ACO-1 WELL MISTORY DESCRIPTION OF WELL AND LEASE	API NO. 15- 159-22,311 200-00 Rice
Operator: License # 6040	4620 Feet from (SNN (circle one) Line of Section
Name: Bankoff Oil Company	3630' V Feet from EW (circle one) Line of Section
Address 100 S. Market, #203 A	Footages Calculated from Nearest Outside Section Corner: NE, SE, NW or SW (circle one) Lease Name Newkirk CWell #
City/State/ZipWichita, KS 67202 Purchaser:Permian	Field Name Geneseo
Frank S. Mize	Producing Formation LKC
Operator Contact Person: Frank S. Mize Phone (316-262-2784	Elevation: Ground 1684 KB 1693
Contractor: Name: Duke Drilling Rig #4	
License: 5929	Amount of Surface Pipe Set and Cemented at Feet
Wellsite Geologist: Frank S. Mize	Hultiple Stage Cementing Collar Used? Yes No
Designate Type of Completion X New Well Re-Entry Workover Oil SWD SIOW Temp. Abd.	If yes, show depth set Feet If Alternate II completion, cement circulated from feet depth to w/ sx cmt.
Gas ENHR SIGW Dry Other (Core, WSW, Expl., Cathodic, etc) If Workover/Re-Entry: old well info as follows:	
Operator:	Chloride content 25,000 ppm Fluid volume 58.00 bbls
Well Name:	Dewatering method used
Comp. Date Old Total Depth	I and the second s
Deepening Re-perf Conv. to Inj/SWD Plug Back PBTD	Operator Name
Commingled Docket No Dual Completion Docket No	Lease NameLicense No
Other (SWD or Inj?) Docket No	Quarter Sec TwpS RngE/W
7-10-91 7-15-91 8-1-91	and the second se

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 200 Colorado Derby Building, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of <u>all</u> wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS NUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

	Signature <u>Juane</u> Signature <u>Juane</u> <u>Signature</u> <u>Date</u> <u>12-30-9</u>	F Letter of C Vireline	DFFICE USE ONLY f Confidentiali Log Received t Report Receive	
JAME On	Ricerry Public Thames Dr Dransleller	TE CORPORATION COMMISSIO	istribution SWD/Rep Plug	NGPA Other (Specify)
IIIIIIII ST	City Compilerion Expires	ONSERVATION DIVISION WICHITA, KANSAS	ACO-1 (7-91)	

Sec. 11_Tup. 18 Rge. 7 If wat /5-159-22311-0 /5-159 /5-159-2256-875 /5-159	Attach extra static le Attach extra s Datum Datum
Interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressures, thether shut-in pressures to surface during test. If more space is needed. Attach copy of log. Drill Stem Tasts Taken (Attach Additional Sheets.) Samples Sent to Geological Survey Ves Yes No Heebner 2568-875 Lansing 2726-1033 Grees Taken Yes Yes No Heebner 2568-875 Lansing 2726-1033 BKC 3082-1389 Cores Taken Yes Subsit Copy.) Yes (submit Copy.) Yes Cores Taken Yes Electric Log Run Yes (submit Copy.) Radiation Guard Misener 3190-1497 List All E.Logs Run: Radiation Guard Burpose of String Size Hole Size casing Drilled Set (In 0.0.) Used Surface 12¼" 8 5/8 20# 226' 60-40 145 Production 5½" 7 7/8 14.5# 3191 ASC 100	Attach extra s Attach extra s Datum Datum
(Attach Additional Sheets.) Yes	Datum s Type and Perc Additives
Cares Taken Image: Yes Image: Yes </th <th>s Type and Perc Additives</th>	s Type and Perc Additives
Cores Taken I Yes Ld No BKC 3082-1389 Electric Log Run (Submit Copy.) Marmaton 3088-1395 List All E.Logs Run: Radiation Guard KH 3171-1478 Misener 3190-1497 Surface 12 ¹ / ₄ " Stat (in 0.0.) Lbs./Ft. Depth Common 5 ¹ / ₂ " 7 7/8 14.5 [#] / ₄ Production 5 ¹ / ₂ " 7 7/8 14.5 [#] / ₄ Motintioner Misener Type and Percent Additiv Perforate <td>Additives</td>	Additives
(Submit Copy.) Cong 3141-1458 (Submit Copy.) Radiation Guard KH 3171-1478 List All E.Logs Run: Radiation Guard Misener 3190-1497 CASING RECORD New Used 3190-1497 Report all strings set-conductor. New Used Report all strings set-conductor. Setting Type of # Sacks Purpose of String Size Hole Size Casing Uesh./ft. Depth Cement Used Surface 12 ¹ / ₄ " 8 5/8 20# 226' 60-40 145 Production 5 ¹ / ₂ " 7 7/8 14.5# 3191 ASC 100 ADDITIONAL CEMENTING/SQUEEZE RECORD Purpose: Depth Top Bottom Type of Cement #Sacks Used Type and Percent Additiv Protect Casing Plug Off Zone Plug Off Zone Plug Off Zone Acid, Fracture, Shot, Cement S Shots Per Foot Specify Footage of Each Interval Perforated (Amount and Kind of Material Used)	Additives
List All E.Logs Run: Radiation Guard KH 3171-1478 Misener 3190-1497 Misener 3190-1497 Report all strings set-conductor, surface, intermediate, production, etc. Purpose of String Size Hole Size Casing Used Drilled Set (In 0.D.) Lbs./Ft. Depth Used Surface 12 ¹ / ₄ " 8 5/8 20# 226' 60-40 145 Production 5 ¹ / ₂ " 7 7/8 14.5# 3191 ASC 100 ADDITIONAL CEMENTING/SQUEEZE RECORD Purpose: Depth Top Bottom Type of Cement #Sacks Used Type and Percent Additiv Perforate Protect Casing Image: Stack Used Type and Percent Additiv Plug Off Zone PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Specify Footage of Each Interval Perforated Shots Per Foot Specify Footage of Each Interval Perforated (Amount and Kind of Material Used)	Additives
CASING RECORD New Used Report all strings set-conductor, surface, intermediate, production, etc. Purpose of String Size Hole Size Casing Veight Setting Type of # Sacks Surface 12¼" 8 5/8 20# 226' 60-40 145 Production 5½" 7 7/8 14.5# 3191 ASC 100 ADDITIONAL CEMENTING/SQUEEZE RECORD Purpose: Depth Top Bottom Type of Cement #Sacks Used Type and Percent Additive Protect Casing Plug Back T0 Plug Off Zone Plug Off Zone Perforate PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Specify Footage of Each Interval Perforated Shots Per Foot	Additives
Lew U Used Report all strings set-conductor, surface, intermediate, production, etc. Purpose of String Size Hole Size Casing Weight Setting Type of # Sacks Surface $12\frac{1}{4}$ " 8 5/8 $20\#$ 226 ' $60-40$ 145 Production $5\frac{1}{2}$ " 7 7/8 $14.5\#$ 3191 ASC 100 ADDITIONAL CEMENTING/SQUEEZE RECORD Purpose: Depth Top Bottom Type of Cement #Sacks Used Type and Percent Additiv Protect Casing Plug Back TD Plug Off Zone Perforate PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Specify Footage of Each Interval Perforated Shots Per Foot Specify Footage of Each Interval Perforated (Amount and Kind of Material Used)	Additives
Report all strings set-conductor, surface, Intermediate, production, etc. Purpose of String Size Hole Drilled Size Casing Set (In 0.D.) Weight Lbs./Ft. Setting Depth Type of Cement # Sacks Used Surface $12\frac{1}{4}$ " 8 5/8 $20\#$ 226 ' $60-40$ 145 Production $5\frac{1}{2}$ " 7 7/8 $14.5\#$ 3191 ASC 100 ADDITIONAL CEMENTING/SQUEEZE RECORD Purpose: Depth Top Bottom Type of Cement #Sacks Used Type and Percent Additiv Perforate Protect Casing	Additives
Drilled Set (In 0.D.) Lbs./Ft. Depth Cement Used Surface $12\frac{1}{4}$ " 8 5/8 $20\#$ 226 ' $60-40$ 145 Production $5\frac{1}{2}$ " 7 7/8 $14.5\#$ 3191 ASC 100 ADDITIONAL CEMENTING/SQUEEZE RECORD Purpose: Depth Type of Cement #Sacks Used Type and Percent Additiv Protect Casing Plug Back TD Plug Off Zone Perforate Acid, Fracture, Shot, Cement Specify Footage of Each Interval Perforated Shots Per Foot Specify Footage of Each Interval Perforated (Amount and Kind of Material Used)	Additives
Production $5\frac{1}{2}$ " 7 7/8 14.5# 3191 ASC 100 ADDITIONAL CEMENTING/SQUEEZE RECORD Purpose: Depth Top Bottom Type of Cement #Sacks Used Type and Percent Additiv Perforate Protect Casing Plug Back TD Plug Off Zone Plug Off Zone Acid, Fracture, Shot, Cement Specify Footage of Each Interval Perforated Shots Per Foot Specify Footage of Each Interval Perforated (Amount and Kind of Material Used)	2%G 3%C a
ADDITIONAL CEMENTING/SQUEEZE RECORD Purpose: Depth Top Bottom Type of Cement #Sacks Used Perforate Protect Casing Plug Back TD Plug Off Zone Plug Off Zone Perforate Shots Per Foot Specify Footage of Each Interval Perforated	
Purpose: Depth Type of Cement #Sacks Used Type and Percent Additive Perforate	_i
Top Bottom Type of Cement #Sacks Used Type and Percent Additiv Protect Casing Plug Back TD Plug Off Zone Plug Off Zone Plug Off Zone Plug Off Zone PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement S Shots Per Foot Specify Footage of Each Interval Perforated (Amount and Kind of Material Used)	
Perforate Protect Casing Plug Back TD Plug Off Zone Plug Off Zone Plug Off Zone Perforation RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement S Shots Per Foot Specify Footage of Each Interval Perforated (Amount and Kind of Material Used)	/05
Plug Off Zone PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement S Shots Per Foot Specify Footage of Each Interval Perforated (Amount and Kind of Material Used)	
Shots Per Foot Specify Footage of Each Interval Perforated (Amount and Kind of Material Used)	
	J
In the second of the second state and shall be branched to be the second sec	
TUBING RECORDSizeSet AtPacker AtLiner RunYesX $2\frac{1}{2}$ "3000'3000'3000'	
Date of First, Resumed Production, SWD or Inj. Producing Method Flowing Pumping Gas Lift 0	ther (Explain)
Estimated Production Oil Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio Per 24 Hours 10	Gravit
Disposition of Gas: NETHOD OF COMPLETION Used on Lease Open Hole Perf. Dually Comp. Commingled	Production Inte

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 346-337-6211 http://kcc.ks.gov/

Dwight D. Keen, Chair Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner Laura Kelly, Governor

May 02, 2019

Matt Osborn Daystar Petroleum, Inc. 522 N. MAIN ST PO BOX 560 EUREKA, KS 67045-0560

Re: Plugging Application API 15-159-22311-00-00 NEWKIRK C 1 NW/4 Sec.11-18S-07W Rice County, Kansas

Dear Matt Osborn:

The Conservation Division has received your Well Plugging Application (CP-1).

Under K.A.R. 82-3-113(b)(2), you must notify DISTRICT 2 of your proposed plugging plan at least 5 days before plugging the well. DISTRICT 2's phone number is (316) 337-7400. Failure to notify DISTRICT 2, or failure to file a Well Plugging Record (CP-4) after the well is plugged will result in a penalty recommendation.

Under K.A.R. 82-3-600, you must file an Application for Surface Pit (CDP-1) if you wish to use a workover pit while plugging the well. Failure to timely file a CDP-1, failure to timely remove fluids, or failure to timely file Closure of Surface Pit (CDP-4) or Waste Transfer (CDP-5) forms will result in a penalty recommendation.

This receipt does NOT constitute authorization to plug this well if you do not otherwise have the legal right to do so.

This receipt is VOID after October 29, 2019. If the well is not plugged by then, you will have to submit a new CP-1 if you wish to plug the well.

The October 29, 2019 deadline does NOT override any compliance deadline given to you by Legal, District, or other Commission Staff. Failure to comply with any given deadline will still result in the Commission assessing penalties, or taking other legal action.

Sincerely, Production Department Supervisor

cc: DISTRICT 2