For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
, ,	
PERATOR: License#	feet from N / S Line of Section
ame:	feet fromE / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
olddress 2: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
contact Person:	County:
hone:	Lease Name: Well #:
	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSI
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes Yes N
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
II OWWO. Old Well Information as follows.	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
irectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Yes, true vertical depth:	Well Farm Pond Other:
sottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)
CCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken? Yes No
	If Yes, proposed zone:
	IDAVIT
he undersigned hereby affirms that the drilling, completion and eventual plu	gging of this well will comply with K.S.A. 55 et. seq.
is agreed that the following minimum requirements will be met:	
 Notify the appropriate district office prior to spudding of well; 	
2. A copy of the approved notice of intent to drill shall be posted on each	
3. The minimum amount of surface pipe as specified below shall be set	by circulating cement to the top; in all cases surface pipe shall be set
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.
 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. The underlying formation is necessary prior to plugging ; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the complete of the complete days of the spud date or the well shall be about the complete days of the spud date or the well shall be about the complete days of the spud date or the well shall be about the complete days of the spud date or the well shall be about the complete days of the spud date or the well shall be about the complete days of the spud date or the well shall be about the complete days of the spud date or the well shall be about the complete days of the spud date or the well shall be about the complete days of the spud d	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. The underlying formation is underlying formation. The difference on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the complete shall be a specified before well in the complete shall be a specified before well is either plugger. Ibmitted Electronically For KCC Use ONLY	by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about 15 - Conductor pipe required — feet	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In this content is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	oy circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	py circulating cement to the top; in all cases surface pipe shall be set anderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	py circulating cement to the top; in all cases surface pipe shall be set anderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY	py circulating cement to the top; in all cases surface pipe shall be set anderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

Side Two

For KCC Use ONLY	
API # 15	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

2957 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:		-			
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R			
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section			
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	m ground level to dee	pest point:	(feet) No Pit			
		• /	cluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:				
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:			

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Eathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	lic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface own	eknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling to form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

FAULKNER #9



PRODUCING WELL
 ■ INJECTION WELL
 ● APPLICANT WELL
 ■ TANKS

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 346-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

March 06, 2019

Daniel Martin Tauy Oil, Inc 1621 N 150TH RD PO BOX 973 BALDWIN CITY, KS 66006-0973

Re: Drilling Pit Application FAULKNER 9 NW/4 Sec.09-15S-20E Douglas County, Kansas

Dear Daniel Martin:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 902-6450 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 902-6450.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 346-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

March 06, 2019

Daniel Martin Tauy Oil, Inc 1621 N 150TH RD PO BOX 973 BALDWIN CITY, KS 66006-0973

Re: Notice of Intent to Drill FAULKNER 9 NW/4 Sec.09-15S-20E Douglas County, Kansas

Dear Mr. Martin:

Records indicate that two domestic water wells are located less than 660 feet from this proposed location (water well records attached). Eastern Kansas Surface Casing Order #133,891-C for Area 3, paragraph 2 states, "No well shall be drilled closer than 660 feet of an existing domestic or municipal water well without written owner notification, a copy of which must be attached to the drilling intent form during filing. Special casing and cementing requirements may be imposed in those areas producing fresh and usable water."

Please provide us with a copy of the owner notification to further the processing of your notice of intent to drill. Copies of the water well records are attached.

I may be contacted at 316-337-6200 if you need additional information.

Rick Hestermann Production Department

WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number	r		
County: Doing 1 A5	5E4SE 4SE 1/4 NE1/4	8 T 15 S R 20 15 E	□W		
Street/Rural Address of Well Location	n; if unknown, distance & direction	Global Positioning System (GPS) information:			
from nearest town or intersection: If a	at owner's address, check here 🛣.	Latitude: (in decimal de			
		Longitude: (in decimal de	egrees)		
		Elevation:			
2 WATER WELL OWNER: A	in Klasson	Datum: WGS 84, NAD 83, NAD 27			
		Collection Method: GPS unit (Make/Model:	`		
RR#, Street Address, Box #: City, State, ZIP Code :	94 N. 160 Rt	Digital Map/Photo, Topographic Map, Land S			
Ba	Idua Lity Kallin	Est. Accuracy:	m		
3 LOCATE WELL	11				
WITH AN "X" IN 4 DEPTH O	F COMPLETED WELL\.O.O	. <u></u> ft.			
SECTION BOX: Depth(s) Grou	indwater Encountered (1) 5.3	-9. 1. 	ft.		
		below land surface measured on mo/day/yr			
		ft. after hours pumping			
EST. YIELD.	Well water was	ft. after hours pumping	. gpm		
		ft., andft.			
		ter supply Geothermal Injection well			
Domestic		er supply			
		wn & garden Monitoring well	• • • • • • •		
	al/bacteriological sample submitted to				
	no/day/yr sample was submitted				
water well dis	sinfected? 🔀 Yes 🗌 No				
5 TYPE OF CASING USED: St					
CASING JOINTS: 🔽 Glued 🔲 C	lamped 🗌 Welded 🔲 Threade	d C4 4 4 m			
Casing diameter5 in. to	D ft., Diameter in.	to 90.7.120. ft., Diameter in. to	ft.		
		。lbs./ft., Wall thickness or gauge No!しな. ルチ.	/		
TYPE OF SCREEN OR PERFORATIO		1			
Steel Stainless Steel	None used (open hole)	Other (Specify)			
☐ Brass ☐ Galvanized Steel SCREEN OR PERFORATION OPENIN	I None used (open note)				
		☐ Drilled holes ☐ None (open hole)			
Louvered shutter Key punched	Wire wrapped Saw cut	Other (specify)			
SCREEN-PERFORATED INTERVALS	S: From. 7.0. ft. to ft. to	Other (specify)	ft.		
	From ft. to	ft., From ft. to	ft.		
GRAVEL PACK INTERVALS	: From ft. to	ft., From ft. to	ft.		
	From ft. to	ft., From ft. to	ft.		
6 GROUT MATERIAL: Neat ce	ment Cement grout Bento	nite Other			
		ft. to ft., From ft. to	ft.		
What is the nearest source of possible co					
	lines Pit privy Livestock)		
Sewer lines Cesspoo					
Direction from well		from well			
	OGIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTER			
	71.01.1	2 Zime. 200 (Janu) of 1 Dodon to Intien			
4 32 SANDSTONE					
32 34 Sann shale					
34 34 54 motore					
36 53 JANY Shall					
	Latone				
82 92 Lines Jant					
92 100 State	JI ZIIC				
12 100 3000					
7 CONTRACTOR'S OR LANDOWN	ER'S CERTIFICATION: This wat	er well was Constructed, reconstructed, or plug	gged		
under my jurisdiction and was completed	lon (mo/day/year) 611.5 a	nd this record is true to the best of my knowledge and b	elief.		
Kansas Water Well Contractor's License No. 56. 1 This Water Well Record was completed on (mo/day/year)					
under the business name of Lugar 5	every Du Inci	by (signature)			
INSTRUCTIONS: Use typewriter or ball point p	oen. PLEASE PRESS FIRMLY and PRINT cle	early. Please fill in blanks and check the correct answers. Send thr	ree copies		
(white, blue, pink) to Kansas Department of Hea	Ith and Environment, Bureau of Water, Geol	ogy Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666	612-1367.		
Telephone 785-296-5524. Send one copy to W. http://www.kdheks.gov/waterwell/index.html.	ATEK WELL OWNER and retain one for y	your records. Include fee of \$5.00 for each constructed well. V	isit us at		
KSA 82a-1212					
120/1 020-1212					



Scan of WWC5 Form

		WATER WE	LL RECORD	Form WWC-	KSA 8	a-1212 ID	No		
1 LOCAT	ION OF WA	TER WELL: Frac	tion	5.24	Sec	tion Number	Township Nur	mber	Range Number
County:	Downla	- S I	. × SF	· W NE	14	8	т 15	S	R 20 Cew
Distance a	and direction	from nearest town or c	ty street addre	ss of well if loca	led within cit	y?		^	u 4 .
	1.4 5	with & I We	ST H	BALANIA	City		Dovalas	Peni	4= 9,39
2 WATER	WELL OW	NER: John Go	Hotein	8	/		1		1201
RRA. St. A	Address, Box	x# : 94.5	1700 R	f.,	. 35		Board of Agric	oulture, Di	rision of Water Resource
	, ZIP Code	Baldwin	cita	. Ks. 66	200		Application No		
3 LOCATE	WELL'S LO	CATION WITH A DEP	TH OF COMPL	ETED WELL	100	N. ELEVA	TION:	0.0000000000	
	IN SECTIO	N BOX: Depth(s) Groundwater	Encountered,	1 55:	84n.	2	tt. 3.	-23-02 "
7 [, N	WELL'S	STATIC WATE	RLEVEL . 4.8	ft. belo	w land surface	e measured on mo/d	aylyr .7.	:d.5.:02
1	i		Pump test	data: Well wate	rwas	ft. a	ftor	hours pu	mping gpm mping gpm
-	-NW	- NE Est. Yie	ld7	gen; Well wate	r was		ftor	hours pu	mping gpm
	- 1						and	it	k to ft.
≗ w —	-	E WELL V		USED AS: 5 F			3 Air conditioning	100000000000000000000000000000000000000	
	. i			eedlot 60	il field water	supply 5	Dewatering	12 OI	ner (Specify below)
-	-SW								
+	1 1	Was a c	hemical/bacterio	logical sample sul	omitted to De	partment? Yes	No. X;	If yes, mo	/day/yrs sample was sut
	- 5	mitted	A SECULAR SECTION	10 KBC 20 50 50 50	TO PERSONAL PROPERTY.	Water	Well Disinfected?	Yes K	No
100000000000000000000000000000000000000		CASING USED:		ught iron	8 Concre				Clamped
1 Ster	M	3 RMP (SR)	6 Asb	estos-Cement	9 Other	(specify below	M)		d
(2)V		ABS و ABS	7 Fibe	orgiass _	******	er.		Threa	ded
Blank cas	sing diamete	r. 5		tt., Dia	in	. to 8.5	I.P.O		in, to
				ght SDE 24					
		OR PERFORATION MA	TERIAL:	ACOUSTIC CONT.	OPV.		10 Asbe	stos-ceme	ńt
1 Ster		3 Stainless steel 4 Galvanized steel		orgiass crete tile	8 RM 9 ABS	P (SR)		used (ope	o bole)
83353	550	ORATION OPENINGS A	1000000		ed wrapped		8 Saw cut		11 None (open hole)
	tinuous slot		ne.		wrapped		9 Drilled holes		Ti regine (open izon)
2 Lou	wered shutt	er 4 Key punch	ed	7 Torch	cut .		10 Other (specify)		
SCREEN	-PERFORA	TED INTERVALS: Emm	. 75	ft. to	85	ft., From		ft. to	t
		Fron	 	ft. to		ft., From		ft. to	
	GRAVEL P	ACK INTERVALS: From	M	ft. to		ft., From		ft. to	
Shiring and a									
6 GROU	MATERIA	L: 1 Neat coment om	2 Cen	nent grout	3 genton	ito 4	Other		
Grout Int	tervals: Fro	om48t. to	Q	.ft., From					.ft. to
		source of possible conta	mination: No.		tidd		tock pens	0.700,000	andoned water well
5 9 0 C C C C C	tic tank	4 Lateral lines		7 Pit privy	agen S	11 Fuel			well/Gas well
110000000	ver lines	5 Cess pool		8 Sewage			zer storage		ner (specify below)
The state of the state of		er lines 6 Seepage pit		9 Feedyan	1				
	from well?					How may	******		12
FROM	то		GIC LOG		FROM	то	PLUG	GING IN	ERVALS
0	3	Soil + L						0.00	
8	28	yellow She		stone					
28	45	brun Sand	+Thale						
45	62	48th Sa	detore						
12	84	Gren Sh	edstone					200	
84	85	Vebbles							
85	100	State			-	-			
		Commence of the commence of th						-	
-	25					-			/////
-	(-			-	-		-	
	2-				-	-		77	
-						-			
N ST MICH.			2-1(1)/2-2		-				
al ocur	AOTODIC :	D LANDONG COO	TICIOATION	ble mater mell		and the sec	additional as 100 st	oned and	or one historication and
/ CONTR	MCTOM'S C	M LANDOWNERS CEN	DE TIME	his water well wa	Set Lonson	ucieo, (2) 100	orestruction, or (a) pic	ngged und	er my jurisdiction and was yledge and belief. Kansa:
completed	on (molday	's Licence No 5le	7	. This Water We				4:3	vledge and belief. Kansa:
			^	. This water we	ii necord wa		gnature)	1	P
	business na	ZVANS LA	can U	intre.			- HAT	12.	-
		writer or ball point pen. PLEASE							
Environme	ent, Bureau of W	rer, Topaka, Kansas 66620-0001.	rerephone 785-296	0324. Sand one to WAT	EH WELL OWNE	and renam one fo	or your records. Fee of \$5.00	ent each coos	Marine west

Kansas Geological Survey Comments to webadmin@kgs.ku.edu URL=http://www.kgs.ku.edu/Magellan/WaterWell/index.html Display Programs Updated July 2, 2014 Data added continuously.

Dear Landowner.

Please be advised that Tauy Oil Inc. has proposed to drill a producing oil well Faulkner #9 within 660 feet of the fresh water well on your property.

If you wish to protest this matter please contact the Kansas Corporation Commission/Oil & Gas Conservation Division within 15 days of receiving this letter to schedule a hearing.

Sincerely,

Daniel Martin

Tauy Oil, Inc PO BOX 973 BALDWIN, KS 66006

tauyoilinc @yahoo.com

ENCL: Notice Of Intent To drill and Plat Map

ATTN:

Edward J. Steinbacher/169 E. 1600 Rd/Baldwin, KS/66006 Katherine A. Renyer/165 E. 1600 Rd/Baldwin, KS/66006 John L. Burns/159 E. 1600 Rd/Baldwin, KS/66006

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 346-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

March 25, 2019

R.E.I.G, Inc./CO Diane Dietz PO Box 4 Baldwin City, KS 66006-7118

RE: Kansas Surface Owners Notice Act Form C-1, Faulkner #9, 10, & I-4 API # 15-045-22296-00-00 15-045-22297-00-00 15-045-22298-00-00

The 2009 Legislature passed House Bill 2032, known as the Kansas Surface Owners Notice Act. This Act requires the KCC to provide copies of drilling intents, operator transfers, and well plugging applications to the surface owner, if they are not provided by the lease operator. The operator has advised us they have not provided you with a copy of the attached form. Therefore, this letter and the attached form shall serve as notice of the operator's action. You do not need to respond to the KCC. Please contact the operator listed on the form if you have any questions.

cc: Tauy Oil, Inc.