



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Slawson Exploration Co. Inc.

9 19s 28w Lane, Ks

204 Robinson Ave Ste 2300
Oklahoma City, Ok 73102

WU #1-9

Job Ticket: 64346

DST#: 1

ATTN: Keith Reavis

Test Start: 2018.10.30 @ 06:34:00

GENERAL INFORMATION:

Formation: **LKC - I**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 10:28:00

Time Test Ended: 14:53:30

Test Type: Conventional Bottom Hole (Initial)

Tester: Bradley Walter

Unit No: 78

Interval: 4200.00 ft (KB) To 4234.00 ft (KB) (TVD)

Reference Elevations: 2760.00 ft (KB)

Total Depth: 4234.00 ft (KB) (TVD)

2751.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 9.00 ft

Serial #: 6999 Outside

Press@RunDepth: 16.34 psig @ 4201.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2018.10.30

End Date: 2018.10.30

Last Calib.: 2018.10.30


Start Time: 06:34:15

End Time: 14:53:30

Time On Btm: 2018.10.30 @ 10:27:45

Time Off Btm: 2018.10.30 @ 13:04:45

TEST COMMENT: IF: 1/2" blow.
IS: No return.
FF: No blow.
FS: No return.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2061.87	118.32	Initial Hydro-static
1	14.03	117.57	Open To Flow (1)
11	14.67	117.61	Shut-In(1)
84	679.62	118.96	End Shut-In(1)
85	13.81	118.41	Open To Flow (2)
123	16.34	119.30	Shut-In(2)
157	184.94	120.10	End Shut-In(2)
157	2012.38	120.44	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
5.00	Mud 100m- w/ Oil spots	0.02

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Slawson Exploration Co. Inc.

9 19s 28w Lane, Ks

204 Robinson Ave Ste 2300
Oklahoma City, Ok 73102

WU #1-9

Job Ticket: 64346

DST#: 1

ATTN: Keith Reavis

Test Start: 2018.10.30 @ 06:34:00

GENERAL INFORMATION:

Formation: **LKC - I**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 10:28:00

Time Test Ended: 14:53:30

Test Type: Conventional Bottom Hole (Initial)

Tester: Bradley Walter

Unit No: 78

Interval: **4200.00 ft (KB) To 4234.00 ft (KB) (TVD)**

Reference Elevations: 2760.00 ft (KB)

Total Depth: 4234.00 ft (KB) (TVD)

2751.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 9.00 ft

Serial #: 8356 Inside

Press@RunDepth: psig @ 4201.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2018.10.30

End Date: 2018.10.30

Last Calib.: 2018.10.30

Start Time: 06:34:15


End Time: 14:53:30

Time On Btm:

Time Off Btm:

TEST COMMENT: IF: 1/2" blow.
IS: No return.
FF: No blow.
FS: No return.

Pressure vs. Time



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery

Length (ft)	Description	Volume (bbl)
5.00	Mud 100m- w/ Oil spots	0.02

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Slaw son Exploration Co. Inc.

9 19s 28w Lane, Ks

204 Robinson Ave Ste 2300
Oklahoma City, Ok 73102

WU #1-9

Job Ticket: 64346

DST#: 1

ATTN: Keith Reavis

Test Start: 2018.10.30 @ 06:34:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 59.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 6.80 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 2300.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	Mud 100m- w/ Oil spots	0.025

Total Length: 5.00 ft Total Volume: 0.025 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Pressure vs. Time




Serial #: 8356

Inside

Slaw son Exploration Co. Inc.

WU#1-9

DST Test Number: 1



Triobite Testing, Inc

Ref. No: 64346

Printed: 2018.10.30 @ 16:57:50