KOLAR Document ID: 1461768

For KCC Use:
Effective Date:
District #
SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1 Oct 2016 Form must be Typed Form must be Signed All blanks must be Filled

CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

Contact Person: Facility Name: Fac	Form KSONA-1, Certification of Compliance with the Kansas S	Surface Owner Notification Act, MUST be submitted with this form.
Control Cont	Expected Spud Date:	Snot Description:
Consideration		
Name:		(0/0/0/0)
Address 1: Address 2: Address 2: Address 2: Address 2: Address 2: Address 3: Addres		
Address 2: Chick State: Zip:		
County: State: Zip: + +		
Country Coun		(Check directions from nearest outside corner boundries)
Contact vertaction Facility Name:		County:
Borenois Numer:		Facility Name:
Value Type Drilling Equipment: Mud Rotary Cable Construction Features Air Rotary Other	Phone:	Borehole Number:
Cathodic Surface (Non-Metallic) Casing Palaned to be set:	CONTRACTOR: License#	Ground Surface Elevation: MSL
Air Rotary Other		Cathodic Borehole Total Depth:feet
Construction Features Length of Cathodic Surface (Non-Metallic) Casing Panend to be set: Length of Conductor pipe (if army): feet length of Conductor pipe (if army): Surface casing borehole size: Cathodic surface casing swill terminate at: Cathodic surface sating will terminate at: Cathodic surface sating will terminate at: Cathodic surface sating swill terminate at: Cathodic surface sating sating swill terminate at: Concrate Nation of Stream Other Water Well Location Cathodic surface sating swill terminate at: Concrate Nation of Stream Other Water Well Location Cathodic surface sating swill be prouted with: Cathodic surface sating swill be s	Type Drilling Equipment:	Depth to Bedrock: feet
Aguifer Penetration: None Single Multiple		Water Information
Planned to be set:		Aquifer Penetration: None Single Multiple
Planned to be set:	Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Surface casing borehole size: inches Cathodic surface casing dentralizers set at depths of: ; ; ; ; ; ; ; ; ; ;		Depth to bottom of usable water:
Public water supply well within one mile:	Length of Conductor pipe (if any): feet	Water well within one-quarter mile: Yes No
Cathodic surface casing size:		Public water supply well within one mile: Yes No
Cathodic surface casing centralizers set at depths of: ; ; ; ; ; ; ; ; ; ; ;		Water Source for Drilling Operations:
Water Well Location:		
DWR Permit # Standard Casing will terminate at:		Water Well Location:
Pitless casing adaptor will be used: \ yes \ No Depth \ feet Anode installation depths are: \ ; ; ; ; ; ; \ ; ; \ ; \ ; \ ; \		DWR Permit #
Anode installation depths are:	☐ Above surface ☐ Surface Vault ☐ Below Surface Vault	Standard Dimension Ratio (SDR) is =
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. Is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with intent to Drill (form CB-1). b. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required feet Minimum Cathodic Surface Casing Required: feet feet pipe feet f	Pitless casing adaptor will be used: Yes No Depth feet	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. Is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of casing as specified below shall be set by grouting to the top when the cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Anada installation depths are:	Annular space between borehole and casing will be grouted with:
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 49 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1). c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically If this permit has expired or will not be drilled, check a box below, sign, date and reconductor pipe required	Anode installation depths are:;;;;;	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging for this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	;;;;;;	Anode vent pipe will be set at: feet above surface
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging if this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required		Anode conductor (backfill) material TYPE:
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required		Depth of BASE of Backfill installation material:
The undersigned hereby affirms that the drilling, completion and eventual plugging if this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify the appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notificatic Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically If this permit has expired or will not be drilled, check a box below, sign, date and reference to the address below. Permit Expired Well Not Drilled Permit Expired Well Not Drilled Permit Expired Well Not Drilled Permit Expired Date Signature of Operator or Agent	AFFIDAVIT	Depth of TOP of Backfill installation material:
it is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1). c. File Completion Form (ACO-1) within 60 days from spud date. d. Submitted Electronically For KCC Use ONLY API # 15 -	The undersigned hereby affirms that the drilling, completion and eventual plugging	Borehole will be Pre-Plugged? Yes No
Lis agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansass Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 -		
Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. For KCC Use ONLY API # 15		
and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15	is agreed that the following minimum requirements will be met.	
Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1). c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15		
t. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submitted Electronically For KCC Use ONLY API # 15		to any grouting.
The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15		
File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15		
Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15		
d. Submitted Electronically For KCC Use ONLY API # 15	, , , , , , , , , , , , , , , , , , , ,	,
Submitted Electronically For KCC Use ONLY API # 15		suon i onn (ACO-1) within oo days nom spud date.
For KCC Use ONLY API # 15	ar cashin plagging report (cr. 1) main to days after that plagging to complete a	
For KCC Use ONLY API # 15		
For KCC Use ONLY API # 15	Submitted Floctronically	
API # 15	Submitted Electronically	
API # 15		
Conductor pipe required	For KCC Use ONLY	
Conductor pipe required	ADI # 45	
Minimum Cathodic Surface Casing Required:feet Approved by:		
Approved by:	Conductor pipe requiredfeet	to the dediction polon.
Approved by:	Minimum Cathodic Surface Casing Required:feet	Permit Expired Well Not Drilled
This authorization expires: (This authorization void if drilling not started within 12 months of approval date.) Date Signature of Operator or Agent		
(This authorization void if drilling not started within 12 months of approval date.) Date Signature of Operator or Agent		
Date Signature of Operator or Agent		
	(11) authorization void it drilling not started within 12 months of approval date.)	
	Could date:	Date Signature of Operator or Agent
Spud date: Agent:	Spud date: Agent:	

For KCC Use ONLY
API # 15

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator: _							_ Loc	cation of W	ell: County	/:					
Facility Nar	ne:									fe	et from	N /	S Line	of Section	
Borehole Number:				feet from E / W Line of Section											
													W		
											· · · ·				
							Is Section: Regular or Irregular								
								If Section is Irregular, locate well from nearest corner boundary.							
							Section corner used: NE NW SE SW								
		ds, tank ba	atteries, pi		d electrica	otage to the	required b	lease or un by the Kans plat if desi	as Surface						
912 ft		50 f —⇔	t.		I				1						
71210			:	:		:	:								
			:	:		:	:				LEG	END			
		• • • • • • • • •		·	•••••			·			\ \A/-!!!				
		• •	:	:		:	:	:				_ocation			
		:	:	:		:	:	:				Battery L			
			• • • • • • • • • • • • • • • • • • • •		•••••							ne Locati			
		:	:	:		:	:	:				ric Line L			
			:	:		:	:	:			Lease	e Road Lo	ocation		
				· · · · · · · · · · · · · · · · · · · ·											
		:	:	:		:	:	:							
		:	:	:		:	:	:		EXAMPL	F :	:	:		
		:	:	<u>: </u>	5	:	:	:		L/O (IVII L	:				
			:	:		:	:				:		:		
			•	:		:	:	:	.			:			
			•					•				•			
			•	:		:	:	:			:		:		
				:		:	:	:	-	•••••	• • • • • • • • • • • • • • • • • • • •				
			•	·				·				• •		1980' FSL	
			:	:		:	:	:			: Y-1		:	1000 1 OL	
				:		:	:	:	.						
				: 				•			:	•	:		
			:	:		:	:	:			: <u>_</u>	:			

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;

SEWARD CO. 3390' FEL

- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		-	License Number:				
Operator Address:							
Contact Person:		Phone Number:					
Lease Name & Well No.:			Pit Location (QQQQ):				
Type of Pit:	Pit is:						
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R				
Settling Pit Drilling Pit	If Existing, date con	structed:	Feet from North / South Line of Section				
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section				
		(bbls)	County				
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits				
Depth fro	om ground level to deep	pest point:	(feet) No Pit				
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining cluding any special monitoring.				
Distance to nearest water well within one-mile of	of pit:	Depth to shallow Source of inforr	west fresh water feet. nation:				
feet Depth of water well	feet	measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover:					
Number of producing wells on lease:		Number of working pits to be utilized:					
Barrels of fluid produced daily:		Abandonment procedure:					
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.					
Submitted Electronically							
	KCC C	OFFICE USE OI	NLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No				

KOLAR Document ID: 1461768

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)						
OPERATOR: License # Name: Address 1: Address 2: City: State: Zip: + Contact Person: Phone: () Fax: () Email Address:	Well Location:						
Surface Owner Information: Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.						
the KCC with a plat showing the predicted locations of lease roads, tar are preliminary non-binding estimates. The locations may be entered a Select one of the following:	odic Protection Borehole Intent), you must supply the surface owners and ask batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface						
owner(s) of the land upon which the subject well is or will be	located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this						
KCC will be required to send this information to the surface o	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.						
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.						
Submitted Electronically							
I	_						

For KCC Use ONLY	
API # 15	

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator:								Location of Well: County:						
					d electrica	tage to the l lines, as	required b		t boundary line. Show the predicted locations of as Surface Owner Notice Act (House Bill 2032). red.					
9/2		Ø		`			:		LEGEND					
oe Lines?	on the second se		·		,				O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location					
				,					EXAMPLE					
	,								0=1 1980' FSL					
		;	: 	: 			:	·						

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 346-337-6211 http://kcc.ks.gov/

Dwight D. Keen, Chair Shari Feist Albrecht, Commissioner Susan K. Duffy, Commissioner Laura Kelly, Governor

According to the drilling pit application, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1, Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.