



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Pickrell Drilling Co. Inc
100 S Main
Suite 505
Wichita, Kansas 67202+3738
ATTN: Aaron Young

19/17S/25W/Ness
Norton J #5
Job Ticket: 65658 **DST#: 3**
Test Start: 2019.04.05 @ 19:08:00

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	20000 ppm
Viscosity: 46.00 sec/qt	Cushion Volume: bbl		
Water Loss: 9.99 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 3700.00 ppm			
Filter Cake: 1.00 inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
1.00	Clean Oil	0.014
340.00	VSOCMM/ O 2% M 10% W 88%	4.769

Total Length: 341.00 ft Total Volume: 4.783 bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments: Recovery Resistivity .369 ohms @ 62 deg



