KOLAR Document ID: 1463177

Confident	tiality Req	uested:
Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD □ Gas □ DH □ EOR	Elevation: Ground: Kelly Bushing:
\Box Gas \Box DH \Box EON	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received Drill Stem Tests Received				
Geologist Report / Mud Logs Received				
UIC Distribution				
ALT I II III Approved by: Date:				

KOLAR Document ID: 1463177

Operator Name:	Lease Name: Well #:
Sec TwpS. R East 🗌 West	County:

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample	
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum	
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No							
		Rep	CASING ort all strings set-c] Ne	w Used rmediate, productio	on. etc.			
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
[ADDITIONAL	CEMENTING /	SQU	EEZE RECORD				
Purpose:	Depth Top Bottom	Туре	e of Cement	# Sacks Used		Type and Percent Additives				
Protect Casing Plug Back TD Plug Off Zone										
 Did you perform a hydra Does the volume of the Was the hydraulic fracture 	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three		
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth							
Estimated Production Per 24 Hours	Oil	Bbls.	Gas Mcf Water Bbls. Gas-Oil Ratio			Gravity				
DISPOSITIO	N OF GAS:		METHOD OF					PRODUCTIC Top	PRODUCTION INTERVAL:	
Vented Sold Used on Lease (If vented, Submit ACO-18.)			Open Hole Perf.		Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4)		юр	Bollom		
Shots Per Perforation Perforation Bridge Plug Foot Top Bottom Type		Bridge Plug Type	Bridge Plug Set At (Amount and Kind of Material Used)							
TUBING RECORD:	Size:	Set At:		Packer At:						

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	MURRAY TWINS 2-A
Doc ID	1463177

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	40	portland	5	
Production	5.875	2.875	6.5	998	portland	125	

HAMMERSON CORPORATION

Invoice

PO BOX 189 Gas. KS 66742

Date	Invoice #
2/24/2019	14266

Bill To	
R,J. ENERGY LLC 22082 NE NEOSHO RD GARNETT, KS 66032	
	8

P.O. No.	Terms	Project

Due on receipt

Quantity	Description	Rate	Amount
135 1 125 2.75 125	WELL MUD (\$8.00 PER SACK) Well Dennis Crotts 3A Ticket # 14266 & 14267 TRUCKING (\$50 PER HOUR) WELL MUD (\$8.00 PER SACK) Well Murray 1A Ticket # 14268 & 14269 TRUCKING (\$50 PER HOUR) WELL MUD (\$8.00 PER SACK) Well Murray 2A Ticket # 14270 & 14271 TRUCKING (\$50 PER HOUR) SALES TAX	8.00 50.00 8.00 50.00 6.50%	1,080,001 50,001 1,000,001 137,501 1,000,001 87,501 218,08
Thank you for yo	ur business.	Total	\$3,573,08



RJ Energy

22082 NE Neosho Rd Garnett, Kansas 66032

Murray Twins 2-A

6	soil	6	
22	clay/gravel	28	
58	shale	86	
74	lime	160	
100	shale	260	
118	lime	378	
48	shale	426	
72	lime	498	
8	shale	506	
53	lime	559	
181	shale	740	
25	lime	765	
49	shale	814	
37	lime	851	
15	shale	866	
7	lime	873	
16	shale	889	
6	lime	895	
6	shale	901	
5	lime	906	
35	shale	941	
2	Sandy shale	943	
11	bkn sand	954	good show
50	Shale	1004	T.D.

Start	2-19-19
Finish	2-20-19

Set 40' of 7" w/5sxs Ran 998' of 2 ⁷/₈ cemented to surface 125sxs