KOLAR Document ID: 1463193

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:			
Name:	Spot Description:			
Address 1:	SecTwpS. R			
Address 2:	Feet from North / South Line of Section			
City: State: Zip:+	Feet from East / West Line of Section			
Contact Person:	Footages Calculated from Nearest Outside Section Corner:			
Phone: ()	□NE □NW □SE □SW			
CONTRACTOR: License #	GPS Location: Lat:, Long:			
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)			
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84			
Purchaser:	County:			
Designate Type of Completion:	Lease Name: Well #:			
New Well Re-Entry Workover	Field Name:			
	Producing Formation:			
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:			
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:			
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet			
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used? Yes No			
Cathodic Other (Core, Expl., etc.):				
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet			
Operator:	If Alternate II completion, cement circulated from:			
Well Name:	feet depth to: w/ sx cmt.			
Original Comp. Date: Original Total Depth:				
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan			
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)			
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls			
Dual Completion Permit #:	Dewatering method used:			
SWD Permit #:	Location of fluid disposal if hauled offsite:			
☐ EOR Permit #:	Location of haid disposal if hadica offsite.			
GSW Permit #:	Operator Name:			
	Lease Name: License #:			
Spud Date or Date Reached TD Completion Date or	QuarterSec TwpS. R East West			
Recompletion Date Recompletion Date	County: Permit #:			

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received Drill Stem Tests Received				
Geologist Report / Mud Logs Received				
UIC Distribution				
ALT I II Approved by: Date:				

KOLAR Document ID: 1463193

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).										
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[Depth	Typo		# Sacks Use		EEZE RECORD	Typo a	ad Paraant Additivas	
Perforate Protect Casing Plug Back TD			Type of Cement		# Jacks Oseu		Type and Percent Additives			
Plug Off Z										
1. Did you perform a hydraulic fracturing treatment on this well? 2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? 3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No (If No, skip questions 2 and 3) Yes No (If No, skip question 3)					,					
Date of first Production/Injection or Resumed Production/ Injection: Producing Method:										
		Flowing Pumping Gas Mcf		Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity		
Estimated Production Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	DISPOSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTERVAL:					N INTERVAL:				
□ Vented □ Sold □ Used on Lease □ Open						ually Comp.			Bottom	
(If vented, Submit ACO-18.) (Submit ACO-5) (Submit ACO-4)										
Shots Per Foot	Perforation Top	Perforation Bottom			Cementing Squeeze Kind of Material Used)	Record				
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	MURRAY TWINS 7-I
Doc ID	1463193

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	40	portland	5	
Production	5.875	2.875	6.5	987	portland	125	

HAMMERSON CORPORATION

PO BOX 189 Gas, KS 66742

Invoice

Date	Invoice #
3/15/2019	14301

Bill To	
R.J. ENERGY LLC 22082 NE NEOSHO RD GARNETT. KS 66032	

Project Terms P.O. No. Due on receipt

Quantity	Description	Rate	Amount
1 125	WELL MUD (\$8.00 PER SACK)Brewer 10A Ticket # 14301 & 14302 TRUCKING (\$50 PER HOUR) WELL MUD (\$8.00 PER SACK) Murray 7I Ticket # 14303 & 14304 TRUCKING (\$50 PER HOUR) SALES TAX	8.00 50.00 8.00 50.00 6.50%	Amount 1.000.007 50.007 1.000.007 137.507 142.19
hank you for yo	our business.	Total	\$2,329.69



RJ Energy

22082 NE Neosho Rd Garnett, Kansas 66032

Murray Twins 7-I

			Start 3-7-19
9	soil	9	Finish 3-11-19
20	clay/gravel	29	
58	shale	87	
84	lime	171	
98	shale	269	
109	lime	378	
52	shale	430	
72	lime	502	Set 40' of 7" w/5sxs
9	shale	511	Ran 987.3' of 2%
48	lime	559	cemented to surface 125sxs
185	shale	744	
24	lime	768	
46	shale	814	
35	lime	849	
15	shale	864	
8	lime	872	
14	shale	886	
8	lime	894	
6	shale	900	
6	lime	906	
30	shale	936	
6	Sandy shale	942	Odor
3	bkn sand	945	Show
7	bkn sand	952	Good show
39	shale	991	T.D.