KOLAR Document ID: 1463200

| Confiden | tiality Requ | ested: |
|----------|--------------|--------|
| Yes | No | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

| WELL HISTORY - | DESCRIPTION | OF WELL & | LEASE |
|----------------|-------------|----------------------|-------|

| OPERATOR: License # | API No.: |
|---|--|
| Name: | Spot Description: |
| Address 1: | |
| Address 2: | Feet from North / South Line of Section |
| City: State: Zip:+ | Feet from East / West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | |
| CONTRACTOR: License # | GPS Location: Lat:, Long: |
| Name: | (e.g. xx.xxxx) (e.gxxx.xxxx) |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 |
| Purchaser: | County: |
| Designate Type of Completion: | Lease Name: Well #: |
| New Well Re-Entry Workover | Field Name: |
| | Producing Formation: |
| ☐ Oil ☐ WSW ☐ SWD □ Gas □ DH □ EOR | Elevation: Ground: Kelly Bushing: |
| Gas DH EOR | Total Vertical Depth: Plug Back Total Depth: |
| CM (Coal Bed Methane) | Amount of Surface Pipe Set and Cemented at: Feet |
| Cathodic Other (Core, Expl., etc.): | Multiple Stage Cementing Collar Used? |
| If Workover/Re-entry: Old Well Info as follows: | If yes, show depth set: Feet |
| Operator: | If Alternate II completion, cement circulated from: |
| Well Name: | feet depth to:w/sx cmt. |
| Original Comp. Date: Original Total Depth: | |
| Deepening Re-perf. Conv. to EOR Conv. to SWD | Drilling Fluid Management Plan |
| Plug Back Liner Conv. to GSW Conv. to Producer | (Data must be collected from the Reserve Pit) |
| | Chloride content: ppm Fluid volume: bbls |
| Commingled Permit #: | Dewatering method used: |
| Dual Completion Permit #: | |
| SWD Permit #: | Location of fluid disposal if hauled offsite: |
| EOR Permit #: | Operator Name: |
| GSW Permit #: | Lease Name: License #: |
| | Quarter Sec TwpS. R East West |
| Spud Date orDate Reached TDCompletion Date orRecompletion DateRecompletion Date | County: Permit #: |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY | | | | |
|---|--|--|--|--|
| Confidentiality Requested | | | | |
| Date: | | | | |
| Confidential Release Date: | | | | |
| Wireline Log Received Drill Stem Tests Received | | | | |
| Geologist Report / Mud Logs Received | | | | |
| UIC Distribution | | | | |
| ALT I II III Approved by: Date: | | | | |

KOLAR Document ID: 1463200

| Operator Nam | ne: | | | Lease Name: | Well #: |
|--------------|-----|------|-----------|-------------|---------|
| Sec | Twp | S. R | East West | County: | |

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.


Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

| Drill Stem Tests Taken (Attach Additional Sh | acate) | Y | ′es 🗌 No | | | og Formatio | n (Top), Depth a | and Datum | Sample |
|---|-------------------------|--|----------------------------------|--|-------|-------------------------------|-----------------------|---|-------------------------------|
| Samples Sent to Geolo | | | ⁄es 🗌 No | 1 | Name | Э | | Тор | Datum |
| Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run: | | □ Y □ Y | Yes ☐ No Yes ☐ No Yes ☐ No | | | | | | |
| | | Rep | CASING ort all strings set-c | |] Ne | w Used rmediate, productio | on. etc. | | |
| Purpose of String | Size Hole Drilled | Siz | ze Casing et (In O.D.) | Weight Lbs. / Ft. | | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | | | |
| | | | | | | | | | |
| [| | | ADDITIONAL | CEMENTING / | SQU | EEZE RECORD | | | |
| Purpose: Depth Perforate | | Туре | e of Cement | # Sacks Used | | ed Type and Percent Additives | | | |
| Protect Casing Plug Back TD Plug Off Zone | | | | | | | | | |
| Did you perform a hydra Does the volume of the Was the hydraulic fracture | total base fluid of the | hydraulic fr | acturing treatment | | - | ☐ Yes ns? ☐ Yes ☐ Yes | No (If No, s | kip questions 2 ar kip question 3) ill out Page Three | |
| Date of first Production/Inj Injection: | jection or Resumed Pr | oduction/ | Producing Meth | iod: | | Gas Lift 🗌 O | ther <i>(Explain)</i> | | |
| Estimated Production Per 24 Hours | Oil | Bbls. | Gas | Mcf | Wate | er Bb | ls. | Gas-Oil Ratio | Gravity |
| DISPOSITIO | N OF GAS: | | METHOD OF COMPLETION: | | TION: | | | DN INTERVAL: Bottom | |
| Vented Sold (If vented, Subn | Used on Lease | | Open Hole | Perf. Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4) | | Bollom | | | |
| | | oration Bridge Plug Bridge Plug Acid, Fracture, Shot, C ttom Type Set At (Amount and Ki | | ementing Squeezend of Material Used) | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| TUBING RECORD: | Size: | Set At: | | Packer At: | | | | | |

| Form | ACO1 - Well Completion |
|-----------|------------------------|
| Operator | RJ Energy, LLC |
| Well Name | MURRAY TWINS 11-I |
| Doc ID | 1463200 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|------------------|-------------------|-----|----------------------------------|
| Surface | 9.875 | 7 | 17 | 40 | portland | 5 | |
| Production | 5.875 | 2.875 | 6.5 | 967 | portland | 125 | |
| | | | | | | | |
| | | | | | | | |



| And a state of the | |
|--|-------|
| 4/1/2019 | 14346 |
| | |

Project

| Bill To | |
|---------------------------------------|--|
| R.J. ENERGY LLC 22082 NE NEOSHO RD | |
| GARNETT, KS 66032 | |

| | | Due on receipt | |
|---------------------------------------|--|---|---|
| Quantity | Description | Rate | Amount |
| 1.25 125 1 160 2.25 60 | WELL MUD (S8.00 PER SACK)Brewer 3A Ticket = 14346 & 14347 TRUCKING (\$50 PER HOUR) WELL MUD (S8.00 PER SACK)Murray 11 I Ticket # 14348 & 14349 TRUCKING (\$50 PER HOUR) WELL MUD (S8.00 PER SACK)Murray 11A Ticket # 14360, 14361, & 14362 TRUCKING (\$50 PER HOUR) WELL MUD (\$8.00 PER SACK)Brewer Ticket # 14367 TRUCKING (\$50 PER HOUR) SALES TAX | 8.00 50.00 8.00 50.00 8.00 50.00 8.00 50.00 6.50% | 1.000.00T 62.50T 1.000.00T 50.00T 1.280.00T 112.50T 480.00T 62.50T 263.09 |
| | | | |
| | | | |
| | | | |
| Thank you for yo | our business. | Total | \$4,310.59 |
| | | | |

P.O. No.

Terms



RJ Energy

22082 NE Neosho Rd Garnett, Kansas 66032

Murray Twins 11-I

| soil | 9 | |
|-------------|---|---|
| clay/gravel | 31 | |
| shale | 88 | |
| lime | 171 | |
| shale | 270 | |
| lime | 380 | |
| shale | 426 | |
| lime | 500 | |
| shale | 506 | |
| lime | 558 | |
| shale | 742 | |
| lime | 768 | |
| shale | 817 | |
| lime | 847 | |
| shale | 862 | |
| lime | 870 | |
| shale | 879 | |
| lime | 892 | |
| shale | 900 | |
| lime | 904 | |
| shale | 936 | |
| Sandy shale | 943 | Odor |
| bkn sand | 953 | Good show |
| shale | 973 | T.D. |
| | clay/gravel shale lime shale lime shale lime shale lime shale lime shale lime shale lime shale lime shale lime shale lime shale lime shale | clay/gravel31shale88lime171shale270lime380shale426lime500shale506lime508shale742lime768shale817lime847shale812lime842lime842lime900shale900lime904shale936Sandy shale943bkn sand953 |

| Start | 3-21-19 |
|--------|---------|
| Finish | 3-25-19 |

Set 40' of 7" w/5sxs Ran 967' of 2 ⁷/₈ cemented to surface 125sxs