KOLAR Document ID: 1466670

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip: +	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Described	Chloride content: ppm Fluid volume: bbls
☐ Commingled Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Location of fluid disposal if flauled offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY								
Confidentiality Requested								
Date:								
Confidential Release Date:								
Wireline Log Received Drill Stem Tests Received								
Geologist Report / Mud Logs Received								
UIC Distribution								
ALT I II Approved by: Date:								

KOLAR Document ID: 1466670

Page Two

Operator Name:	Name: Lease Name:					e:Well #:					
Sec Twp.	S. R.	Ea	st West	County:							
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,			
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log			
Drill Stem Tests Ta			Yes No			Formation (Top), Depth and Datum					
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Datum				
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No								
		Re			New Used	ion, etc.					
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives			
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l					
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used	d Type and Percent Additives						
Protect Casi											
Plug Off Zon											
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,			
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>					
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio Gravity				
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			DN INTERVAL: Bottom			
	_	on Lease	Open Hole			mmingled mit ACO-4)	Top Botton				
,	Submit ACO-18.)										
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid, Fracture, Shot, Cementing Squeeze Record (Amount and Kind of Material Used)						
TUBING RECORD:	Size:	Set /	At:	Packer At:							
. 5513 1200 10.	5120.		···	. 30.0.71							

Form	ACO1 - Well Completion
Operator	Perkins Oil Enterprises, Inc.
Well Name	PERKINS 11
Doc ID	1466670

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Liner	5.500	4.500	11	2985	60/40		Gel Bentonite CDI26
Surface	8.625	8.625	11	180	60/40		Gel Bentonite
Production	5.5	5.5	11	3049	60/40	200	Gel Bentonite

810 E 7TH PO Box 92 EUREKA, KS 67045 (620) 583-5561

Authorization By MIKE PRESSNALL



Cement or Acid Field Report
Ticket No. 4582
Foreman Kevin McCoy
Camp Fureka

CEMENTING & ACID SERVICE, 220									Camp <u>Eureka</u>			
Date	Cust. I	D#	# Lease & Well Number			Section	Section Township		Range		unty	State
7-10-	19 1018	2	Kyse	R P-11						ELK		Ks
Customer		,	r		Safety Meeting	Unit #		Driv	/er	Unit #		Driver
F.C.	RKINS O	16	ENTERPRIS	es INC	KM	104		Tevi A.				
Mailing Add					ZA	,,,,		, , , , , , ,		-		
City	707		State	Zip Code	Ce							
	NARd											
Job Type . Casing De Casing Siz Displacem Remarks: Casing Water Gel, Y Lines. 2000 p Fig of Startin Shut a	Howard KS 62349 Sob Type 4/12 Liner Hole Depth Slurry Vol. 51 BbL Tubing Gasing Depth 2785 Hole Size Slurry Wt. 13.9 Drill Pipe Gasing Size & Wt. 4/12 11.60 Cement Left in Casing O' Water Gal/SK Other Gisplacement 47.2 BbL Displacement PSI 2000 Bump Plug to 2500 ASY BPM Remarks: SAFETY Niceting: CIBP Set @ 2988', 4/12 11.60 Liner Set @ 2985 inside 5/12 CASING. Rig up to 4/12 Liner. Load 4/12 w/ 47 BbL Fresh water. Pump Additional 25 BbL Water to Clean up Annulus of 4/12 Liner. Mixed 100 SKS 60/40 Pozmix Cement w/ 4/15 GEL 44 CDI-26 @ 13.9 Agak yield 1.43 = 25.5 BbL Slurry. Shut down wash out Pump & Lines. Release Plug. Displace Plug to Seat w/ 47.2 BbL Fresh water. Final Pumping Pressure 7000 psi. Rump Plug to 2500 Psi. Belease Pressure Float Held. Retressure to 600 Psi. Big up to Annulus of 4/12 Liner. Squeeze 100 SKS Cement down Annulus of 4/12. Starting Pressure 700 rsi @ 1.7 BM Frafal Pressure was 1350 psi. ISDP 350 psi. Shut Annulus IN @ 350 Psi w/ Annulus Standing tull of Cement. Job Complete. Rig down.											
Code	Qty or Unit	s		f Product or Servi	ices				Unit	Price		Total
C/04		_	Pump Charge							00.00		0.00
C 107	30		Mileage			·				4.20	126	5.00
C203	200 sk	5 6	50/40 POZA	nix Cement					13	. 40	268	30,00
C 206	690 H		6el 4%							21#		14.90
C 212	43 #		DI-26 1/4	1%			8.40 #					1.20
C 108 A	8.6 Tons	7	ON MILEAGE	2					IM,	/c	3	65.00
C 403	1		1/2 Top Ru	Lhee Plus	***************************************					18.00	5,	18.00
C 685	,	1	11/2 Fruch	Joint Ceme	art Fil	Led FIDAT	Shoe	·		75,00		5.00
<u> </u>	•		1149[)	O Sport Come	141 /16	110111	~ / / · · ·		,	-		
		1										

I agree to the payment terms and conditions of services provided on the back of this job ticket. Any amendments to payment terms must be in writing on the front of this job ticket or in the Customer's records at ELITE's office.

_ Title

Sub TotAL

Total

Less 5% = Sales Tax

7.5%

<u>5200.10</u> 273.54

270.68

5197.24