KOLAR Document ID: 1469621

For KCC Use:	
Effective Date:	
District #	
0040 🗔 1/	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1
Oct 2016
Form must be Typed
Form must be Signed
All blanks must be Filled

SGA? Yes No CATHODIC PROTECTION BOREHOLE INTENT All blanks must be Filled

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1 Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form

Expected Spud Date:	Spot Description:
month day year	
	(0/0/0/0)
OPERATOR: License#	
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Check directions from nearest outside corner boundries)
City: State: Zip: +	County:
Contact Person:	Facility Name:
Phone:	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MS
Name:	Cathodic Borehole Total Depth: fee
Type Drilling Equipment:	Depth to Bedrock: fee
Air Rotary Other	Water Information
Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set: feet	Depth to bottom of usable water:
Length of Conductor pipe (if any):	Water well within one-quarter mile: Yes No
Surface casing borehole size:	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	
	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depth feet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
<u> </u>	Annular space between borehole and casing will be grouted with:
Anode installation depths are:;; ;; ;;	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surface
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material:
	Borehole will be Pre-Plugged? Yes No
he undersigned hereby affirms that the drilling, completion and eventual plugging if this well will comply with K.S.A. 55-101 et. seq.	
is agreed that the following minimum requirements will be met:	
 Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prio. 	
Notify appropriate District Office 48 hours prior to workover or re-entry.	
R. A copy of the approved notice of intent to drill shall be posted on each drilling rig.	
. A copy of the approved houce of intent to drift shall be posted off each drifting rig.	
.,	grouting to the top when the cathodic surface casing is set.
The minimum amount of cathodic surface casing as specified below shall be set by	orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
 The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (i Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Complete 	orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
4. The minimum amount of cathodic surface casing as specified below shall be set by 5. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (in Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comple d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (in Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comple d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (in Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comple d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY	orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (in Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comple d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 -	orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (in Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comple d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY	orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification tion Form (ACO-1) within 60 days from spud date.
The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (in Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Compile d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15	orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date. If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.
The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Compled . Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15	orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (in Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Compile d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date. If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.
The minimum amount of cathodic surface casing as specified below shall be set by file all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (in Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completed. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date. If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.
The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (in Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Compile d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date. If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below. Permit Expired Well Not Drilled
The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (in Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completed. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date. If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.

For KCC Use ONLY	
API # 15	

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

ator:	Location of Well: County:
ty Name:	feet from N / S Line of Section
hole Number:	feet from E / W Line of Section
	Sec Twp S. R
	555.—— Tilp. —— 5. N. —— 📋 I
	Is Section: Regular or Irregular
	io contain. Trogular or I mogular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
_	
	LAT
	earest lease or unit boundary line. Show the predicted locations of
	quired by the Kansas Surface Owner Notice Act (House Bill 2032).
You may attach a se	eparate plat if desired.
	2460 ft.
: : : : :	:
	1505115
	LEGEND
	O Well Location
	Tank Battery Location
	·
	Pipeline Location
	Electric Line Location
	Lease Road Location
	······
24	• 95 ft.example : :
31	
	1980' FSL
	:

SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:			
			LICOTICO MUTILICAT.			
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:		Pit Location (QQQQ):				
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed Existing		SecTwp R			
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section			
Workover Pit Haul-Off Pit			Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bblo)				
		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
Yes No	Yes N	No				
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro If the pit is lined give a brief description of the li	om ground level to dee	epest point:	(feet) No Pit			
material, thickness and installation procedure.		liner integrity, in	cluding any special monitoring.			
		Depth to shallor Source of inforr	owest fresh water feet.			
feet Depth of water well	feet Depth of water wellfeet		well owner electric log KDWR			
·		Drilling, Worko	ng, Workover and Haul-Off Pits ONLY:			
		Type of materia	material utilized in drilling/workover:			
		Number of work	ber of working pits to be utilized:			
		Abandonment p	Abandonment procedure:			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS						
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No			

KOLAR Document ID: 1469621

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R				
Address 1:	County:				
Address 2:	·				
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City: State: Zip:+					
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
owner(s) of the land upon which the subject well is or will be lo	act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form peing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.				
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the /ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.				
Submitted Electronically					
I					





Colby New Elk Creek

Legend



Deep Well Groundbed



Rectifier



Thomas County, KS Groundbed Location: 95' from E section line 2,460' from N section line SE NE, S31, T6S, R32W

The locations shown on the plat are preliminary non-binding estimates. Pipeline and Groundbed are below ground features. Rectifier is an above ground feature.

DRAWN BY: TT

CHECKED BY: RZ

Date: 8/14/2019



Apex Companies, LLC 4608 South Garnett Rd., Suite 100 Tulsa, Oklahoma 74146


Phone: (918) 610-3543

Project No. 453614-002

		TYP	TYPE 5 SAE		1	OF	1
		PROJECT					
CLIENT: ONEO	K	NAME:	Groundbed Install	ation DATE	DRILLED:	TBD	
SITE: Multple	Multple LOCATION: Kansas						
OTHER ID#		FACILITY:	G	SPS			
DRILLING	_		_				
COMPANY: Corrpro	MPANY: Corrpro Companies, Inc		BOREHOLE: 10 inch				
LOGGED		DRILLING					
BY:		METHOD:	Wet Rotary or Dry	<u> </u>	ter if wet ro	otary	
	TYPE	INTERVAL	MATERIAL	JOINT LEN	CTH	DIAME	TED
CASING:	SDR 21	0-20'	PVC	JOINT LLIN	GIII	10	
	SBITZI	0-20	1 00			10	<u>'</u>
SCREEN:							
GROUT:							
SEAL.							

FILTER PACK:

Comments



Not to scale