



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Youngstown Operating

10-11-34 Logan, Ks

14612 Hertz Quail Springs Parkway
Oklahoma City, Ok 73134

Wassemiller 1-10

Job Ticket: 65170

DST#: 2

ATTN:

Test Start: 2019.04.08 @ 19:51:07

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

26000 ppm

Viscosity: 73.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.99 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 3500.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
60.00	mcw 60%w 40%m	0.295
60.00	wcm oil spots 15%w 85%m	0.322
1.00	free oil 100%o	0.014

Total Length: 121.00 ft Total Volume: 0.631 bbl

Num Fluid Samples: 0


Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: .37@50=26000



Serial #: 6651

Inside

Youngstown n Operating

Wassertiller 1-10

DST Test Number: 2

