

**Notice:** Fill out COMPLETELY  
and return to Conservation Division at  
the address below within  
60 days from plugging date.

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION  
**WELL PLUGGING RECORD**  
K.A.R. 82-3-117

Form CP-4

March 2009

Type or Print on this Form

Form must be Signed

All blanks must be Filled

OPERATOR: License #: \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

Type of Well: (Check one) ☐ Oil Well ☐ Gas Well ☐ OG ☐ D&A ☐ Cathodic☐ Water Supply Well ☐ Other: \_\_\_\_\_ ☐ SWD Permit #: \_\_\_\_\_☐ ENHR Permit #: \_\_\_\_\_ ☐ Gas Storage Permit #: \_\_\_\_\_Is ACO-1 filed? ☐ Yes ☐ No If not, is well log attached? ☐ Yes ☐ No

Producing Formation(s): List All (If needed attach another sheet)

\_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_

\_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_

\_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_

API No. 15 - \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_ - \_\_\_\_ - \_\_\_\_ Sec. \_\_\_\_ Twp. \_\_\_\_ S. R. \_\_\_\_ ☐ East ☐ West\_\_\_\_\_ Feet from ☐ North / ☐ South Line of Section\_\_\_\_\_ Feet from ☐ East / ☐ West Line of Section

Footages Calculated from Nearest Outside Section Corner:

☐ NE ☐ NW ☐ SE ☐ SW

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Date Well Completed: \_\_\_\_\_

The plugging proposal was approved on: \_\_\_\_\_ (Date)

by: \_\_\_\_\_ (KCC District Agent's Name)

Plugging Commenced: \_\_\_\_\_

Plugging Completed: \_\_\_\_\_

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: \_\_\_\_\_ Name: \_\_\_\_\_

Address 1: \_\_\_\_\_ Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

Name of Party Responsible for Plugging Fees: \_\_\_\_\_

State of \_\_\_\_\_ County, \_\_\_\_\_, ss.

\_\_\_\_\_  
(Print Name) ☐ Employee of Operator or ☐ Operator on above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

# Orr Enterprises Inc -

Daily Operations Report - Visit us at [www.orrenter.com](http://www.orrenter.com)

Date: 8/28/2019

Job Day: 1

Well Name: Scout - LM Tillet #1

Location: Morton Cty, KS. Sec 21 34S - 39W

Project Description: P&A

API#: 15-129-20239

## Well Data

Surface Casing: 8 5/8" @ 591'

BTW: \_\_\_\_\_

Casing: 5 1/2" @ 3110'

Liner: \_\_\_\_\_

Tubing: 2 3/8" @ 3063'

Packer or Assembly: \_\_\_\_\_

PBTD: \_\_\_\_\_

PERFS: 3002'-3052'

NOTE: Rig 501

**Description**

**κ. Work tbg for free point. Shows free @ 1900'.**

This image shows a full page of a document template designed for handwritten notes or essays. It features a series of evenly spaced, solid black horizontal lines running across the width of the page. The background is plain white, providing a clear contrast for the lines. There are no margins, headers, footers, or other markings present on the page.

**MIRUSU. Polish rod was parted. ND well & NU BOP. Tbg stud**  
**Secure well & SDFN.**

[illegible]

# Orr Enterprises Inc -

Daily Operations Report - Visit us at [www.orrenter.com](http://www.orrenter.com)

Date: 8/29/2019

Job Day: 2

Well Name: Scout - LM Tillet #1

Location: Morton Cty, KS. Sec 21 34S - 39W

Project Description: P&A

API#: 15-129-20239

## Well Data

Surface Casing: 8 5/8" @ 591'

BTW: 0

Casing: 5 1/2" @ 3110'

Liner: 0

Tubing: 2 3/8" @ 3063'

Packer or Assembly: 0

PBTD: 0

PERFS: 3002'-3052'

NOTE:

Description

RU fishing tools to fish rods. Unseat pump & POH w/ 121- 5/8' down tbg & pressured up to 400 psi. RU WL & cut 2 3/8" tbg @ 2 3/8" tbg (58 jts). TIH w/ tbg & spot 50 sks Class "C" cmt @ 1'
---

[illegible]

**' rods. ND well & NU BOP. Pump 14 bbls fresh water**

1825'. LD 1 jt & circ hole w/ 70 bbls mud. POH w/

**793'. POH w/ tbg. Secure well & SDFN.**

[illegible]

# Orr Enterprises Inc -

Daily Operations Report - Visit us at [www.orrenter.com](http://www.orrenter.com)

Date: 8/30/2019

Job Day: 3

Well Name: Scout - LM Tillet #1

Location: Morton Cty, KS. Sec 21 34S - 39W

Project Description: P&A

API#: 15-129-20239

## Well Data

Surface Casing: 8 5/8" @ 591'

BTW: 0

Casing: 5 1/2" @ 3110'

Liner: 0

Tubing: 2 3/8" @ 3063'

Packer or Assembly: 0

PBTD: 0

PERFS: 3002'-3052'

**NOTE:**

**Description**



<p>TIH w/ tbg &amp; tag TOC @ 1540'. Load hole w/ 23 bbls mud. POH  pull sub. Pull 5 1/2" csg slips &amp; NU BOP w/ 5 1/2" rams. RU W  pump 30 bbls mud &amp; spot 75 sks Class "C" cmt @ 635'. POH w/  SDFN.</p>
---

**+ w/ tbg. ND BOP & unpack 5 1/2" csg. Weld on 5 1/2"**

**L & cut & pull 5 1/2" csg from 908' (22 jts). TIH w/ tbg &**

**/ tbg & top out well 64'-4' w/ 20 sks cmt. Secure well &**

[illegible]

# Orr Enterprises Inc -

Daily Operations Report - Visit us at [www.orrenter](http://www.orrenterprises.com)

Date: 9/3/2019

Job Day: 4

Well Name: Scout - LM Tillet #1

Location: Morton Cty, KS. Sec 21 34S - 39W

Project Description: P&A

API#: 15-129-20239

## Well Data

Surface Casing: 8 5/8" @ 591'

BTW: 0

Casing: 5 1/2" @ 3110'

Liner: 0

Tubing: 2 3/8" @ 3063'

Packer or Assembly: 0

PBTD: 0

PERFS: 3002'-3052'

NOTE:

**Description**

**RDSU. Cut & cap well 4' BGL. Dig up rig anchors. Smooth & ba**

[illegible]

**Backfill location. Well plugged.**

[illegible]