| For KCC         | Use:   |  |  |  |
|-----------------|--------|--|--|--|
| Effective Date: |        |  |  |  |
| District #      |        |  |  |  |
| SGA?            | Yes No |  |  |  |

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

### NOTICE OF INTENT TO DRILL

| Expected Spud Date:   | Spot Description:  |  |
|---|--|--|
| month day year  |  |  |
| DPERATOR: License#  | feet from N / S Line of Section  |  |
| Name:   | feet from E / W Line of Section  |  |
| Address 1:  | Is SECTION: Regular Irregular?   |  |
| ddress 2:   | (Note: Locate Well on the Section Flat on levelse side)  |  |
| City: State: Zip: +   | County.  |  |
| Contact Person:   | Lease Name: Well #:  |  |
| hone:   | Field Name:  |  |
| ONTRACTOR: License#   | is this at Totaloa, opassa Fisia.  |  |
| ame:  | rarget romation(s).  |  |
| Well Drilled For: Well Class: Type Equipment:   | Nearest Lease or unit boundary line (in footage):  |  |
| Oil Enh Rec Infield Mud Rotary  | Ground Surface Elevation:feet MS   |  |
| Gas Storage Pool Ext. Air Rotary  | Water well within one-quarter mile:  |  |
| Disposal Wildcat Cable  | Public water supply well within one mile:  |  |
| Seismic ;# of Holes Other   | Depth to bottom of fresh water:  |  |
| Other:  | _ Depth to bottom of usable water:   |  |
| If OWWO: old well information as follows:   | Surface Pipe by Alternate:   |  |
|   | Length of Conductor Pipe (if any):   |  |
| Operator:   | Projected Total Depth:   |  |
| Well Name: Original Total Depth:  |  |  |
| Original Completion Date.   | Water Source for Drilling Operations:  |  |
| Directional, Deviated or Horizontal wellbore?   |  |  |
| f Yes, true vertical depth:   |  |  |
|   | DVIX I GIIIII #.   |  |
| Bottom Hole Location:   | − ( <b>Note:</b> Apply for Permit with DWR)  |  |
|   | − ( <b>Note:</b> Apply for Permit with DWR)  |  |
| Sottom Hole Location:  KCC DKT #:   | ( <b>Note:</b> Apply for Permit with DWR )   |  |
| CCC DKT #:  | <ul><li>(Note: Apply for Permit with DWR □ )</li><li>Will Cores be taken? □ Yes □ I</li></ul>  |  |
| CCC DKT #:AF  | - (Note: Apply for Permit with DWR ) - Will Cores be taken? Yes If Yes, proposed zone:   |  |
| AF  The undersigned hereby affirms that the drilling, completion and eventual p   | - (Note: Apply for Permit with DWR ) - Will Cores be taken? Yes New Ye |  |
| AF  The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:   | - (Note: Apply for Permit with DWR ) - Will Cores be taken? Yes New Ye |  |
| AF The undersigned hereby affirms that the drilling, completion and eventual p  | - (Note: Apply for Permit with DWR ) - Will Cores be taken? Yes If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  |  |
| AF The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be see</i>   | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If Yes proposed zone:  St by circulating cement to the top; in all cases surface pipe shall be set  |  |
| AF  The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the  | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If yes proposed zone:  St by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  |  |
| AF The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di   | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging;  |  |
| AF The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plus  | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;  |  |
| AF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement  | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If yes proposed zone:  Ch drilling rig;  If yes proposed zone:  Ch drilling rig;  If yes proposed zone:  Strict office on plug length and placement is necessary prior to plugging;   |  |
| AF The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order #  | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.   |  |
| AF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of th | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  |  |
| AF The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the second of the provided materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the second of th      | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing   |  |
| AF The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be   | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing   |  |
| AF The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to the district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be submitted Electronically  | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  |  |
| AF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be  Libmitted Electronically  For KCC Use ONLY  | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If yet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification  |  |
| AF The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging the most of the spuddate of the well is either pluging the most of the spuddate of the well shall be composed in the spuddate of the well shall be completed within 30 days of the spuddate or the well shall be spuddate.  | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Jugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;   |  |
| AF The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the intention of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the intention of the intention | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If yet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  If yes |  |
| AF the undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the second and the district office will be notified before well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be about the district office will be notified before well is either plugible.  Ibmitted Electronically  For KCC Use ONLY  API # 15   | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;   |  |
| The undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an agreement to drill shall be posted on each an agreement between the operator and the district office will be notified before well is either plugible. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be appropriated.  **Jubmitted Electronically**  **For KCC Use ONLY**  API # 15   | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  |  |
| AF The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the second and the district office will be notified before well is either plug.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be second to the well shall be conductor pipe required   | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;   |  |
| AFT he undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of the prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the display of the appropriate district office will be notified before well is either pluging.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement of the organization of the well shall be completed within 30 days of the spud date or the well shall be completed.  7. Eastern Kansas surface casing order of the must be completed within 30 days of the spud date or the well shall be conducted.  8. For KCC Use ONLY  API # 15  | Will Cores be taken?  If Yes, proposed zone:  PFIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  At by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;   |  |
| AF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging.  5. The appropriate district office will be notified before well is either pluging.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be completed.  Conductor pipe required   | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Diugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  At by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);   |  |

Signature of Operator or Agent:

Side Two

| For KCC Use ONLY |
|------------------|
| API # 15         |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |
|---------------------------------------|--|
| Lease:                                | feet from N / S Line of Section  |
| Well Number:                          | feet from E / W Line of Section  |
| Field:                                | Sec Twp S. R 🗌 E 🔲 W   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

## 1600 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:   |                       |                                    | License Number:   |  |  |
|--|-----------------------|------------------------------------|---|--|--|
| Operator Address:  |                       |                                    |   |  |  |
| Contact Person:  |                       |                                    | Phone Number:   |  |  |
| Lease Name & Well No.:   |                       |                                    | Pit Location (QQQQ):  |  |  |
| Type of Pit: Pit is:   |                       |                                    |   |  |  |
| Emergency Pit Burn Pit   | Proposed              | Existing                           | SecTwpR East West   |  |  |
| Settling Pit Drilling Pit  | If Existing, date cor | nstructed:                         | Feet from North / South Line of Section                                   |  |  |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)           | Pit capacity:         | (bbls)                             | Feet from East / West Line of Section County                              |  |  |
| Is the pit located in a Sensitive Ground Water A                           | rea? Yes I            | No                                 | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only) |  |  |
| Is the bottom below ground level?  | Artificial Liner?     | lo                                 | How is the pit lined if a plastic liner is not used?                      |  |  |
| Pit dimensions (all but working pits):                                     | Length (fee           | et)                                | Width (feet) N/A: Steel Pits  |  |  |
| Depth fro  | m ground level to dee | pest point:                        | (feet) No Pit   |  |  |
|  |                       | • ,                                | cluding any special monitoring.   |  |  |
| Distance to nearest water well within one-mile of pit:                     |                       | Depth to shallo<br>Source of infor | west fresh water feet.<br>nation:   |  |  |
| feet Depth of water wellfeet   |                       | measured                           | well owner electric log KDWR  |  |  |
| Emergency, Settling and Burn Pits ONLY:                                    |                       | Drilling, Work                     | ver and Haul-Off Pits ONLY:   |  |  |
| Producing Formation:   |                       | Type of materia                    | l utilized in drilling/workover:  |  |  |
| Number of producing wells on lease:  |                       | Number of worl                     | king pits to be utilized:   |  |  |
| Barrels of fluid produced daily:   |                       | Abandonment p                      | procedure:  |  |  |
| Does the slope from the tank battery allow all s flow into the pit? Yes No | pilled fluids to      | Drill pits must b                  | e closed within 365 days of spud date.                                    |  |  |
|  | -                     |                                    |   |  |  |
| Submitted Electronically   |                       |                                    |   |  |  |
| KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS                             |                       |                                    |   |  |  |
| Date Received: Permit Numl   | ber:                  | Permi                              | t Date: Lease Inspection: Yes No  |  |  |

## Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT


This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (C   | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)   |  |
|---|---|--|
| OPERATOR: License #   | Well Location:  |  |
| Name:   | SecTwpS. R East   |  |
| Address 1:  | County:   |  |
| Address 2:  | Lease Name: Well #:   |  |
| City: State: Zip:+  | If filing a Form T-1 for multiple wells on a lease, enter the legal description of  |  |
| Contact Person:   | the lease below:  |  |
| Phone: ( ) Fax: ( )   |   |  |
| Email Address:  |   |  |
| Surface Owner Information:  |   |  |
| Name:   | When filing a Form T-1 involving multiple surface owners, attach an additional  |  |
| Address 1:  | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the   |  |
| Address 2:  | county, and in the real estate property tax records of the county treasurer.  |  |
| City: State: Zip:+  |   |  |
| the KCC with a plat showing the predicted locations of lease roads, tank  | dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat at the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.                    |  |
| owner(s) of the land upon which the subject well is or will be lo   | ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form ceing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.                         |  |
| KCC will be required to send this information to the surface ow   | cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form. |  |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.  |  |
| Submitted Electronically  |   |  |

VESS OIL CORPORATION COLAHAN LEASE SW. 1/4, SECTION 24, T115, R17W ELLIS COUNTY, KANSAS

SCALE



ion as shown on this nay not be legally not landowner.

\*Ingress
plat is
opened t

CENTRAL KANSAS OILFIELD SERVICES, INC. (620)792-1977

September 16, 2019

