KOLAR Document ID: 1476233

For KCC Use:
Effective Date:
District #
SGA? Yes No

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1
Oct 2016
Form must be Typed
Form must be Signed
All blanks must be Filled

# CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act. MUST be submitted with this form.

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R E W
ODED ITOD 11	(Q/Q/Q/Q) seet from N / S Line of Section
OPERATOR: License#	feet from E / W Line of Section
Name:	Is SECTION: Regular Irregular?
Address 1: Address 2:	(Check directions from nearest outside corner boundries)
City: State: Zip: +	
Contact Person:	County:
Phone:	Facility Name:
	Borehole Number: MSI
CONTRACTOR: License#	Cathodic Borehole Total Depth:
Name: Cable	Depth to Bedrock:
Type Drilling Equipment:	Water Information
☐ Air Rotary ☐ Other  Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set:	Depth to bottom of usable water:
Length of Conductor pipe (if any):	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	Well Farm Pond Stream Other
;;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depth feet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anode installation depths are:;; ;; ;;	Annular space between borehole and casing will be grouted with:
•	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surface
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
AFFIDAVIT	Borehole will be Pre-Plugged? Yes No
he undersigned hereby affirms that the drilling, completion and eventual plugging f this well will comply with K.S.A. 55-101 et. seq.	Boreliole will be the thagged! I less I live
is agreed that the following minimum requirements will be met:	
. Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior	
2. Notify appropriate District Office 48 hours prior to workover or re-entry.	
3. A copy of the approved notice of intent to drill shall be posted on each drilling rig.	
I. The minimum amount of cathodic surface casing as specified below shall be set by	
<ol> <li>File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill ( Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp</li> </ol>	(form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	
d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically	
d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	
d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically	If this permit has expired or will not be drilled, check a box below, sign, date and return
d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY	
d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -	If this permit has expired or will not be drilled, check a box below, sign, date and return
d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 Conductor pipe required feet	If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.
d. Submitted Electronically  For KCC Use ONLY  API # 15	If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.
d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.
d. Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.

For KCC Use ONLY
API # 15

#### IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator:						Location of Well: County:									
	acility Name:						feet from N / S Line of Section						of Section		
Borehole Number:					_				et from	☐ E /		Line o	of Section		
							Sed	÷	Twp	8	6. R		- 🗌 E		W
							ls S	Section:	Regular o	or _	Irregul	ar			
								ection is I	regular, loca		II from	nearest		oound	ary.
					d electrica	otage to the al lines, as ay attach a	required b	y the Kans	it boundary lii as Surface O ired.						
			_												
2780 ft		:	:	:	— —	:		:			LE	GEND			
2780 ft					0		:					GEND			
2780 ft										0	Wel	I Location		ion	
2780 ft										0	Wel	I Location	y Locat	ion	
2780 ft											Wel Tan Pipe	Il Location k Batter eline Lo	y Locat		
2780 ft											Wel Tan Pipo	II Location k Batter eline Locatric Line	ry Locat cation e Locat	ion	
2780 ft											Wel Tan Pipo	Il Location k Batter eline Lo	ry Locat cation e Locat	ion	
2780 ft											Wel Tan Pipo	II Location k Batter eline Locatric Line	ry Locat cation e Locat	ion	
2780 ft				6					EX		Wel Tan Pipo Eleo Lea	II Location k Batter eline Locatric Line	ry Locat cation e Locat	ion	
2780 ft				6					EX		Wel Tan Pipo Eleo Lea	II Location k Batter eline Locatric Line	ry Locat cation e Locat	ion	
2780 ft				6					EX		Wel Tan Pipo Eleo Lea	II Location k Batter eline Locatric Line	ry Locat cation e Locat	ion	
2780 ft				6					EX		Wel Tan Pipo Eleo Lea	II Location k Batter eline Locatric Line	ry Locat cation e Locat	ion	
2780 ft				6					EX		Wel Tan Pipo Eleo Lea	II Location k Batter eline Locatric Line	ry Locat cation e Locat	ion	
2780 ft				6					EX		Wel Tan Pipo Eleo Lea	II Location k Batter eline Locatric Line	ry Locat cation e Locat	ion	
2780 ft											Wel Tan Pipo Eleo Lea	II Location k Batter eline Locatric Line	ry Locat cation e Locat	ion	1980' FSL
2780 ft											Wel Tan Pipo Eleo Lea	II Location k Batter eline Locatric Line	ry Locat cation e Locat	ion	1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;

SEWARD CO. 3390' FEL

- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1476233

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 July 2014 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R East West			
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section			
		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
Yes No	Yes N	lo				
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet)N/A: Steel Pits			
Depth fro	m ground level to dee	pest point:	(feet) No Pit			
If the pit is lined give a brief description of the lin material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.			
, , , , , , , , , , , , , , , , , , , ,		3 3,	3 4 7 4 4 4 4 4 4			
Distance to nearest water well within one-mile of	of nit:	Denth to shallo	west fresh water feet.			
Distance to hearest water well within one time of	л ри.	Depth to shallowest fresh water feet. Source of information:				
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all sp flow into the pit? Yes No	oilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS			

KOLAR Document ID: 1476233

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT


This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


Select the corresponding form being filed: C-1 (Intent) CB-1 (	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R 🗌 East 🗌 West				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: ( ) Fax: ( )					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City:					
the KCC with a plat showing the predicted locations of lease roads, tan	odic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
owner(s) of the land upon which the subject well is or will be I	Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.				
KCC will be required to send this information to the surface or	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.				
Submitted Electronically					
I					
	_				

		TYP	E 5 SAE	PAGE	1	OF	1
		PROJECT			,		,
CLIENT: ONEOK		NAME:	Groundbed Install	ation DATE	DRILLED:	TBD	
SITE: Multple		LOCATION	: Kansas				
OTHER ID#		FACILITY:	G	SPS			
DRILLING							
COMPANY: Corrpro	Companies, Inc	RIG:		BOREHOLE: 10	inch		
LOGGED		DRILLING					
BY:		METHOD:	Wet Rotary or Dry	FLUID <u>Wa</u>	ter if wet ro	otary	
	TYPE	INTERVAL	MATERIAL	JOINT LEN	IGTH	DIAME	
CASING:	SDR 21	0-20'	PVC			10	
SCREEN:							
GROUT:							
SEAL:							

FILTER PACK:



Initial Depth to Water:	
Static Depth to Water:	
Comments	Not to scale





**Elk Creek Pump Station New Hall** 

#### Legend



Deep Well Groundbed



Rectifier



Rice County, KS Groundbed Location: 342' from N section line 2,780' from W section line NE NW, S6, T18S, R9W

The locations shown on the plat are preliminary non-binding estimates. Pipeline and Groundbed are below ground features. Rectifier is an above ground feature.

DRAWN BY: TT

CHECKED BY: RZ

Date: 10/8/2019



Apex Companies, LLC

4608 South Garnett Rd., Suite 100
Tulsa, Oklahoma 74146
Phone: (918) 610-3543

Project No. 453614-002

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 346-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Shari Feist Albrecht, Commissioner Susan K. Duffy, Commissioner

October 21, 2019

ONEOK NGL Pipeline, LLC 100 West 5<sup>th</sup> Street Tulsa, OK 74103-4298

RE: Request for Cathodic Wellbore Variance K. A. R. 82-3-702 (b) (4) Elk Creek Pump Station #1 Section 6-T18S-9W, Rice County

Dear Mr. Martens:

The Kansas Corporation Commission has received your request for an exception to the minimum surface pipe requirement for a multiple aquifer cathodic well bore completion as set out in K.A.R. 82-3-702(b)(4). From your request, the KCC understands that you are requesting to set 20 feet of 10" PVC casing and utilize Conducrete backfill in the borehole from 300 feet total depth to 125 feet and Portland cement from a depth of 125 feet back to surface.

After review of this matter by technical staff it was determined that the proposed construction method will adequately protect fresh and usable water in this area.

Notify the KCC District #2 office prior to spudding the well so they may have the opportunity to witness the well construction procedure.

Sincerely,

Ryan A. Hoffman

Director

cc: Rene Stucky, Production Supervisor 15 0 Kg 10/21/19

Jeff Klock - District #2 Supervisor VIA e-mail 10/21/19