KOLAR Document ID: 1481780

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:						
Name:	Spot Description:						
Address 1:							
Address 2:	Feet from North / South Line of Section						
City: State: Zip:+	Feet from						
Contact Person:	Footages Calculated from Nearest Outside Section Corner:						
Phone: ()	□NE □NW □SE □SW						
CONTRACTOR: License #	GPS Location: Lat:, Long:						
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)						
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84						
Purchaser:	County:						
Designate Type of Completion:	Lease Name: Well #:						
New Well Re-Entry Workover	Field Name:						
☐ Oil ☐ WSW ☐ SWD	Producing Formation:						
Gas DH EOR	Elevation: Ground: Kelly Bushing:						
OG GSW	Total Vertical Depth: Plug Back Total Depth:						
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet						
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?						
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set:Feet						
Operator:	If Alternate II completion, cement circulated from:						
Well Name:	feet depth to:w/sx cmt.						
Original Comp. Date: Original Total Depth:							
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan						
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)						
	Chloride content: ppm Fluid volume: bbls						
☐ Commingled Permit #:	Dewatering method used:						
SWD Permit #:	Location of fluid disposal if hauled offsite:						
EOR Permit #:	Location of fluid disposal if flauled offsite.						
GSW Permit #:	Operator Name:						
	Lease Name: License #:						
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West						
Recompletion Date Recompletion Date	County: Permit #:						

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
☐ Wireline Log Received ☐ Drill Stem Tests Received							
Geologist Report / Mud Logs Received							
UIC Distribution							
ALT I II Approved by: Date:							

KOLAR Document ID: 1481780

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool erature, fluid recovery, Digital electronic log
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[Depth	Typo	of Cement	# Sacks Use		EEZE RECORD	Typo a	nd Percent Additives	
Perforate Protect Ca Plug Back	Top	Bottom	туре	or cement	# Sacks Use	,u		туре а	ia reicent Additives	
Plug Off Z										
Did you perform Does the volum Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:
Vented	Sold Use	d on Lease		Open Hole				nmingled	Тор	Bottom
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)		
Shots Per Perforation Perforation Bridge Plug Bridge Plug Acid, Fracture, Shot, Cementing Squeeze Record (Amount and Kind of Material Used)						Record				
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	CO1 - Well Completion					
Operator	Howell Oil Company, Inc.					
Well Name	DOLE 4					
Doc ID	1481780					

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	17.5	13.375	48	300	60/40 Poz		2% gel 3% CC
Production	7.875	5.5	15.5	3490	Common	250	12% Salt 1.75% CC



Conductor - Surface TREATMENT REPORT

Aciu	a ceme							Acid Stage N	0.		
		District GB	F.O.	No. 50015	Type Treatmen Bkdown	t: Amt. Bbl./Gal.	Type Fluid	Sand Size	Po	unds of Sand	
	Howell Oil										
	e & No. <u>Dole #4</u>					Bbl./Gal.					
			Field			Bbl./Gal.					
County	Reno		State KS		Flush	Bbl./Gal.					
					Treated from	1	ft. to	ft.	No. ft.	0	
Casing:	Size13 3/8	8" Type & Wt.	48#	Set at	ft. from		ft. to	ft.	No. ft.		
Formation	:		Perf	to	from		ft. to		No. ft.	0	
Formation	:		Perf.	to	Actual Volume	of Oil / Water to Load H	THE RESIDENCE OF THE PARTY OF T			Bbl./Ga	1.
Formation			Perf.		-						-
Liner: Si				Bottom at	ft. Pump Trucks.	No. Used: Std.	320 Sp.		Twin		
(rom			ment	_	367		1	+
Tubing:	Size & Wt.				ft. Personnel Nat	han-Greg-Clarenc	e				+
	Perforated f		ft. to		ft. Auxiliary Tools					-	
					-	ling Materials: Type		A September 1991			
Open Hole	Size	T.D	ft. P	.B. to	ft.	gevenus.				lb.	+-
	THE RESERVE AND REAL PROPERTY.		a i a conscionarione i il criste de promi paratica de la					Guis.		10.	-
Company	Representative		Larry I	₹.	Treater		Nath	an W.			
TIME	PRES	SURES			-			arr vv.			
a.m./p.m.	Tubing	Casing	Total Fluid Pumped			REMA	IRKS				
8:15		13 3/8"		On Location.	Rig Circulati	ng on bottom				Control of the second	-
											+
				Hole-308'							1
				Pipe294'							+
											+
				Break circula	tion with mu	d numn					-
				Di Cak Cii Cuia	tion with mu	и рипір.					_
				Mix 200 des C	0/40 20/-	120/ 0.1:	GL 1 . 1 =				_
				IVIIX SUUSKS 6	0/40poz 2%g	el 3% Calcium	Chloride 5	#/sk Gilso	nite.		
12:15				D: 1	40111						
12.15				Displace with	1 43bbls at 6.	5bpm-250# [oid not circu	late ceme	ent.		
				Wait 45 minu	ites. Tag cen	nent at 30'					
4.15											
1:45				Run 1" tubing	g to 29' Mix 5	0sks Commo	n. Circulate	d cement	to sur	rface.	
				Thank You!							
		America									
				Nathan W.							+
											+
											\vdash
											\perp
$\neg \neg$											\perp



Production

TREATMENT REPORT

Acid Stage No.

Date _ 9	9/22/2019	District GB	F.O.	No. 50020	Type Treatment: Bkdown	Amt.	Type Fluid	Sand Size		Pounds of Sand
Company	Howell Oil			10. 50020	BKGOWII	Bbi./Gai.				
Well Nam	e & No. Dole #4	4				Bbl./Gal.				
Location			Field							
County			State KS		Flush	Bbl./Gal.		(1)		
			THE REAL PROPERTY AND ADDRESS OF THE PERSON		2					
Casing:	Size 5.5"	Type & Wt	t. 15.5#	Set at ft.	Treated from from					
Formation					from		ft. to		No. ft. No. ft.	
Formation	ı:				Actual Volume of Oil /			I C.	NO. IL.	
Formation	1:		Perf.	to			iole.			Bbl./Gal.
Liner: Si	zeType 8	& Wt	Top atft.	Bottom at ft.	Pump Trucks. No.	. Used: Std.	365 Sp.		Twin	
(Cemented: Yes	▼ Perforated f	from	ft. toft.	Auxiliary Equipment			367	- 100111	
Tubing:	Size & Wt.		Swung at	ft.	Personnel Nathan-0					
	Perforated f	rom	ft. to	ft.	Auxiliary Tools					
225 27					Plugging or Sealing Ma	aterials: Type				
Open Hole	Size	T.D	ft. P.	.B. toft.				Gals.	-	lb.
Company	Representative		l arm. I			THE RESERVE THE PERSON NAMED IN COLUMN				
TIME	THE REAL PROPERTY AND PERSONS ASSESSED.	SSURES	Larry F	₹.	Treater		Natha	n W.		
a.m./p.m.	Tubing	Casing	Total Fluid Pumped			REMA	RKS			
9:00		5.5"		On Location Ric	Laving down	- in a				
		0.0		On Location. Rig	g laying down	pipe.		14	The state of	
			+	Uolo 2E10!	C1	" 12				
				Hole-3518'		alizers-1,3	,5,7,9,11			
				Pipe-3490'		ts-2,16				
				Baffle-3475'						
			+	Dunali sinavilati an						
				Break circulation	with mud pu	ımp. Circu	ılate for 30 r	ninutes.		
			-	MAIN OFFICE CO	120/ 0 1					
			+	Mix 250sks Comr	mon 12% Salt	.75%C-3	7 .75%C41p	.25%C1	2 5#,	/sk
			-	Gilsonite.						
			-	Wash out pump a	and lines.					
			-							
3:15			-	Displace with 82.	7bbls at 6.25	bpm-700#	Plug lande	d at 1000)#	
5:15				Release pressure	. Float Held.					
1:00				Plug Rat Hole wit						
1:00				Plug Mouse Hole	with 20sks.					
-+		2								
_										
				Thank You!						
			<u> </u>	Nathan W.						

