For KCC Use:
Effective Date:
District #
CA2 Vos No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

	Ocat Decembries
Expected Spud Date: month day year	Spot Description: Sec. Twp. S. R TE W
	Sec Twp S. R E W
DPERATOR: License#	feet from E / W Line of Section
ddraes 1:	Is SECTION: Regular Irregular?
ddress 1:ddress 2:	
State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
Contact Person:	County:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
Outer.	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
- 1-19····· - 1-19···· - 1-19···· - 1-19···· - 1-19···· - 1-19···· - 1-19···· - 1-19···· - 1-19···· - 1-19····	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFI	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual plu	
is agreed that the following minimum requirements will be met:	99···9 - · · · · · · · · · · · · · · · ·
1. Notify the appropriate district office wrights equiding of well-	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 	drilling rig:
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> 	0 0 .
2. A copy of the approved notice of intent to drill shall be posted on each	by circulating cement to the top; in all cases surface pipe shall be set
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ;
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ; led or production casing is cemented in;
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemente 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in;
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> a underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> led or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. rict office on plug length and placement is necessary <i>prior to plugging;</i> led or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be Ibmitted Electronically For KCC Use ONLY	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall b	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall b	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall be shall be shall be conductor pipe required	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall be shall be shall be conductor pipe required	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Signature of Operator or Agent:

Side Two

For KCC Use ONLY
API # 15

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	
ease:	feet from E / W Line of Section
Number of Acres attributable to well:	is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
lease roads, tank batteries, pipelines and electrical lines, a	PLAT rest lease or unit boundary line. Show the predicted locations of as required by the Kansas Surface Owner Notice Act (House Bill 2032). The a separate plat if desired. 1980 ft.
	LEGEND
	O Well Location Tank Battery Location
	Electric Line Location Lease Road Location 330 ft.
	EXAMPLE :
18	
	1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:		Pit Location (QQQQ):			
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing		SecTwp R		
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section		
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	m ground level to dee	pest point:	(feet) No Pit		
		• ,	cluding any special monitoring.		
			ppth to shallowest fresh water feet. urce of information:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	l utilized in drilling/workover:		
Number of producing wells on lease: Nu		Number of worl	king pits to be utilized:		
Barrels of fluid produced daily: Ab		Abandonment p	procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits		Drill pits must b	e closed within 365 days of spud date.		
Submitted Electronically					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:		

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Eathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	lic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface own	eknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling to form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

For KCC Use ONLY
API # 15

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page. Location of Well: County: Graham Operator: H & C Oil Operating Inc. Lease: Rosalie K-F Unit feet from S Line of Section X N / feet from X E Well Number: 7-18 SWD 330 W Line of Section S. R.²⁴ Field: N /A Number of Acres attributable to well: Regular or Irregular Is Section: QTR/QTR/QTR/QTR of acreage: If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.
1980 ft. LEGEND Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location 330 ft. **EXAMPLE** 18 1980' FSL SEWARD CO. 3390' FEL

In plotting the proposed location of the well, you must show:

NOTE: In all cases locate the spot of the proposed drilling locaton.


- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

STATE OF KANSAS
STATE CORPORATION COMMISSION
Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission

15-065-00904-00-00

WELL PLUGGING RECORD

800 Bitting Building Wichita, Kansas		Graham	Cour	ty. Sec. $\frac{1.8}{SE}$	Twp. 9 Rge	.24 (E) $(W$
NORTH	Location as 1	Honakei	or rootage ir ~Davis	Drlg. Co	- 112	
4.	Lease Name					Well No. 1
	Office Address	2008 L	akin. Gr	eat Bend		
			,	or Dry Hole)	,	
		npleted				19.56
		r plugging filed		4-24		19 56
	Application fo	r plugging appr	oved	4-24	30 A.M.	19 56
	Plugging com	menced pleted		4-25 7	30 A.M.	
<u> </u>				ng formation Dr		19 56
		ardonmont of w	on or producin	ig formation _224	<u> </u>	
	If a producing	g well is abando	ned, date of l	ast production_		19
Totale will consider a character	Was permission	on obtained from	m the Conser	vation Division o	r its agents bef	ore plugging was com
Locate well correctly on above Section Plat	menced?	yes			····	
lame of Conservation Agent who sup	pervised plugging of th	nis well E	<u>ldon Pet</u>	ty		
roducing formation			Botto	m	Total Depth of	WellFee
show depth and thickness of all water	er, oil and gas formation	ons.	•			
OIL, CAS OR WATER RECOR	LDS .		•		1	CASING RECORD
FORMATION	CONTENT	FROM	то	SIZE	PUT IN	
		0	232		FOI IN	PULLED OUT
		T V	434_	8-5/8		
					<u> </u>	:
*						
				3		
·	,		<u> </u>			
heavy rotar Set plug, r	d poured thr ry mud to 40 mixed 10 sac ttom of cell	L. Dump	ed in 1	/2 sack o	f hulls.	
				"AIL ;		
					100	
				Mr	Said.	<i>O</i>
	· · · · · · · · · · · · · · · · · · ·			COMP-A	1 1000	SIQN
		<u> </u>	· · · · · · · · · · · · · · · · · · ·		7-,~00	
	(If additions	description is nece	Seumr uso BACK	rioby/gr.	3/4/90	
ame of Plugging Contractor	· \D additiona	description is nece	ssary, use BACK	or this sneet)	SUMOCO TO	6
Turess						
			t DMAIT			
TATE OF KANDAS	, COU	NTY OF BA	ARTUN		99	
Stanley C.		(employee of o	wner) or (example)	ss. - or operator) (of the above described
Stanley C. ell, being first duly sworn on oath,	Lingreen says: That I have kn	owledge of the	employee of o	owner) or (owner)	E-OF Operator)	of the above-described
Stanley C. ell, being first duly sworn on oath,	Lingreen says: That I have kn	owledge of the	employee of o	owner) or (owner)	E-OF Operator)	of the above-described ed and the log of the
Stanley C. ell, being first duly sworn on oath,	Lingreen says: That I have kn t the same are true an	owledge of the	employee of o	owner) or (owner)	E-OF Operator)	of the above-described ed and the log of the
Stanley C. ell, being first duly sworn on oath,	Lingreen says: That I have kn t the same are true an	owledge of the	employee of of facts, statemental me God.	owner) or (ewnernts, and matters	herein contain	of the above-described ed and the log of the
Stanley C. ell, being first duly sworn on oath,	Lingreen says: That I have kn t the same are true an	owledge of the	employee of o	owner) or (owner) or (herein containe	of the above-described ed and the log of the
Stanley C. ell, being first duly sworn on oath,	Lingreen says: That I have kn t the same are true an	owledge of the ad correct. So	employee of of facts, statement help me God. Great F	owner) or (owner) or (herein contain	of the above-described ed and the log of the
Stanley C. ell, being first duly sworn on oath, cove-described well as filed and tha	Lingreen says: That I have kn t the same are true an	owledge of the ad correct. So	employee of of facts, statemental me God.	owner) or (owner) or (herein containe	of the above-described and the log of the
Stanley C. ell, being first duly sworn on oath, sove-described well as filed and tha	Lingreen says: That I have kn it the same are true an	owledge of the ad correct. So (Signature)	employee of of facts, statement help me God. Great F	owner) or (owner) or (herein containe	ed and the log of the
Stanley C. ell, being first duly sworn on oath, ove-described well as filed and tha Subscribed AND Sworn to before	Lingreen says: That I have kn it the same are true an	owledge of the ad correct. So (Signature)	employee of of facts, statement help me God. Great F	owner) or (owner) or (herein containe	of the above-described ed and the log of the Notary Public.
Stanley C. ell, being first duly sworn on oath, sove-described well as filed and tha	Lingreen says: That I have kn it the same are true an	owledge of the ad correct. So (Signature)	employee of of facts, statement help me God. Great F	owner) or (owner) or (herein containe	ed and the log of the
Stanley C. rell, being first duly sworn on oath, bove-described well as filed and tha Subscribed AND Sworn to before	Lingreen says: That I have kn it the same are true an	owledge of the ad correct. So (Signature)	employee of of facts, statement help me God. Great F	owner) or (owner) or (herein containe	ed and the log of



15-065-00904-00-00

DRILLERS LOG

Keith No. 1 Loc: SE S. NE

18-9-24

Craham County, Kansas
Company: Honaker-Davis Drlg. Co., et al
Contractor: Konaker-Davis Drlg. Co.

4-16-55 4-25-56 Comm: Comp:

Rotary Total Denth: 4060 Casing: 8-5/8" at 234' D & A

0	40	Top soil, Sand & Clay	
40	95	Sand & Gravel	
95	160	Clay, Post rock & Sand	•
160	750	Blue Shale	
750	950	Shale & Shells	8-5/8" casing cemented
950	1050	Sand	at 234' wit. 173 sacks
1050	1325	Shale & Shells	cement & 4 sacks calcium
1325	2150	Red Bed & Shale	chloride
2150	2105	Anhydrite	
2195	2450	Shale & Shells	
2450	3730	Lime & Shale	
3730	3800	Lime	
3800	3870	Lime & Shale	
3870	39 25	Line	
2925	4021	Line & Shale	
4021	4035	Line	
4035	4060	Lime & Shale	
4060	, , , ,	Total Rotary Depth	D & A

I certify that this is the true and correct copy of the above log to the best of my knowledge.

Subscribed and sworn to before me this 30th day of April, 1956.

Public

Hy commission expires: 6-26-59

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 346-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Shari Feist Albrecht, Commissioner Susan K. Duffy, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 346-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Shari Feist Albrecht, Commissioner Susan K. Duffy, Commissioner

November 18, 2019

Charles Ramsay H & C Oil Operating Inc. PO BOX 86 PLAINVILLE, KS 67663-0086

Re: Drilling Pit Application Rosalie K-F Unit 7-18 SWD NE/4 Sec.18-09S-24W Graham County, Kansas

Dear Charles Ramsay:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of completion of drilling operations.

KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 261-6250 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (785) 261-6250.