## KOLAR Document ID: 1483101

Confiden	tiality Re	quested:
Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

### WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Name:	Spot Description:
Address 2:	Feet from North / South Line of Section Feet from East / West Line of Section Footages Calculated from Nearest Outside Section Corner:
City:        Zip:      +          Contact Person:	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
	°
Phone: ( )	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx) Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Desmit #:	Chloride content: ppm Fluid volume: bbls
Commingled         Permit #:           Dual Completion         Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR         Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West
Recompletion Date Recompletion Date	County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II III Approved by: Date:						

### KOLAR Document ID: 1483101

Operator Name:	Lease Name:	Well #:
Sec TwpS. R East 🗌 West	County:	

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c		] Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Туре	e of Cement	# Sacks Use	d	Type and I		Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
<ol> <li>Did you perform a hydra</li> <li>Does the volume of the</li> <li>Was the hydraulic fracture</li> </ol>	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold (If vented, Subn	Used on Lease		Open Hole		-	·	mingled	юр	
		Perforation         Bridge Plug         Bridge Plug         Acid, Fracture, Shot, Cementing S           Bottom         Type         Set At         (Amount and Kind of Materia)							
TUBING RECORD:	Size:	Set At:		Packer At:					


Form	ACO1 - Well Completion
Operator	Southern Star Central Gas Pipeline, Inc.
Well Name	C60706 01 B
Doc ID	1483101

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	16.500	10.500	70	20	BENTONI TE	27	WATER

#### **BELOW GROUND COMPLETION**

### Well Name: C60706 B County: Rawlins





4520 State Hwy 136, Amarillo, TX 79108-7617 • tel. 806-383-5047 • fax 806-383-1716

Deep Well GroundBed Data:				Date: 11/08/19									
	Job Number: SST21-2019-KS-B Company Name: SOUTHERN STAR			Drilling Contractor: MCLEANS CP INS					STALLATION, INC.				
				Facility/Line:									
	DEEP WELL					State:							
Well Depth:						County:	5						
Diameter:						Other-Driller:							
	20 FT 10"					ling Method:	MUD						
Type of Backfill:				Base Useable Water:									
	1 SET OF 10 ANOTE												
	N39.65060043, W101.	284402		TEST VOLTS:									
Remarks:													
							-						
	Drilling Log			Ele	ectrical L	og		Anode Log					
					FORE BACKE					AFTER BA			
Depth:	Formation Type:	Material:		Volt	Anode	Anode #			Volt	Anode	Anode #		
					Depth					Depth			
0'	SAND	CASING/HOLEPLUG											
5'	SAND	CASING/HOLEPLUG											
10'	SAND	CASING/HOLEPLUG											
15'	SAND	CASING/HOLEPLUG											
20	SAND	CASING/HOLEPLUG											
25	SAND	HOLEPLUG											
30	SAND	HOLEPLUG											
35	SAND	HOLEPLUG											
40	SAND	HOLEPLUG											
45	SAND	HOLEPLUG											
50	SAND	HOLEPLUG											
55	SAND	HOLEPLUG											
60	CLAY	HOLEPLUG											
65	CLAY	HOLEPLUG											
70	CLAY	COKE											
75	CLAY	COKE											
80	SHALE	COKE											
85	SHALE	COKE											
90	SHALE	COKE											
95	SHALE	COKE											
100	SHALE	COKE											
105	SHALE	COKE				10							
110	SHALE	COKE								ļ	L		
115	SHALE	COKE				9				ļ			
120	SHALE	COKE								ļ			
125	SHALE	COKE				8							
130	SHALE	COKE											
135	SHALE	COKE				7							
140	SHALE	COKE											
145	SHALE	COKE				6							
150	SHALE	COKE								L			
155	SHALE	COKE				5							
160	SHALE	COKE								ļ			
165	SHALE	COKE				4				L			
170	SHALE	COKE											
175	SHALE	COKE				3							
180	SHALE	COKE											
185	SHALE	COKE				2							
190	SHALE	COKE											
195	SHALE	COKE				1				ļ			
200	SHALE	COKE											