KOLAR Document ID: 1483121

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R East West
Address 2:	Feet from
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx) Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
□ Oil □ WSW □ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	Leading of fleth diseased if headed offelia
EOR Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Could Date or Date Decembed TO Commission Date or	Quarter Sec TwpS. R
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
☐ Wireline Log Received ☐ Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

KOLAR Document ID: 1483121

Page Two

Operator Name:					Lease Nam	ne:			Well #:		
Sec Tw	pS	S. R	Eas	st West	County:						
	l, flowing an	d shut-in press	sures, wh	ether shut-in pre	ssure reached	static	level, hydrostat	ic pressures, bo		val tested, time tool erature, fluid recovery,	
Final Radioactivi files must be sub							s must be emai	led to kcc-well-l	ogs@kcc.ks.gov	v. Digital electronic log	
Drill Stem Tests (Attach Addit		1		Yes No		Lo	g Formation	n (Top), Depth a		Sample	
Samples Sent to	Geological	Survey		Yes No		Name			Тор	Datum	
Cores Taken Electric Log Run Geologist Report List All E. Logs F	t / Mud Logs	s		Yes No Yes No Yes No							
			Rep	CASING	RECORD [New e, interr		on, etc.			
Purpose of St	tring	Size Hole Drilled		Size Casing let (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
				ADDITIONAL	CEMENTING /	SQUE	EZE RECORD				
Purpose: Perforate		Depth Top Bottom	Тур	pe of Cement	# Sacks Use	ed					
Protect Ca											
Plug Off Zo											
Did you perform Does the volume Was the hydraul	e of the total I	base fluid of the	hydraulic f	fracturing treatment		-	Yes s? Yes Yes	No (If No, s	kip questions 2 ar kip question 3) Il out Page Three		
Date of first Produ Injection:	iction/Injection	n or Resumed Pr	roduction/	Producing Meth	od:	Пе	ias Lift O	ther <i>(Explain)</i>			
Estimated Production Oil Bbls. Per 24 Hours					Mcf	Water			Gas-Oil Ratio	itio Gravity	
DISPO	OSITION OF	GAS:		N	METHOD OF CO	MPLET	ION:			ON INTERVAL:	
Vented		Used on Lease		Open Hole		Oually C Submit A		mingled nit ACO-4)	Тор	Bottom	
,	ed, Submit AC					1					
Shots Per Foot	Perforation Top	on Perfor Bott		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeeze and of Material Used)		
TUBING RECORI	D: S	ize:	Set At	: -	Packer At:						


Form	ACO1 - Well Completion
Operator	Southern Star Central Gas Pipeline, Inc.
Well Name	C61263 01
Doc ID	1483121

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	16.500	10.500	70	20	BENTONI TE	27	WATER

BELOW GROUND COMPLETION

Well Name: C61263 County: THOMAS





Deep Well GroundBed Data:				Date: 11/12/19										
	r: SST22-2019-KS-A						MCLEANS CP INSTALLATION, INC.							
	SOUTHERN STAR						C61263-01							
	bject: DEEP WELL					State:								
	Well Depth: 200 FT						THOAMS							
	Diameter: 10 IN					Other-Driller: TR								
	Casing: 20 FT 10"					Drilling Method: MUD								
	Type of Backfill: SC2					Base Useable Water:								
	1 SET OF 10 ANOTE													
GPS:	N39.449781, W100.85	0647			<u>TE</u>	ST VOLTS:								
Remarks:														
	Drilling Log			Ele	ectrical L	<u>og</u>			Anode Log					
					FORE BACK	ILL				AFTER BAC	CKFILL			
Depth:	Formation Type:	Material:		Volt	Anode	Anode #			Volt	Anode	Anode #			
					Depth					Depth				
0'	SAND	CASING/HOLEPLUG												
5'	SAND	CASING/HOLEPLUG												
10'	SAND	CASING/HOLEPLUG								ļ				
15'	SAND	CASING/HOLEPLUG								ļ				
20	SAND	CASING/HOLEPLUG								ļ				
25	SAND	HOLEPLUG												
30	SAND	HOLEPLUG												
35	SAND	HOLEPLUG												
40	SAND	HOLEPLUG												
45	SAND	HOLEPLUG												
50	GRAVEL	HOLEPLUG												
55	GRAVEL	HOLEPLUG												
60	SANDY CLAY	HOLEPLUG												
65	SANDY CLAY	HOLEPLUG												
70	SANDY CLAY	COKE												
75	SANDY CLAY	COKE												
80	SANDY CLAY	COKE												
85	SANDY CLAY	COKE												
90	SANDY CLAY	COKE												
95	SANDY CLAY	COKE												
100	SANDY CLAY	COKE		ļ		4.0				<u> </u>				
105	SANDY CLAY	COKE		ļ		10				<u> </u>				
110	SANDY CLAY	COKE								ļ				
115	SANDY CLAY	COKE		ļ		9		-	-	 				
120	SANDY CLAY	COKE								ļ				
125	SANDY CLAY	COKE		 		8				 				
130	SANDY CLAY	COKE		 		7				 				
135	SANDY CLAY	COKE				/								
140	SAND	COKE		 		-				1				
145	SAND	COKE		 		6				-				
150	SAND	COKE		 		F				 				
155 160	SAND SAND	COKE COKE				5				-				
165	SAND	COKE		—		4				1				
170	SAND	COKE		 		4				1				
170	SAND	COKE		 		3				1				
180	SAND	COKE		—		3				1				
185	SAND	COKE		 		2				1				
190	SAND	COKE		 						1				
190	SAND	COKE		 		1				1				
200	SAND	COKE		 		1				1				
200	SAND	CORE		l		<u> </u>		l		İ				