KOLAR Document ID: 1483141

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City:	Feet from
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:, (e.gxxx.xxxxx)
Name:	Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	County:
Purchaser:	Lease Name: Well #:
Designate Type of Completion:	Field Name:
☐ New Well ☐ Re-Entry ☐ Workover	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
Cothodia Other (Care Fund etc.)	Multiple Stage Cementing Collar Used? Yes No
Cathodic Other (Core, Expl., etc.):	If yes, show depth set: Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from:
Operator:	feet depth to:w/sx cmt.
Well Name:	w/sx cnit.
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to EOR Conv. to SWD	
□ Deepening □ Re-perf. □ Conv. to EOR □ Conv. to SWD □ Plug Back □ Liner □ Conv. to GSW □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Payerit #	Chloride content: ppm Fluid volume: bbls
☐ Commingled Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	•
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec. TwpS. R East West County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II Approved by: Date:						

KOLAR Document ID: 1483141

Page Two

Operator Name:				Lease Name:			Well #:			
Sec Twp.	S. R.	Ea	st West	County:						
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,		
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log		
Drill Stem Tests Ta			Yes No			on (Top), Depth ar	☐ Sample Datum			
Samples Sent to G	eological Surv	ey	Yes No	Na	me	Тор				
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No							
		Re			New Used	ion, etc.				
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l				
Purpose: Depth Top Bottom			pe of Cement	# Sacks Used	ed Type and Percent Additives					
Perforate Protect Casii Plug Back TI										
Plug Off Zon										
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,		
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>				
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity		
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:		
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom		
,	Submit ACO-18.)									
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record		
TUBING RECORD:	Size:	Set /	At:	Packer At:						
. 5213 12.00 10.	5120.		···	. 30.0.71						

Form	ACO1 - Well Completion			
Operator	Southern Star Central Gas Pipeline, Inc.			
Well Name	C61263 02			
Doc ID	1483141			

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	16.500	10.500	70	20	BENTONI TE	27	WATER



Job Number: S Company Name: S Subject: D Well Depth: 2t Diameter: 1t		Data:			Date:	11/12/19						
Company Name: S Subject: D Well Depth: 20 Diameter: 10				Date: 11/12/19								
Company Name: S Subject: D Well Depth: 20 Diameter: 10												
Subject: D Well Depth: 20 Diameter: 10	ber: SST22-2019-KS-B						MCLEANS CP INSTALLATION, INC.					
Well Depth: 20 Diameter: 10				Facility/Line:								
Diameter: 10	ubject: DEEP WELL			State:								
	Well Depth: 200 FT						THOMAS					
	Diameter: 10 IN				Other-Driller:		ΓR					
Casing: 20	Casing: 20 FT 10"				lling Method:	MUD						
Type of Backfill: S	C2		Base Useable Water:									
	SET OF 10 ANOTEC											
GPS: N	39.449781, -100.850	647		<u>TE</u>	EST VOLTS:							
Remarks:	Remarks:											
	Drilling Log		EI	ectrical L	.og			Anode I	Log			
			BE	FORE BACKE	FILL			AFTER BA	CKFILL			
Depth: Fe	ormation Type:	Material:	Volt	Anode	Anode #		Vol	Anode	Anode #			
				Depth				Depth				
0'	SAND	CASING/HOLEPLUG						•				
5'	SAND	CASING/HOLEPLUG										
10'	SAND	CASING/HOLEPLUG										
15'	SAND	CASING/HOLEPLUG										
20	SAND	CASING/HOLEPLUG										
25	SAND	HOLEPLUG										
30	SAND	HOLEPLUG										
35	SAND	HOLEPLUG										
40	SAND	HOLEPLUG										
45	SAND	HOLEPLUG										
50	GRAVEL	HOLEPLUG										
55	GRAVEL	HOLEPLUG										
60	SANDY CLAY	HOLEPLUG										
65	SANDY CLAY	HOLEPLUG										
70	SANDY CLAY	COKE										
75	SANDY CLAY	COKE										
80	SANDY CLAY	COKE										
85	SANDY CLAY	COKE										
90	SANDY CLAY	COKE										
95	SANDY CLAY	COKE										
100	SANDY CLAY	COKE										
105	SANDY CLAY	COKE		İ	10							
110	SANDY CLAY	COKE		İ								
115	SANDY CLAY	COKE			9							
120	SANDY CLAY	COKE					İ					
125	SANDY CLAY	COKE			8							
130	SANDY CLAY	COKE					İ					
135	SANDY CLAY	COKE			7		İ					
140	SAND	COKE										
145	SAND	COKE			6		İ					
150	SAND	COKE										
155	SAND	COKE			5		i					
160	SAND	COKE										
165	SAND	COKE			4		İ					
170	SAND	COKE					İ					
175	SAND	COKE			3							
180	SAND	COKE										
185	SAND	COKE			2							
190	SAND	COKE										
195	SAND	COKE			1							
	SAND	COKE							1			

BELOW GROUND COMPLETION

Well Name: C61263 County: THOMAS

