KOLAR Document ID: 1483206

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:					
Name:	Spot Description:					
Address 1:						
Address 2:	Feet from North / South Line of Section					
City: State: Zip:+	Feet from _ East / _ West Line of Section					
Contact Person:	Footages Calculated from Nearest Outside Section Corner:					
Phone: ()	□NE □NW □SE □SW					
CONTRACTOR: License #	GPS Location: Lat:, Long:					
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84					
Purchaser:	County:					
Designate Type of Completion:	Lease Name: Well #:					
New Well Re-Entry Workover	Field Name:					
	Producing Formation:					
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:					
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:					
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet					
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?					
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet					
•	If Alternate II completion, cement circulated from:					
Operator:	•					
Well Name:	feet depth to: sx cmt.					
Original Comp. Date: Original Total Depth:						
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan					
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)					
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls					
Dual Completion Permit #:	Dewatering method used:					
SWD Permit #:	Location of fluid disposal if hauled offsite:					
EOR Permit #:	·					
GSW Permit #:	Operator Name:					
	Lease Name: License #:					
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West					
Recompletion Date Recompletion Date	County: Permit #:					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1483206

Page Two

Operator Name: _				Lease Name:			Well #:			
Sec Twp.	S. R.	Ea	ast West	County:						
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,		
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log		
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample		
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum		
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No							
		R			New Used	on, etc.				
Purpose of String Size Hole Drilled			Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I				
Purpose:		epth Ty	pe of Cement	Cement # Sacks Used Type and				d Percent Additives		
Protect Casi										
Plug Off Zon										
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,		
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)				
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity		
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom		
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom		
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·					
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record		
TUBING RECORD:	Size:	Set /	At:	Packer At:						
. 5213 (1200) 10.	JIEG.			. 30.0.71						

Form	ACO1 - Well Completion				
Operator	Southern Star Central Gas Pipeline, Inc.				
Well Name	C60717 01				
Doc ID	1483206				

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	16.500	10.500	70	20	BENTONI TE	27	WATER



4520 State Hwy 136, Amarillo, T	X 79108-7617 •	tel. 806-383-5047 •	fax 806-383-1716
---------------------------------	----------------	---------------------	------------------

De	ep Well GroundBed	Data:	_		Date:	11/16/10				
Doop from Groundbox Data.			Date: 11/16/19							
Job Number: SST14-2018-KS				Drilling Contractor: MCLEANS CP INSTALLATION, INC.						
	SOUTHERN STAR C		Facility/Line:							
	DEEP WELL		State: KS							
Well Depth:		County: SHERIDAN								
Diameter:			Other-Driller: TR							
	20 FT OF 10 IN				lling Method:	MUD				
Type of Backfill:		011 000 4		Base Us	eable Water:					
	1 SET OF 20 ANOTE			-	CT VOLTO	44.54				
Remarks:	N39.1686554, W100.2	23858643	_		ST VOLTS:	11.54				
Remarks.										
	Drilling Log		FI	ectrical L	oa			Anode I	Ou	
	Drining Log			FORE BACK				AFTER BA		
Depth:	Formation Type:	Material:	Volt	Anode	Anode #		Volt	Anode	Anode #	
200	· ····································		10	Depth	7.1.000.0		10.1	Depth	7	
0'	SAND	CASING/HOLEPLUG								
5'	SAND	CASING/HOLEPLUG								
10'	SAND	CASING/HOLEPLUG								
15'	SAND	CASING/HOLEPLUG								
20	SAND	CASING/HOLEPLUG								
25	GRAVEL	HOLEPLUG								
30	GRAVEL	HOLEPLUG								
35	SANDY CLAY	HOLEPLUG						<u> </u>		
40	SANDY CLAY	HOLEPLUG								
45	SANDY CLAY	HOLEPLUG								
50	SANDY CLAY	HOLEPLUG								
55	SANDY CLAY	HOLEPLUG				ļ <u> </u>		1		
60	SANDY CLAY	HOLEPLUG	_					1		
65 70	SANDY CLAY SANDY CLAY	HOLEPLUG COKE	_			-				
70 75	SANDY CLAY	COKE						1		
80	LIMESTONE	COKE								
85	LIMESTONE	COKE						1		
90	LIMESTONE	COKE								
95	LIMESTONE	COKE								
100	LIMESTONE	COKE	1.4							
105	LIMESTONE	COKE			20					
110	LIMESTONE	COKE	1.2							
115	LIMESTONE	COKE			19					
120	SHALE	COKE	1.6							
125	SHALE	COKE			18					
130	SHALE	COKE	1.6							
135	SHALE	COKE			17					
140	SHALE	COKE	1.6		4.5			1		
145	SHALE	COKE			16					
150	SHALE	COKE	1.4		4.5			1	1	
155	SHALE SHALE	COKE COKE	4.4		15			 		
160 165	SHALE	COKE	1.4		14			1	 	
170	SHALE	COKE	1.8		14			 		
175	SHALE	COKE	1.0		13			1		
180	SHALE	COKE	1.8		10			1	 	
185	SHALE	COKE	1.0		12			1		
190	SHALE	COKE	1.3					<u>† </u>	<u> </u>	
195	SHALE	COKE	1		11			1		
200	SHALE	COKE	1.2					İ		
205	SHALE	COKE			10		Ĺ			
210	SHALE	COKE	1.2							
215	SHALE	COKE			9					
220	SHALE	COKE	1.6							
225	SHALE	COKE			8					
230	SHALE	COKE	1.6							
235	SHALE	COKE			7			1		
240	SHALE	COKE COKE	1.6		6				<u> </u>	
245	SHALE									



4520 State Hwy 136, Amarill	o, TX 79108-7617	• tel. 806-383-5047	• fax 806-383-1716
-----------------------------	------------------	---------------------	--------------------

			Date:	11/16/19						
	er: SST14-2018-KS		Drilling Contractor: MCLEANS CP INSTALLATION, INC.							
Company Nan	ne: SOUTHERN STAR CI	NTRAL GAS PL		Facility/Line: C60717						
	ect: DEEP WELL			State: KS						
Well Dep	oth: 300 FT				County:	SHERIDAN				
Diamet	er: 10 IN			-	Other-Driller:	TR				
Casii	ng: 20 FT OF 10 IN			Dri	Iling Method:	MUD				
Type of Back				Base Us	eable Water:	0				
Anode Ty	pe: 1 SET OF 20 ANOTE	CH 2684								
GF	S: N39.1686554, W100.2	3858643		TE	EST VOLTS:	11.54				
Remar	ks: 0									
	•									
	Drilling Log		<u> </u>	Electrical Log			Anode Log			
			BE	FORE BACK	FILL	AFTER BACKF			KFILL	
Depth:	Formation Type:	Material:	Volt	Anode	Anode #		Volt	Anode	Anode #	
				Depth				Depth		
255	SHALE	COKE			5					
260	SHALE	COKE	2.0							
265	SHALE	COKE			4					
270	SHALE	COKE	2.1							
275	SHALE	COKE			3					
280	SHALE	COKE	1.8							
285	SHALE	COKE			2					
290	SHALE	COKE	1.8							
295	SHALE	COKE			1					
300	SHALE	COKE	1.7							

