KOLAR Document ID: 1483514

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No.: |
|---|--|
| Name: | Spot Description: |
| Address 1: | SecTwpS. R |
| Address 2: | Feet from North / South Line of Section |
| City: State: Zip:+ | Feet from _ East / _ West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | □NE □NW □SE □SW |
| CONTRACTOR: License # | GPS Location: Lat:, Long: |
| Name: | (e.g. xx.xxxxx) (e.gxxx.xxxxxx) |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 |
| Purchaser: | County: |
| Designate Type of Completion: | Lease Name: Well #: |
| | Field Name: |
| New Well Re-Entry Workover | Producing Formation: |
| Oil SWD | Elevation: Ground: Kelly Bushing: |
| Gas DH EOR | Total Vertical Depth: Plug Back Total Depth: |
| ☐ OG ☐ GSW | |
| CM (Coal Bed Methane) | Amount of Surface Pipe Set and Cemented at: Feet |
| Cathodic Other (Core, Expl., etc.): | Multiple Stage Cementing Collar Used? Yes No |
| If Workover/Re-entry: Old Well Info as follows: | If yes, show depth set: Feet |
| Operator: | If Alternate II completion, cement circulated from: |
| Well Name: | feet depth to:w/sx cmt. |
| Original Comp. Date: Original Total Depth: | |
| ☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD | Drilling Fluid Management Plan |
| ☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer | (Data must be collected from the Reserve Pit) |
| | Chloride content:ppm Fluid volume:bbls |
| Commingled Permit #: | Dewatering method used: |
| Dual Completion Permit #: | Donatoring motilod dood: |
| SWD Permit #: | Location of fluid disposal if hauled offsite: |
| EOR Permit #: | Operator Name: |
| GSW Permit #: | Lease Name: License #: |
| | Quarter Sec TwpS. R East West |
| Spud Date or Date Reached TD Completion Date or Recompletion Date | County: Permit #: |
| | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY | | | | | | | | |
|---|--|--|--|--|--|--|--|--|
| Confidentiality Requested | | | | | | | | |
| Date: | | | | | | | | |
| Confidential Release Date: | | | | | | | | |
| Wireline Log Received Drill Stem Tests Received | | | | | | | | |
| Geologist Report / Mud Logs Received | | | | | | | | |
| UIC Distribution | | | | | | | | |
| ALT I II Approved by: Date: | | | | | | | | |

KOLAR Document ID: 1483514

Page Two

| Operator Name: | | | | Lease Name: | | Well #: | | | | | |
|---|---------------------|-----------------------|------------------------------|-----------------------|----------------------|------------------------|---|--|--|--|--|
| Sec Twp. | S. R. | Ea | st West | County: | | | | | | | |
| | lowing and shu | ıt-in pressures, w | hether shut-in pre | ssure reached st | atic level, hydrosta | tic pressures, bot | | val tested, time tool erature, fluid recovery, | | | |
| Final Radioactivity files must be subm | | | | | | iled to kcc-well-lo | gs@kcc.ks.gov | v. Digital electronic log | | | |
| Drill Stem Tests Ta | | | Yes No | | | on (Top), Depth ar | Sample | | | | |
| Samples Sent to G | eological Surv | ey | Yes No | Na | me | | Тор | Datum | | | |
| Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru | _ | | Yes No Yes No Yes No | | | | | | | | |
| | | Re | | | New Used | ion, etc. | | | | | |
| Purpose of Strin | | Hole | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | ADDITIONAL | CEMENTING / SO | QUEEZE RECORD | l | | | | | |
| Purpose: | | epth Ty Bottom | pe of Cement | # Sacks Used | | Percent Additives | | | | | |
| Protect Casii | | | | | | | | | | | |
| Plug Off Zon | | | | | | | | | | | |
| Did you perform a Does the volume o Was the hydraulic | of the total base f | luid of the hydraulic | fracturing treatment | _ | _ | No (If No, sk | ip questions 2 an ip question 3) out Page Three | , | | | |
| Date of first Producti Injection: | on/Injection or Re | esumed Production | / Producing Meth | nod: | Gas Lift 0 | Other <i>(Explain)</i> | | | | | |
| Estimated Production Per 24 Hours | on | Oil Bbls. | | | | | Gas-Oil Ratio | Gravity | | | |
| DISPOS | SITION OF GAS: | | N | METHOD OF COMP | LETION: | | | ON INTERVAL: | | | |
| | | | Open Hole | | | mmingled mit ACO-4) | Тор | Bottom | | | |
| , | Submit ACO-18.) | | | | | | | | | | |
| Shots Per Foot | Perforation Top | Perforation Bottom | Bridge Plug Type | Bridge Plug Set At | Acid, | Record | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| TUBING RECORD: | Size: | Set / | At: | Packer At: | | | | | | | |
| . 5513 1200 10. | 5120. | | ··· | . 30.0.71 | | | | | | | |

| Form | ACO1 - Well Completion |
|-----------|------------------------|
| Operator | Ensminger Energy LLC |
| Well Name | LARSON B-2 |
| Doc ID | 1483514 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|------------------|-------------------|-----|----------------------------------|
| Surface | 9.875 | 7 | 21 | 21 | portland | 6 | 0 |
| Production | 5.875 | 2.875 | 6.9 | 780 | portland | 100 | 0 |
| | | | | | | | |
| | | | | | | | |

002 N. Industrial Kd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Confete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, selter assumes no responsibility for deringes in any manner to addewalks, roadweys, driveways, buildings, interes, shrubbery, etc., which are at castomer's risk. The maximum abrided time for unloading trucks is 5 minutes per yard. A tharge will be made for holding trucks longer. This concrete contains connect extensive will be made for holding trucks only as the castomer's extensive the contents for stength or mix indicated. We do not assume responsibility for strength lies when water as added at customer's request.

Phone: (620) 365-5588

**NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the fling of a mechanics lien on the property which is the subject of this contract.

ENOME ENSMINGER ENERGY, L.L.C. 1446 3000 ST

harson - B-2

ENSMINGER ENERGY LLC

ELSMORE KS 66732

169E TO 59 @ MORAN, S 6 MI TO

IDAHO, E 2.5 MI TO 4600, S 1/4

| T | T | | | | | | | 14 | | | | | _ |
|----------------|--|---|--|---|--|--|---|---------------|---------------|-----------|---------------------|--------------|---------|
| QUANTITY | CONCRETE is a PERISHABLE COMMOTITY and BECOMES LEAVING the PLANT. AMY CHANGES OR CANCELLATIO TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay at costs, including reasor any sums creed. Associates not pad within 30 days of delivery will bear interested. As accounts not pad within 30 days of delivery will bear interested. As 50 shrikes Charge and Loss of the Cash Discount will be suppose to Charge and Loss of the Cash Discount will be cause Delay Time Charge and Loss of the Cash Discount will be cause Delay Time Charged @ \$50 HR. | | | | | CAUSE BURNS. Avoid Contact With Skin or Eyes, Flush | Contains Portland Cement. W | 7/25/19 WELL# | | 0:19 AM | | TIME | MUKHN |
| CODE | The Cash | All accounts not pad within 30 days of delivery will beer interest at the rate of 24%, per ennum. Not Responsible for Reactive Apprepate or Color Quality, No Claim Allowed Unitess Made at Time Material is Delivered. | The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed. | CONCRETE IS A PERISHABLE COMMODITY and BECOMES THE PROPERTY of the PURCHASER UPON CONCRETE IS A PERISHABLE COMMODITY and BECOMES THE PROPERTY OF THE PURCHASER OF CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE DEFORE LOADING STATES. The indeximal promises in row of meth invisions amounts. | | CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, It Inhabiton Pensists, Get Medical Contact With Skin or Eyes, Flush Thoroughly With Water, It Inhabiton Pensists, Get Medical Contact With Skin or Eyes, Flush Thoroughly With Water, It Inhabiton Pensists, Get Medical Contact With Skin or Eyes, Flush Thoroughly With Water, It Inhabiton Pensists, Get Medical Contact With Skin or Eyes, Flush Thoroughly With Water, It Inhabiton Pensists, Get Medical Contact With Skin or Eyes, Flush Thoroughly With Water, It Inhabiton Pensists, Get Medical Contact With Skin or Eyes, Flush Thoroughly With Water, It Inhabiton Pensists, Get Medical Contact With Skin or Eyes, Flush Thoroughly With Water, It Inhabiton Pensists, Get Medical Contact With Skin or Eyes, Flush Thoroughly With Water, It Inhabiton Pensists, Get Medical Contact Co | IRRITATING TO THE SKIN AND EYES Combains Portland Camert. Wear Rubber Boots and Gloves, PROCONGED CONTACT MAY | | o monder | WELL | | FORMULA | |
| DESCRIPTION | ed on all Returned Checks. | of 24% per ennum. Allowed Unioss Made at Time | neys' fees, incurred in collecting | WARNING IRRITATING TO THE SKIN AND EYES Contains Perduard Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact with Eyes and Prolonged Contact With Sinc. In Case of Contact With Sinc or Eyes, Flash Thoroughly With Water, It inflation Persists, Get Medical Attention. KEEP CHILDREN AWAY. CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURICHASER UPON LEARNING the PLANT. ANY CHANGES OR CANCELLATION of CHIGHNAL INSTRUCTIONS MUST be TREEPHONED to the OPPICE BEFORE LOADING STRANG. | | | 1 | LOAD # | 10.00 | PACE CITY | HOAD SIZE | KS 66755 | |
| | × | PROPERTY DAWAGE RELEASE [10 BE SIGNED FICTURERY YOUR MADE RISDIC CARB UNES) Dear Customer The other of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his book may be cause damage to the previous and/or appears to the previous the market in this load where you doses at a fix our wish to help you in every way that we can, but in order to do this to way that the previous and/or appears RELEASE releving him in the previous and/or appears the previous and/or advantage that may occur to the previous and/or advantage to the previous control the wid not that the public street Further, as additional consideration, the undesired appears to help them removes must from the washed to be supplied for any and all disamples to the previous form, the undesired appears to referrely and hold immitted the direct of this track and dhe supplied for any and all disamples to the previous and of the struck and dhe supplied for any and all disamples to the previous and of delivery of this croter. | | | | | | | YARDS DEL. | 10.00 | ואחסט טחטבחבט | YARDS OFFICE | 755 |
| | | of this truck and this supplies for any text all disappea to the permisses singler adjacent property which may be claimed by anyone to have arisin out of delivery of this order. | also agree to help lim remove much from the wheels of his vehicle so that he will not litter the public street, further, as additional consideration, the understand agrees to indentify and hext humans the Anamator. | the supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sodewalls, dineways, curbs, etc., by the delivery of this material, and that you | our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and | you we you segment to the opinion mat the size and weight of his truck may possibly cause damage to the premises and/or edjacent property if it places the material in this load where you desire it is | PROPERTY DAMAGE RELEASE TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Customer-The driver of this truck in presenting this RELEASE to | 8 | BATCH# | | | | MI W SD |
| + | × am- | NOTICE AND SUPPLIER WILL WHEN DELIVERING INSIDE CUR LOAD RECEIVED BY: | NOTICE MY SIGNATURE BELO | | WEIGHMASTER | GAL X | Excessive Water H ₂ 0 Add | 0.00 4 | WATER TRIM | 34 | J S | | SD |
| UNIT PRICE | lina | | | | | | e Water is Detrimental to Concrete Performance H ₂ 0 Added By Request/Authorized By | 00 in | SLUMP | | 1 | A 0.50 | |
| EXTENDED PRICE | ' | NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED | Son the residue months. | | | | rete Performance ized By | 46472 | TICKET NUMBER | ALLCO | PLANT/TRANSACTION # | | |

RETURNED TO PLANT

LEFT JOB

FINISH UNILOADING

DELAY EXPLANATION/CYLINDER TEST TAKEN

1. JOB NOT READY
2. SLOW POURO READY
7. ACCORDENT
7. DOCUMENT
8. OTHER
1. JOB NOT READY
8. THICK BROKE DOWN
9. OTHER
1. JOB NOT READY
1. JOB

0000

TRUCKING MIX&HAUL

TRUCKING CHARGE MIXING AND HAULING

10.00

2500

105.8

75000

10.00

WELL (10 SACKS PER UNIT)

INDER TEST TAKEN TIME ALLOWED

6. TRUCK BROVE DOWN
7. ACCIDENT
8. CITATION
9. OTHER
TIME DUE

X 7.75

188.6

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

DELAY TIME

GRAND TOTAL >