For KCC	Use:
Effective	Date:
District #	<u> </u>
SGA?	Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

month day year	Spot Description:
DPERATOR: License#	
lame:	feet from E / W Line of Secti
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
ity: State: Zip: +	County:
ontact Person:hone:	Lease Name: Well #:
	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OMMAND, and well information as follows:	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location: CC DKT #:	(Note: Apply for Permit with DWR)
00 DICT #.	Will Cores be taken?
AF	If Yes, proposed zone:
he undersigned hereby affirms that the drilling, completion and eventual plu	ugging of this well will comply with K.S.A. 55 et. seq.
is agreed that the following minimum requirements will be met:	
	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a submitted Electronically For KCC Use ONLY API # 15	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be about the completed within 30 days of the spud date or the well shall be about the complete of the complete of the spud date or the well shall be about the complete of the complete of the complete of the spud date or the well shall be about the complete of the comp	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

1980' FSL

Side Two

For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🔲 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:				
Emergency Pit Burn Pit	Proposed Existing		SecTwp R	
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section	
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	m ground level to dee	pest point:	(feet) No Pit	
		• ,	cluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of inform	west fresh water feet. nation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Number:			t Date: Lease Inspection:	

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Eathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank	lic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface own	eknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling to form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission

WELL PLUGGING RECORD

		fford	County	'. Sec. IS	Twp. Twp. Rge	<u>11</u> (*) <u>W</u> (\mathbf{w})
NORTH		VE/CNW#SW#	or footage from	n lines N	W NE NW		
		Duke Dr FATR		ompany		Т	
		Box 823		Bend. K	ansas	_ Well No	
		Well (completed	•				
1	Date well con	npleted Oct	⊚ber 5			196	<u>5</u>
		r plugging filed		5		196	
	Application fo	r plugging appro menced Oct	oved			196 19 6	
		pleted Oct				196	
		andonment of w		formation			
				-			
Locate well correctly on above Section Plat	Was permission menced?		m the Conserva	tion Division	or its agents bef	fore plugging was c	om-
Name of Conservation Agent who sup			. Archie	Elving			
Producing formation		Depth to top	Bottom		Total Depth of	Well 3416 I	Feet
Show depth and thickness of all wate					_		
OIL, GAS OR WATER RECOR	EDS .					CASING RECORD	5
FORMATION	CONTENT	FROM	то	SIZE	PUT IN	PULLED DUT	
<u></u>		 					
	18-17-0F-78-78-88-88-88-98-98-18-18-18-18-18-18-18-18-18-18-18-18-18						
. 5			_				
		out-					
Filled hole with h	<u> </u>						
Filled hole with h 25 sacks cement Filled hole with m 2 sacks cement in	ud to 40°						
25 sacks cement Filled hole with m	ud to 40°						
25 sacks cement Filled hole with m	ud to 40°						
25 sacks cement Filled hole with m	ud to 40°			k hulls	and 10 s		
25 sacks cement Filled hole with m	ud to 40°				and 10 s		
25 sacks cement Filled hole with m	ud to 40°			ek hulls	and 10 s		
25 sacks cement Filled hole with m	ud to 40°			ek hulls	and 10 s		
25 sacks cement Filled hole with m	ud to 40°			k hulls	and 10 s		
25 sacks cement Filled hole with m	ud to 40°			k hulls	and 10 s		
25 sacks cement Filled hole with m	rat hole.		1/2 sac	k hulls	and 10 s		
25 sacks cement Filled hole with m 2 sacks cement in Name of Plugging Contractor	rat hole.	set plug	1/2 sac	k hulls	and 10 s		
25 sacks cement Filled hole with m 2 sacks cement in	rat hole.	set plug	1/2 sac	k hulls	and 10 s		
25 sacks cement Filled hole with m 2 sacks cement in Name of Plugging Contractor Address	rat hole.	set plug,	1/2 sac	k hulls	and 10 s		
25 sacks cement Filled hole with m 2 sacks cement in Name of Plugging Contractor Address STATE OF KANSAS	rat hole.	set plug, al description is nec	1/2 sac	of this sheet)	and 10 s	sacks cemen	ıt.
25 sacks cement Filled hole with m 2 sacks cement in Name of Plugging Contractor Address TATE OF KANSAS L. O. Chubb	rat hole. (If addition, CO	al description is nec	1/2 sac	of this sheet)	and 10 s	of the above-descr	ite
25 sacks cement Filled hole with m 2 sacks cement in Name of Plugging Contractor Address STATE OF KANSAS L. O. Chubb well, being first duly sworn on oath,	rat hole. (If addition, CO, says: That I have k	al description is nec	1/2 sac	of this sheet)	and 10 s	of the above-descr	ite
25 sacks cement Filled hole with m 2 sacks cement in Name of Plugging Contractor Address STATE OF KANSAS	rat hole. (If addition, CO, says: That I have k	al description is nec	1/2 sac	of this sheet)	and 10 s	of the above-descr	ibed
25 sacks cement Filled hole with m 2 sacks cement in Name of Plugging Contractor Address STATE OF KANSAS L. O. Chubb well, being first duly sworn on oath,	rat hole. (If addition, CO, says: That I have k	al description is need UNTY OF mowledge of the and correct. So (Signature)	Dessary, use BACK BARTON (employee of one facts, statement help me God.)	of this sheet)	and 10 s	of the above-descrined and the log of	ite
25 sacks cement Filled hole with m 2 sacks cement in Name of Plugging Contractor Address STATE OF KANSAS L. O. Chubb well, being first duly sworn on oath,	rat hole. (If addition, CO, says: That I have k	al description is need UNTY OF mowledge of the and correct. So (Signature)	Dessary, use BACK BARTON (employee of one facts, statement help me God.)	of this sheet)	and 10 s	of the above-descrined and the log of	ite
25 sacks cement Filled hole with m 2 sacks cement in Name of Plugging Contractor Address STATE OF KANSAS L. O. Chubb well, being first duly sworn on oath,	(If addition, CO, says: That I have kat the same are true a	al description is need UNTY OF mowledge of the and correct. So (Signature)	Dessary, use BACK BARTON (employee of one facts, statement help me God. Box 823.	of this sheet)	and 10 s	of the above-descrined and the log of	ibed
25 sacks cement Filled hole with m 2 sacks cement in Name of Plugging Contractor Address STATE OF KANSAS L. O. Chubb well, being first duly sworn on oath, above-described well as filed and the	(If addition, CO, says: That I have kat the same are true a	al description is nec	Dessary, use BACK BARTON (employee of one facts, statement help me God. Box 823.	of this sheet) where or (see this sheet) Great	and 10 s	of the above-descrined and the log of	ite

WELL LOG

DATE DATE		MALCIL MPLCIL		Duke Drilling Co "PAIR //I" NW NE NW Section 15-21-11	. .
				Stafford County,	W
0	20%	1759	Surface Sand & Clay, Sand	aperrora pointel's	
and alter additi		475	Shale, Red Bed		
		500	ANHYDRITE		
		1300*	Shale Shells	ELEVATION: 1752	X * T
		1655	Shale & Lime	tion also see a 40 m also also sold to 100 miles (1 miles also also also also also also also als	2% 9 1/2
1655	26/0	20651	Lime & Shale		
2065	SEC.	2645	Shale	YORNATION D	ATA
2645	2002	2931	Line		
2931	serv	2936	Shale	Anhydrite	475
		2948	Shale Line	Keebner	2901
		2960°	Line	Lansing	3077
		3061	Shale	Conglowerate	3334
		3077*	Lime - Shale	Arbuelle	3371
3077	920	3334 7	Line		3416

SURFACE CASING: Set 282* of 8-5/8" casing with 225 sacks cement.

AFFIDAYII

STATE OF KANSAS COUNTY OF BARTON | 88.

Conglowerate

Dolomite

3334 - 3371*

3371 - 34161

L. O. Chubb of lawful age, does swear that the facts and statements herein contained are true and correct to the best of his knowledge.

L O Chuish

52.500

Subscribed and sworn to before me this oth day of October, 1965.

MY COMM. EXPIRES: June 24, 1967

Clair E. Stimson-NOTARY PUBLIC

OCT 7 1965

MEDERAL CONTROL

COVSERVABOR CARBON Wichits, Konsas

For KCC Usa	ONLY
API # 15	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

in all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Smith, Richard E. dba Smith Oil OPerations	Location of Well: County: STAFFORD
Lease: FAR-SLEEPER TRUST	366 Leet from X N / S Line of Section
Well Number: #/ OWWO	Sec 15 Two 21 S. R. 11 E X W Line of Section
Fleid: SNIDER SOUTH	Sec. 15 Twp. 21 S. R. 11 E X W
Number of Acres attributable to well: 320 OTR/OTR/QTR/OTR of acreage: W2	is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lesse roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2002). You may attach a separate plat if desired.




NOTE: in all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- The distance to the nearest lease or unit boundary line (In footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).
- The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

SMITH OIL OPERATIONS FAIR LEASE NW. 1/4, SECTION 15, T215, R11W STAFFORD COUNTY, KANSAS



Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

*Ingress plat is opened t

October 30, 2019

Approximate section lines were determined using the normal standard of care of allfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Biltield Services. Inc. its officers and employees harmless from all losses, costs and expenses and said entities released from any liability Elevations derived from National Geodetic Vertical Datum.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 346-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Dwight D. Keen, Chair Shari Feist Albrecht, Commissioner Susan K. Duffy, Commissioner

December 04, 2019

DALE R. OHL Smith, Richard E. dba Smith Oil Operations 410 N. ADAMS PO BOX 550 HUTCHINSON, KS 67504-0550

Re: Drilling Pit Application
FAIR SLEEPER TRUST 1 OWWO
NW/4 Sec.15-21S-11W
Stafford County, Kansas

Dear DALE R. OHL:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be heavily lined with bentonite, constructed without slots, the bottom shall be flat and reasonably level and no deeper than 2 feet. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.