KOLAR Document ID: 1485176

Confident	tiality Re	equested:
Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Name:	
Address 2:	
City: State: Zip: +	West
Contact Person:	of Section
Phone:	of Section
CONTRACTOR: License # GPS Location: Lat:, Long:	
Name:	
Name: Wellsite Geologist: Purchaser: Designate Type of Completion: New Well Re-Entry Wellsite Geologist: Designate Type of Completion: New Well Re-Entry Wellsite Geologist: New Well Re-Entry Werkover Oil WSW SWD Gas DH EOR OG GSW Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows:	
Wellsite Geologist: Purchaser: Designate Type of Completion: New Well Re-Entry Oil WSW Gas DH EOR OG GSW CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry:	(XXX)
Purchaser:	
Designate Type of Completion: New Well Re-Entry Oil WSW SWD Gas DH EOR OG GSW CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows: Field Name:	
New Well Re-Entry Oil WSW Gas DH GG GSW OG GSW CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows:	
Oil WSW SWD Gas DH EOR OG GSW CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows: Herein as follows:	
Gas DH EOR OG GSW CM (Coal Bed Methane) Total Vertical Depth: Plug Back Total Depth: Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows:	
OG GSW CM (Coal Bed Methane) Amount of Surface Pipe Set and Cemented at: Cathodic Other (Core, Expl., etc.): Multiple Stage Cementing Collar Used? Yes No If Workover/Re-entry: Old Well Info as follows:	
Cathodic Other (Core, Expl., etc.): Multiple Stage Cementing Collar Used? Yes No If Workover/Re-entry: Old Well Info as follows: If yes, show depth set:	
If Workover/Re-entry: Old Well Info as follows:	Feet
Operator: If Alternate II completion, cement circulated from:	Feet
Well Name:	_ sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD Drilling Fluid Management Plan	
Plug Back Liner Conv. to GSW Conv. to Producer (Data must be collected from the Reserve Pit)	
Chloride content: ppm Fluid volume:	bbls
Commingled Permit #: Dual Completion Permit #: Dewatering method used:	
SWD Permit #: Location of fluid disposal if hauled offsite:	
EOR Permit #: Eocation of haid disposal in hadred offend.	
GSW Permit #: Operator Name:	
Lease Name: License #:	
Spud Date or Date Reached TD Completion Date or Quarter Sec TwpS. R Ea	t 🗌 West
Recompletion Date Recompletion Date County: Permit #:	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

KOLAR Document ID: 1485176

Operator Name:	Lease Name: Well #:
Sec TwpS. R East _ West	County:

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	eets)	Y	es 🗌 No			og Formatio	n (Top), Depth	and Datum	Sample
Samples Sent to Geolog	*		és 🗌 No	Ν	lame	e		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:			ies No ies No ies No						
		Repo	CASING I] Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled		ze Casing tt (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Туре	e of Cement	# Sacks Used	k		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
 Did you perform a hydra Does the volume of the is Was the hydraulic fractu Date of first Production/Inj 	total base fluid of the h ring treatment informa	nydraulic fra tion submit	acturing treatment	al disclosure regis	-	Yes ns? Yes Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Injection:			Flowing	Pumping		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITION	I OF GAS:		M	ETHOD OF COM	IPLE	TION:			ON INTERVAL:
Vented Sold (If vented, Subm	Used on Lease		Open Hole		-		mingled	Тор	Bottom
	oration Perfora Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeeze	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	McFadden, Jack W. dba McFadden Oil Co.
Well Name	BLOHM 2AO
Doc ID	1485176

Casing

	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	12	20	portland	3	na
Production	6.125	2.875	4.7	859	PORTLAN D	110	na

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

Phone: (620) 365-5588 NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract on result in the filing of a mechanic's lien on the property which is the subject of this contract.

BLOHM LEASE WELL#2A0

AØ SHIPTO

*	MCØØZ		
a:	JACK	MCFF	DDEN
	P. O.	BOX	394

N TO TEXAS RD 3/4MI NSD BEFORE 1200ST

% Air

IOLA

KS 66749

TIME							
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		J DRIVER/TRUCK		PLANT/TRANSACTION
:09 PM I		11.00	11.20		34	-14 	for his has been had
pi pi	D NUMBER						
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
7/9/19		1	11.00		U. UN 4,	121121 1 11	46.000
					A second second second	and the second	
· Alifanga kan berjua	WARNING			AGE RELEASE		is Detrimental to Cond	
IRRITAT	ING TO THE SKIN AI Wear Rubber Boots and Gloves. PR	ND EYES	Dear Customer-The driver of this	O BE MADE INSIDE CURB LINE) ruck in presenting this RELEASE to		Ided By Request/Author	
CAUSE BURNS. Avoid Col	ntact With Eyes and Prolonged Co	intact With Skin. In Case of	truck may possibly cause damage	nion that the size and weight of his to the premises and/or adjacent this load where you desire it. It is	GAL X	(
Contact With Skin or Eyes, Attention. KEEP CHILDREN	, Flush Thoroughly With Water, If In AWAY.	ritation Persists, Get Medical	our wish to help you in every way	this load where you desire it. It is that we can, but in order to do this gn this RELEASE relieving him and	WEIGHMASTER		
CONCRETE is a PERISHABLE	COMMODITY and BECOMES the PROPI	ERTY of the PURCHASER UPON	this supplier from any responsibility to the premises and/or adjace	from any damage that may occur of property buildings, sidewalks,		1	
LEAVING the PLANT. ANY CH TELEPHONED to the OFFICE I	HANGES OR CANCELLATION of ORIGI BEFORE LOADING STARTS.	INAL INSTRUCTIONS MUST be	driveways, curbs, etc., by the de also agree to help him remove mi	very of this material, and that you d from the wheels of his vehicle so			
The undersigned promises to any sums owed.	pay all costs, including reasonable attorn	neys' fees, incurred in collecting	that he will not litter the public str tion, the undersigned agrees to inc	et. Further, as additional considera- emnify and hold harmless the driver	NOTICE: MY SIGNATURE BEI	OW INDICATES THAT I HAVE	READ THE HEALTH WARNIN
	lays of delivery will bear interest at the rate		and/or adjacent property which n	ny and all damage to the premises ay be claimed by anyone to have	WHEN DELIVERING INSIDE C	JRB LINE.	FOR ANY DAMAGE CAUSE
Material is Delivered.	Aggregate or Color Quality. No Claim		arisin out of delivery of this order SIGNED		LOAD RECEIVED BY:	and the second	
A \$30 Service Charge and Lo Excess Delay Time Charged @ 9	oss of the Cash Discount will be collect	ed on all Returned Checks.	X		X /		
QUANTITY	CODE	DESCRIPTION			1	UNIT PRICE	EXTENDED PRICE
P	CODE	DESCRIPTION	ACKS PER U	-2 -de 3 -2	1.00	UNIT PRICE	EXTENDED PRICE
L.ØØ ,		DESCRIPTION	ACKS PER U HAULING	1	1.00	UNIT PRICE	EXTENDED PRICE
1.00 1.00	WELL MIX&HAUL	WELL (10 SI MIXING AND	ACKS PER U HAULING HARGE	1		UNIT PRICE	EXTENDED PRICE
1.00 1.00	WELL MIX&HAUL	WELL (10 SI MIXING AND		1	1.00	UNIT PRICE	EXTENDED PRICE
1.00 L 1.00 L	WELL UMIX&HAUL U	WELL (10 SI MIXING AND		1	1.00	UNIT PRICE	EXTENDED PRICE
1.00	WELL UMIX&HAUL U	WELL (10 SI MIXING AND		1	1.00	UNIT PRICE	6825.00 1275.00
1.00 1.00	WELL UMIX&HAUL U	WELL (10 SI MIXING AND		1	1.00	UNIT PRICE	* 75.00 * 75.00
1.00 1.00 1.25	WELL UMIX&HAUL U	WELL (10 SI MIXING AND		1	1.00	1	EXTENDED PRICE
1.00 1.00 1.25	WELL I MIX&HAUL I TRUCKING	WELL (10 SI MIXING AND TRUCKING C	HARGE DELAY EXPLANATION/C	1 1 YLINDER TEST TAKEN	1.00 .50	UNIT PRICE	* \$25.00 * 275.00 * 75.00
1.00 1.00 1.25	WELL I MIX&HAUL I TRUCKING	WELL (10 SI MIXING AND TRUCKING C	HARGE DELAY EXPLANATION/C 1. JOB NOT READY 2. SLOW POUR OR PUMP	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.00 .50	7.75	\$75.00 7275.00 775.00
1.00 1.00 1.25	WELL I MIX&HAUL I TRUCKING	WELL (10 SI MIXING AND TRUCKING C	DELAY EXPLANATION/C 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.00 .50	7.75	EXTENDED PRICE \$ \$ 2.5.00 \$ 7.5.00 \$ 7.5.00 \$ 7.5.00
1.00 1.00 1.25 ETURNED TO PLANT 3:36	LEFT JOB	MELL (10 SI MIXING AND TRUCKING CI	DELAY EXPLANATION/C 1. JOB NOT READY 2. SLOW POUR OR POWP 3. TRUCK AREAD ON JOB	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.00 .50	7.75	\$75.00 7275.00 775.00
1.00 1.00 1.25 ETURNED TO PLANT 3:36	LEFT JOB	MELL (10 SI MIXING AND TRUCKING CI	DELAY EXPLANATION/C 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.00 .50	7.75	\$ 91.06
1.00 1.00 1.25 I.25 RETURNED TO PLANT 3:36	LEFT JOB	MELL (10 SI MIXING AND TRUCKING CI	DELAY EXPLANATION/C 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.00 .50	7 . 75 Additional charge	\$ 91.06
1.00 1.00 1.25 I.25 I.25 I.25 IETURNED TO PLANT 3.36 LEFT PLANT 2.26	LEFT JOB ARRIVED JOB 2:40	FINISH UNLOADING	DELAY EXPLANATION/C 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.00 .50 TIME ALLOWED TIME DUE	7.75	\$ 91.06

Shale 102- 507 Shale 807 - 800 809 Top Sand food Ode-812 809-Fair Show Broker Sand/Shake 817 SIZ ~ Excellet Show / Blead 817 -822 Exell A Show / Blead 827 822. Shale 5 827 ~

240 Blohm

865 FD

20FT Sulfin 018 Long Strip 31587 21/3/19

GRAND TOTAL