CORRECTION #1

KOLAR Document ID: 1490179

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month	day	year	Spot Description:	
	monui	uay	year	Sec Twp S. F	R 🔲 E 🔲 V
OPERATOR: License#				feet from N /	S Line of Section
lame:				feet from E / [W Line of Section
ddress 1:				Is SECTION: Regular Irregular?	
ddress 2:				(Note: Locate well on the Section Plat on rever	rse side)
ity:	State:	Zip:	+	County:	00 0100)
ontact Person:				Lease Name:	\\\all #·
hone:				Field Name:	vveii #
ONTRACTOR: License#				Is this a Prorated / Spaced Field?	Yes No
ame:				Target Formation(s):	iesivc
				Nearest Lease or unit boundary line (in footage):	
Well Drilled For:	Well Class:	Туре	Equipment:	Ground Surface Elevation:	
Oil Enh F	Rec Infield		Mud Rotary		
Gas Stora	ge Pool Ex	ct.	Air Rotary	Water well within one-quarter mile:	Yes N
Dispo	osal Wildcat	:	Cable	Public water supply well within one mile:	Yes N
Seismic ; # o	of Holes Other			Depth to bottom of fresh water:	
Other:				Depth to bottom of usable water:	
If OWWO: old well	information as follow	we.		Surface Pipe by Alternate: II	
II OVVVO. old Well	illioithation as lollov	NS.		Length of Surface Pipe Planned to be set:	
Operator:				Length of Conductor Pipe (if any):	
Well Name:				Projected Total Depth:	
Original Completion Da	ate: C	riginal Total	Depth:		
				Water Source for Drilling Operations:	
irectional, Deviated or Ho			Yes No	Well Farm Pond Other:	
Yes, true vertical depth: _				BVVC1 Offinic #:	
ottom Hole Location:				(Note: Apply for Fernit War Evill	
CC DKT #:				Will Cores be taken?	Yes N
				If Yes, proposed zone:	
			AF	FIDAVIT	
he undersigned hereby	affirms that the dril	llina, comple		ugging of this well will comply with K.S.A. 55 et. seg.	
				agging of the non-time comply that raises a so on soq.	
,	/IIIQ IIIIIIIIIIIIIII TECIC				
is agreed that the follow			ding of woll:		
is agreed that the follow 1. Notify the appropris	ate district office p			h. alaillia ar ai ar	
 is agreed that the follow Notify the appropria A copy of the approx 	ate district office <i>pr</i> oved notice of inten	nt to drill sha	all be posted on each		all ba sat
t is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo	ate district office pi oved notice of inten- ount of surface pipe	nt to drill sha as specified	all be posted on each d below shall be set	t by circulating cement to the top; in all cases surface pipe sha	all be set
 is agreed that the follow Notify the appropriation A copy of the appropriation The minimum amount through all unconstitution 	ate district office pi oved notice of inten unt of surface pipe olidated materials p	nt to drill sha as specified plus a minim	all be posted on each d below shall be set num of 20 feet into th	t by circulating cement to the top; in all cases surface pipe sha ne underlying formation.	
 is agreed that the follow Notify the appropria A copy of the appropria The minimum amonthrough all unconse If the well is dry ho 	ate district office pi oved notice of inten unt of surface pipe olidated materials pile, an agreement b	nt to drill sha as specified plus a minim between the	all be posted on each d below shall be set num of 20 feet into th operator and the dis	t by circulating cement to the top; in all cases surface pipe sha	
 is agreed that the follow Notify the appropriate A copy of the appropriate The minimum among through all unconse If the well is dry ho The appropriate distribution 	ate district office pi oved notice of inten- ount of surface pipe olidated materials pile, an agreement b strict office will be r	nt to drill sha as specified plus a minimpetween the notified befo	all be posted on each display be set on the set of the	t by circulating cement to the top; in all cases surface pipe sha ne underlying formation. Strict office on plug length and placement is necessary prior to	o plugging;
 is agreed that the follow Notify the appropria A copy of the appropria The minimum among through all unconstant of the well is dry ho The appropriate dis If an ALTERNATE of the pursuant to Appropriate to Appropriate of the pursuant to Appropriate of the Appropriate of the pursuant to Appropria	ate district office pi oved notice of inten- unt of surface pipe olidated materials pole, an agreement b strict office will be r II COMPLETION, poendix "B" - Eastern	nt to drill sha as specified plus a minim between the notified befo production p in Kansas su	all be posted on each dependent on the posted on a second of 20 feet into the operator and the dispression will be cemented in the companion of 20 feet into the operator and the dispression of the plugging shall be cemented in face casing order #	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS or 133,891-C, which applies to the KCC District 3 area, alternated	o plugging; f spud date. e II cementing
 is agreed that the follow Notify the appropria A copy of the appropria The minimum among through all unconstant of the well is dry ho The appropriate dis If an ALTERNATE of the pursuant to Appropriate to Appropriate of the pursuant to Appropriate of the pursuant	ate district office pi oved notice of inten- unt of surface pipe olidated materials pole, an agreement b strict office will be r II COMPLETION, poendix "B" - Eastern	nt to drill sha as specified plus a minim between the notified befo production p in Kansas su	all be posted on each dependent on the posted on a second of 20 feet into the operator and the dispression will be cemented in the companion of 20 feet into the operator and the dispression of the plugging shall be cemented in face casing order #	t by circulating cement to the top; in all cases surface pipe sha be underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS or	o plugging; f spud date. e II cementing
 is agreed that the follow Notify the appropria A copy of the appropria The minimum among through all unconstant of the well is dry ho The appropriate dis If an ALTERNATE of the pursuant to Appropriate to Appropriate of the pursuant to Appropriate of the pursuant	ate district office pi oved notice of inten- unt of surface pipe olidated materials pole, an agreement b strict office will be r II COMPLETION, poendix "B" - Eastern	nt to drill sha as specified plus a minim between the notified befo production p in Kansas su	all be posted on each dependent on the posted on a second of 20 feet into the operator and the dispression will be cemented in the companion of 20 feet into the operator and the dispression of the plugging shall be cemented in face casing order #	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS or 133,891-C, which applies to the KCC District 3 area, alternated	o plugging; f spud date. e II cementing
is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate dis must be completed	ate district office pi oved notice of inten- ount of surface pipe olidated materials pile, an agreement b strict office will be r II COMPLETION, pilendix "B" - Eastern d within 30 days of the	nt to drill sha as specified plus a minim between the notified befo production p in Kansas su	all be posted on each dependent on the posted on a second of 20 feet into the operator and the dispression will be cemented in the companion of 20 feet into the operator and the dispression of the plugging shall be cemented in face casing order #	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS or 133,891-C, which applies to the KCC District 3 area, alternated	o plugging; f spud date. e II cementing
is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate dis must be completed	ate district office pi oved notice of inten- ount of surface pipe olidated materials pile, an agreement b strict office will be r II COMPLETION, pilendix "B" - Eastern d within 30 days of the	nt to drill sha as specified plus a minim between the notified befo production p in Kansas su	all be posted on each dependent on the posted on a second of 20 feet into the operator and the dispression will be cemented in the companion of 20 feet into the operator and the dispression of the plugging shall be cemented in face casing order #	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS or 133,891-C, which applies to the KCC District 3 area, alternated	o plugging; f spud date. e II cementing
is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate to a completed ubmitted Electron	ate district office pi oved notice of inten- ount of surface pipe olidated materials pile, an agreement b strict office will be r II COMPLETION, pilendix "B" - Eastern d within 30 days of the	nt to drill sha as specified plus a minim between the notified befo production p in Kansas su	all be posted on each dependent on the posted on a second of 20 feet into the operator and the dispression will be cemented in the companion of 20 feet into the operator and the dispression of the plugging shall be cemented in face casing order #	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS or 133,891-C, which applies to the KCC District 3 area, alternated	o plugging; f spud date. e II cementing
is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate to a completed ubmitted Electron	ate district office pi oved notice of inten- ount of surface pipe olidated materials pile, an agreement b strict office will be r II COMPLETION, pilendix "B" - Eastern d within 30 days of the	nt to drill sha as specified plus a minim between the notified befo production p in Kansas su	all be posted on each dependent on the posted on a second of 20 feet into the operator and the dispression will be cemented in the companion of 20 feet into the operator and the dispression of the plugging shall be cemented in face casing order #	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS or 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any or	o plugging; If spud date. If cementing cementing.
1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate dis with the completed Ubmitted Electron For KCC Use ONLY	ate district office pi oved notice of inten- ount of surface pipe olidated materials pile, an agreement b strict office will be r II COMPLETION, pilendix "B" - Eastern d within 30 days of the	nt to drill sha as specified plus a minim between the notified befo production p in Kansas su the spud dar	all be posted on each dependent on the posted on a second of 20 feet into the operator and the dispression will be cemented in the companion of 20 feet into the operator and the dispression of the plugging shall be cemented in face casing order #	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS or 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any or Remember to:	o plugging; If spud date. If cementing cementing.
is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate to Complete the complete of	ate district office proved notice of intended notice of intended notice pipe olidated materials pole, an agreement be strict office will be reflected with the provided within 30 days of the nically	nt to drill sha as specified plus a minim between the notified befo production p in Kansas su the spud da	all be posted on each dependence of 20 feet into the operator and the dispression of 20 feet into the operator and the dispression of 20 feet into the operator and the dispression of 20 feet into the operator and the operator of 20 feet into the op	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS or 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any or Remember to: - File Certification of Compliance with the Kansas Surface Ow Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	o plugging; f spud date. e II cementing cementing.
is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amosthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate to the completed of the complete of the co	ate district office proved notice of intension of surface pipe olidated materials pole, an agreement be strict office will be result of the completion, pendix "B" - Eastern of within 30 days of the completion o	nt to drill sha as specified plus a minim between the notified befo production p in Kansas su the spud dat	all be posted on each delow shall be set num of 20 feet into the operator and the dispression of the set well is either pluggipe shall be cemented afface casing order # te or the well shall be set of the well shall be set	t by circulating cement to the top; in all cases surface pipe share underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS or 133,891-C, which applies to the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any or Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	o plugging; f spud date. e II cementing cementing.
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate to the completed of the completed of the completed of the completed of the complete of the complete of the completed of the complete of the com	ate district office proved notice of intension of surface pipe olidated materials pole, an agreement be strict office will be result of the completion, pendix "B" - Eastern of within 30 days of the completion o	nt to drill sha as specified plus a minim between the notified befo production p in Kansas su the spud dat	all be posted on each delow shall be set num of 20 feet into the operator and the dispression of the set well is either pluggipe shall be cemented afface casing order # te or the well shall be set of the well shall be set	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS or 133,891-C, which applies to the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any or Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orde	o plugging; f spud date. e II cementing cementing. vner Notification
is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate to the completed of the complete of the com	ate district office proved notice of intended notice of intended notice of intended notice pipe olidated materials pole, an agreement be strict office will be result of the completion, poendix "B" - Eastern of within 30 days of the completion of	nt to drill sha as specified plus a minim between the notified befo production p n Kansas su the spud dat	all be posted on each dependent of 20 feet into the operator and the dispression of 20 feet into the operator and the dispression of 20 feet into the operator and the dispression of 20 feet into the operator and the pluggipe shall be cemented frace casing order # attention of the order of the well shall be operated by the operator of the operator o	t by circulating cement to the top; in all cases surface pipe shall be underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS or 133,891-C, which applies to the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any or Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orde Notify appropriate district office 48 hours prior to workover or	o plugging; f spud date. e II cementing cementing. vner Notification
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate to Compute the Computed Section 1.	ate district office proved notice of intendent of surface pipe olidated materials pole, an agreement be strict office will be result of the complete of the co	nt to drill sha as specified plus a minim between the notified befo production p n Kansas su the spud dat	all be posted on each dependent of 20 feet into the operator and the dispression of 20 feet into the operator and the dispression of 20 feet into the operator and the dispression of 20 feet into the operator and the pluggipe shall be cemented frace casing order # attention of the order of the well shall be operated by the operator of the operator o	t by circulating cement to the top; in all cases surface pipe shall be underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS or 133,891-C, which applies to the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any or Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orde Notify appropriate district office 48 hours prior to workover or Submit plugging report (CP-4) after plugging is completed (March 1997).	o plugging; f spud date. e II cementing cementing. vner Notification vrs; or re-entry; within 60 days);
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Approved by: Conductor pipe required Minimum surface pipe received Approved by:	ate district office proved notice of intended notice of intended notice of intended notice pipe olidated materials pole, an agreement be strict office will be reflected in the provention of th	nt to drill sha as specified plus a minim between the notified befo production p n Kansas su the spud dat	all be posted on each delow shall be set num of 20 feet into the operator and the dispression of 20 feet into the operator and the dispression of 20 feet into the operator and the dispression of 20 feet well is either pluggipe shall be cemented afface casing order # attempted to the well shall be set or the well shall be set of the well shall b	t by circulating cement to the top; in all cases surface pipe shall be underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS or 133,891-C, which applies to the KCC District 3 area, alternate are plugged. In all cases, NOTIFY district office prior to any or Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orde Notify appropriate district office 48 hours prior to workover or	o plugging; f spud date. e II cementing cementing. vner Notification vrs; or re-entry; within 60 days); ter.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

KOLAR Document ID: 1490179



For KCC Use ONLY	
API # 15	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

920 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

KOLAR Document ID: 1490179

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		SecTwpR East West	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
(ii wi Supply Al Fivo. of feat Dillied)		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.	
Distance to nearest water well within one-mile of pit: Depth to shallor Source of inform		lowest fresh water feet. prmation:		
feet Depth of water wellfeet measured		well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Drilling, Worko		over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	ial utilized in drilling/workover:	
Number of producing wells on lease:		Number of worl	f working pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must b		t be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection:	

CORRECTION #1

KOLAR Document ID: 1490179

Kansas Corporation Commission Oil & Gas Conservation Division Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East _ West
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be loc	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this ad email address.
KCC will be required to send this information to the surface own	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	
Submitted Electronically	

JEL RESOURCES, LLC LYDA RUTTI LEASE SE. 1/4, SECTION 8, T225, R13W STAFFORD COUNTY, KANSAS



^{*}Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

location as shown on thi and may not be legally Contact landowner, department for access.

*Ingress
plat is
opened f
tenant o

January 21, 2020

^{*}Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Diffield Services. Inc. its officers and employees harmless from all lasses, casts and expenses and said entities released from any liability from incidental or consequential damages.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Susan K. Duffy, Chair Shari Feist Albrecht, Commissioner Dwight D. Keen, Commissioner

January 23, 2020

Michael Connelly JEL Resources, LLC 1801 BROADWAY STE 200 DENVER, CO 80202-3830

Re: Drilling Pit Application API 15-185-24066-00-00 Lyda Rutti 2-8 SE/4 Sec.08-22S-13W Stafford County, Kansas

Dear Michael Connelly:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.

Summary of Changes

Lease Name and Number: Lyda Rutti 2-8

API/Permit #: 15-185-24066-00-00

Doc ID: 1490179

Correction Number: 1

Approved By: Rick Hestermann 01/23/2020

Field Name	Previous Value	New Value
Number of Feet East or West From Section Line	1680	1650
Number of Feet North or South From Section Line	990	920
Number of Feet East or West From Section Line	1680	1650
Number of Feet North or South From Section	990	920
Line Quarter Call 4 - Smallest	W2	S2
Feet to Nearest Water Well Within One-Mile of Pit	562	582
KCC Only - Approved By	Rick Hestermann 01/22/2020	Rick Hestermann 01/23/2020
KCC Only - Approved Date	01/22/2020	01/23/2020
KCC Only - Lease Inspection	No	Yes
LocationInfoLink	https://kolar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=8&to	https://kolar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=8&to

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
KCC Only - Regular Section Quarter Calls	W2 NE SW SE	S2 NE SW SE
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=14 87649	//kcc/detail/operatorE ditDetail.cfm?docID=14 90179
Quarter Call 4 - Smallest	W2	S2

Summary of Attachments

Lease Name and Number: Lyda Rutti 2-8

API: 15-185-24066-00-00

Doc ID: 1490179

Correction Number: 1

Approved By: Rick Hestermann 01/23/2020

Attachment Name

Lyda Rutti 2-8 Staking Plat

Bentonite Liner Fluids