KOLAR Document ID: 1492873

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from \(\sum \) North / \(\sum \) South Line of Section
City: State: Zip:+	Feet from
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx) Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
□ Oil □ WSW □ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
EOR Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
GOVV Territt #.	Lease Name: License #:
Canad Date on Date Decembed TD Completing Date on	Quarter Sec TwpS. R
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II III Approved by: Date:						

KOLAR Document ID: 1492873

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool erature, fluid recovery, Digital electronic log
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[Depth	Typo	of Cement	# Sacks Use		EEZE RECORD	Typo a	nd Percent Additives	
Perforate Protect Ca Plug Back	Top	Bottom	туре	or cement	# Sacks Use	,u		туре а	ia Percent Additives	
Plug Off Z										
Did you perform Does the volum Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:
Vented	Sold Use	d on Lease		Open Hole				nmingled	Тор	Bottom
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)		
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At		Acid,		Cementing Squeeze Kind of Material Used)	Record
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Stewart Producers, Inc.
Well Name	MAYFIELD TRUST G-D #1
Doc ID	1492873

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Liner	6.875	5.5	15	2100	60/40 Pozmix	300	4% gel, 1/4% cfl
Surface	12	10.75	20	209	common	160	n/a
Production	8.875	7	15	2628	common	225	n/a

810 E 7TH PO Box 92 EUREKA, KS 67045 (620) 583-5561



Cement or Acid Field Report Ticket No. 4945

Ticket No.

Foreman Save GARANER

Camp EUREKA

Date	Cust. ID#	Leas	e & Well Number		Section	Town	nship	Range	County	State
1-21-20	1264	MAYFIELD	TRUST G-D 1	SwD	26	283	5	46	Butler	Ks
Customer	W. W. 27	/		Safety	Unit #		Driv	er	Unit #	Driver
Stewar	Rt PROD	lucers inc	c.	Meeting	105)ASON	H.		
Mailing Address				Km	110		DAVE			
P.O. B.	x 546			J H	112		Ste ve	m.		
City		State	Zip Code	5M		_				
MT. Vek	ENON	IL	62864-0546							
Job Type 51/2		Hole Der	th		Slurry Vol. 7	7 Bb0	_		Tubing	
Casing Depth		The second secon	e		Slurry Wt.	3.9#			Drill Pipe	
Casing Depth =	-1/ 14	# Hole Siz					0-375			
Casing Size & V	Vt. <u>5/2 /5.5</u>		eft in Casing		Water Gal/SK			(Other	
Displacement <u>4</u>	1.7 BbC	Displace	ement PSI 700		Bump Plug to	1400	9		BPM	
Remarks: 54	Fety Me	eting: B.t	Se+@ 210	0'14'	T'CASING.	5/2 4	INER	Set	@ 2098 in	7" CASING.
Rig up to	5/2 Line	R. LOAD S	1/2 w/ 52 BL	bl FRes	h water.	Pun	IP AO	HitiON	AL 25 BLL 0	water to
			red 300 SKS							
			BLL STURRY.							
START DIS	placemen	H HAD 3.	5 Bbl DisplA	iced a	1/ Good (emen	st to	SUR	FACE ON A	20/UNS
OF 5/2 Li	wer. Sho	T ANNUL	s IN. Squee	ze Re	MAINING	16.7	7 866	OF C	Ement ou	+ Holes
			to Pump P							
900 PSI. B	ump Plug	to 1400 1	esl. wait 2 n	nins. 7	Belease P	Ressu	re. 7	FIOAT	Held. ShuT	ER IN
			75 PS1. Jo							

Code	Qty or Units	Description of Product or Services	Unit Price	Total
C 104	1	Pump Charge	1100.00	1100.00
107	40	Mileage	4.20	168.00
C 203	300 5Ks	60/40 Pozmix Cement	13.40	4020.00
206	1030 #	Gel 4%	.21#	216.30
C 211	65 #	CFL-115 1/4%	11.00 #	715.00
:108 B	12.9 TONS	Ton Mileage 40 miles	1.40	722.40
2 404	/	51/2 Top Rubber Plug	74.00	74.00
C 654	1	51/2 Top Rubber Plug 51/2 Flapper Type Float Shoe	273.00	273.00
			Sub TotAL	7288.70
	2.0	THANK YOU 6.5%	Cess 5% Sales Tax	381.65 344.39
Authoriz	eation Ruhal	Title	Total	7.251.44