





|           |                                   |
|-----------|-----------------------------------|
| Form      | ACO1 - Well Completion            |
| Operator  | Phillips Exploration Company L.C. |
| Well Name | GEYER 4 OK                        |
| Doc ID    | 1496370                           |

#### Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | Number of Sacks Used | Type and Percent Additives |
|-------------------|-------------------|-----------------|--------|---------------|----------------|----------------------|----------------------------|
| Surface           | 12.25             | 8.625           | 23     | 210           | common         | 150                  | 80/20 poz                  |
|                   |                   |                 |        |               |                |                      |                            |
|                   |                   |                 |        |               |                |                      |                            |
|                   |                   |                 |        |               |                |                      |                            |

# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-1071

Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 1704

|       |        |      |   |      |    |       |    |                                      |       |       |    |             |  |        |         |
|-------|--------|------|---|------|----|-------|----|--------------------------------------|-------|-------|----|-------------|--|--------|---------|
| Date  | 9-7-19 | Sec. | 3 | Twp. | 11 | Range | 24 | County                               | Trego | State | KS | On Location |  | Finish | 7:30 PM |
| Lease |        |      |   |      |    |       |    | Location                             |       |       |    |             |  |        |         |
| Goyer |        |      |   |      |    |       |    | Wakeeny - 7 1/2 N on 283 Hwy to B.R. |       |       |    |             |  |        |         |

|                     |                     |  |  |
|---------------------|---------------------|--|--|
| Well No.            | 40K                 | Owner  | To Quality Oilwell Cementing, Inc.<br>You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed. |
| Contractor          | Murfin #8           | Charge To  | Phillips Exploration   |
| Type Job            | Surface             | Street   |  |
| Hole Size           | 12 1/4"             | City   |  |
| Csg.                | 8 5/8"              | State  |  |
| Tbg. Size           |                     | The above was done to satisfaction and supervision of owner agent or contractor. |  |
| Tool                |                     | Cement Amount Ordered 150 80/20 3% CC 2% Gel                                     |  |
| Cement Left in Csg. | 15'                 |  |  |
| Shoe Joint          | 15'                 |  |  |
| Meas Line           | Displace 12 3/4 BLS |  |  |

## EQUIPMENT


|         |      |     |          |       |          |     |
|---------|------|-----|----------|-------|----------|-----|
| Pumptrk | 20   | No. | Cementer | David | Common   | 120 |
| Bulktrk | 15   | No. | Helper   |       | Poz. Mix | 30  |
| Bulktrk | P. 4 | No. | Driver   | Doug  | Gel.     | 3   |
| Bulktrk |      | No. | Driver   | Rick  | Calcium  | 6   |

## JOB SERVICES & REMARKS

|                    |                      |                         |     |
|--------------------|----------------------|-------------------------|-----|
| Remarks:           | Cement did Circulate | Hulls                   |     |
| Rat Hole           |                      | Salt                    |     |
| Mouse Hole         |                      | Flowseal                |     |
| Centralizers       |                      | Kol-Seal                |     |
| Baskets            |                      | Mud CLR 48              |     |
| D/V or Port Collar |                      | CFL-117 or CD110 CAF 38 |     |
|                    |                      | Sand                    |     |
|                    |                      | Handling                | 159 |
|                    |                      | Mileage                 |     |

## FLOAT EQUIPMENT

|                |         |
|----------------|---------|
| Guide Shoe     |         |
| Centralizer    |         |
| Baskets        |         |
| AFU Inserts    |         |
| Float Shoe     |         |
| Latch Down     |         |
| Pumptrk Charge | Surface |
| Mileage        | 50      |

X Signature 

Tax  
Discount  
Total Charge

# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-1071  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 1534

|                        |             |      |          |         |            |       |    |                         |  |  |    |                               |     |        |           |
|------------------------|-------------|------|----------|---------|------------|-------|----|-------------------------|--|--|----|-------------------------------|-----|--------|-----------|
| Date                   | 9-15-19     | Sec. | 3        | Twp.    | 11         | Range | 24 | County                  | Trego  | State  | KS | On Location                   |     | Finish | 1:15 A.M. |
| Location               |             |      |          |         |            |       |    | Wakarusa 7N BR2-56W N10 |  |  |    |                               |     |        |           |
| Lease                  | Geyer       |      |          |         | Well No.   | 40K   |    |                         |  | Owner  |    |                               |     |        |           |
| Contractor             | Morton #18  |      |          |         |            |       |    |                         | To Quality Oilwell Cementing, Inc.<br>You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed. |  |    |                               |     |        |           |
| Type Job               | Rotary Plug |      |          |         |            |       |    |                         | Charge To Philips Exploration  |  |    |                               |     |        |           |
| Hole Size              | 5 7/8       |      |          |         | T.D.       | 3960  |    |                         |  |  |    |                               |     |        |           |
| Csg.                   |             |      |          |         | Depth      |       |    |                         |  | Street   |    |                               |     |        |           |
| Tbg. Size              |             |      |          |         | Depth      |       |    |                         |  | City State   |    |                               |     |        |           |
| Tool                   |             |      |          |         | Depth      |       |    |                         |  | The above was done to satisfaction and supervision of owner agent or contractor. |    |                               |     |        |           |
| Cement Left in Csg.    |             |      |          |         | Shoe Joint |       |    |                         |  | Cement Amount Ordered 255 60/40 4:06EL 1/4" #10                                  |    |                               |     |        |           |
| Meas Line              |             |      |          |         | Displace   |       |    |                         |  |  |    |                               |     |        |           |
| EQUIPMENT              |             |      |          |         |            |       |    |                         |  |  |    |                               |     |        |           |
| Pumptrk                | 20          | No.  | Cementer | 2018    |            |       |    |                         | Common   |  |    |                               | 153 |        |           |
|                        |             |      | Helper   | Long    |            |       |    |                         | Poz. Mix   |  |    |                               | 102 |        |           |
| Bulktrk                |             | No.  | Driver   |         |            |       |    |                         | Gel.   |  |    |                               | 9   |        |           |
| Bulktrk                | 15          | No.  | Driver   | Michael |            |       |    |                         | Calcium  |  |    |                               |     |        |           |
| JOB SERVICES & REMARKS |             |      |          |         |            |       |    |                         |  |  |    |                               |     |        |           |
| Remarks:               |             |      |          |         |            |       |    |                         |  |  |    | Hulls                         |     |        |           |
| Rat Hole 30SK          |             |      |          |         |            |       |    |                         |  |  |    | Salt                          |     |        |           |
| Mouse Hole 15SK        |             |      |          |         |            |       |    |                         |  |  |    | Flowseal 50H                  |     |        |           |
| Centralizers           |             |      |          |         |            |       |    |                         |  |  |    | Kol-Seal                      |     |        |           |
| Baskets                |             |      |          |         |            |       |    |                         |  |  |    | Mud CLR 48                    |     |        |           |
| D/V or Port Collar     |             |      |          |         |            |       |    |                         |  |  |    | CFL-117 or CD110 CAF 38       |     |        |           |
| 1st 1935 50SK          |             |      |          |         |            |       |    |                         |  |  |    | Sand                          |     |        |           |
| 2nd 1000 100SK         |             |      |          |         |            |       |    |                         |  |  |    | Handling 264                  |     |        |           |
| 3rd 270 50SK           |             |      |          |         |            |       |    |                         |  |  |    | Mileage                       |     |        |           |
| 4th 40' 10SK & Plug    |             |      |          |         |            |       |    |                         |  |  |    | FLOAT EQUIPMENT               |     |        |           |
|                        |             |      |          |         |            |       |    |                         |  |  |    | Guide Shoe 8 5/8 IN Hole Plug |     |        |           |
|                        |             |      |          |         |            |       |    |                         |  |  |    | Centralizer                   |     |        |           |
|                        |             |      |          |         |            |       |    |                         |  |  |    | Baskets                       |     |        |           |
|                        |             |      |          |         |            |       |    |                         |  |  |    | AFU Inserts                   |     |        |           |
|                        |             |      |          |         |            |       |    |                         |  |  |    | Float Shoe                    |     |        |           |
|                        |             |      |          |         |            |       |    |                         |  |  |    | Latch Down                    |     |        |           |
|                        |             |      |          |         |            |       |    |                         |  |  |    | Pumptrk Charge plug           |     |        |           |
|                        |             |      |          |         |            |       |    |                         |  |  |    | Mileage 50                    |     |        |           |
|                        |             |      |          |         |            |       |    |                         |  |  |    | Tax                           |     |        |           |
|                        |             |      |          |         |            |       |    |                         |  |  |    | Discount                      |     |        |           |
|                        |             |      |          |         |            |       |    |                         |  |  |    | Total Charge                  |     |        |           |
| X Signature            |             |      |          |         |            |       |    |                         |  |  |    |                               |     |        |           |

Thanks



**Federal Tax I.D.# 20-2886107**

**Cell 785-324-1041**

**Home Office P.O. Box 32 Russell, KS 67665**

**No. 1704**

|   |     |                            |                |   |   |                 |             |                       |
|---|-----|----------------------------|----------------|---|---|-----------------|-------------|-----------------------|
| Date <b>9-7-19</b>                      |     | Sec. <b>3</b>              | Twp. <b>11</b> | Range <b>24</b>   | County <b>Trego</b>                                 | State <b>KS</b> | On Location | Finish <b>7:30 PM</b> |
| Lease <b>Geyer</b>                      |     |                            |                |   | Location <b>Wakeeny - 7 1/2 N on 283 Hwy to BRd</b> |                 |             |                       |
| Contractor <b>Murf, n #8</b>            |     | Well No. <b>40K</b>        |                | Owner<br>To Quality Oilwell Cementing, Inc.<br>You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed. |   |                 |             |                       |
| Type Job <b>Surface</b>                 |     |                            |                | Charge To <b>Phillips Exploration</b>   |   |                 |             |                       |
| Hole Size <b>12 1/4"</b>                |     | T.D. <b>218'</b>           |                | Street  |   |                 |             |                       |
| Csg. <b>8 5/8"</b>                      |     | Depth <b>218'</b>          |                | City  |   |                 |             |                       |
| Tbg. Size                               |     | Depth                      |                | State   |   |                 |             |                       |
| Tool                                    |     | Depth                      |                | The above was done to satisfaction and supervision of owner agent or contractor.  |   |                 |             |                       |
| Cement Left in Csg. <b>15'</b>          |     | Shoe Joint <b>15'</b>      |                | Cement Amount Ordered <b>150 80/20 3% cc 2% Gel</b>   |   |                 |             |                       |
| Meas Line                               |     | Displace <b>12 3/4 BLS</b> |                |   |   |                 |             |                       |
| <b>EQUIPMENT</b>                        |     |                            |                |   |   |                 |             |                       |
| Pumptrk <b>20</b>                       | No. | Cementer <b>David</b>      |                |   | Common <b>120</b>                                   |                 |             |                       |
| Bulktrk <b>15</b>                       | No. | Helper <b>Doug</b>         |                |   | Poz. Mix <b>30</b>                                  |                 |             |                       |
| Bulktrk <b>P. 4</b>                     | No. | Driver <b>Rick</b>         |                |   | Gel. <b>3</b>                                       |                 |             |                       |
|   |     | Driver                     |                |   | Calcium <b>6</b>                                    |                 |             |                       |
| <b>JOB SERVICES &amp; REMARKS</b>       |     |                            |                |   |   |                 |             |                       |
| Remarks: <b>Cement did Circulate</b>    |     |                            |                |   | Hulls   |                 |             |                       |
| Rat Hole                                |     |                            |                |   | Salt  |                 |             |                       |
| Mouse Hole                              |     |                            |                |   | Flowseal  |                 |             |                       |
| Centralizers                            |     |                            |                |   | Kol-Seal  |                 |             |                       |
| Baskets                                 |     |                            |                |   | Mud CLR 48  |                 |             |                       |
| D/V or Port Collar                      |     |                            |                |   | CFL-117 or CD110 CAF 38                             |                 |             |                       |
|   |     |                            |                |   | Sand  |                 |             |                       |
|   |     |                            |                |   | Handling <b>159</b>                                 |                 |             |                       |
|   |     |                            |                |   | Mileage   |                 |             |                       |
| <b>FLOAT EQUIPMENT</b>                  |     |                            |                |   |   |                 |             |                       |
|   |     |                            |                |   | Guide Shoe  |                 |             |                       |
|   |     |                            |                |   | Centralizer   |                 |             |                       |
|   |     |                            |                |   | Baskets   |                 |             |                       |
|   |     |                            |                |   | AFU Inserts   |                 |             |                       |
|   |     |                            |                |   | Float Shoe  |                 |             |                       |
|   |     |                            |                |   | Latch Down  |                 |             |                       |
|   |     |                            |                |   |   |                 |             |                       |
|   |     |                            |                |   | Pumptrk Charge <b>Surface</b>                       |                 |             |                       |
|   |     |                            |                |   | Mileage <b>50</b>                                   |                 |             |                       |
| X<br>Signature <b>Donor [Signature]</b> |     |                            |                |   | Tax   |                 |             |                       |
|   |     |                            |                |   | Discount  |                 |             |                       |
|   |     |                            |                |   | Total Charge  |                 |             |                       |

# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-1071

Home Office P.O. Box 32 Russell, KS 67665

No. 1534

Cell 785-324-1041

|                        |             |      |        |         |            |       |    |                         |  |  |    |                               |  |        |           |
|------------------------|-------------|------|--------|---------|------------|-------|----|-------------------------|--|--|----|-------------------------------|--|--------|-----------|
| Date                   | 9-15-19     | Sec. | 3      | Twp.    | 11         | Range | 24 | County                  | Trego  | State  | KS | On Location                   |  | Finish | 1:15 A.M. |
| Location               |             |      |        |         |            |       |    | Wakarusa 7N BR2-56W N10 |  |  |    |                               |  |        |           |
| Lease                  | Geyer       |      |        |         | Well No.   | 40K   |    |                         |  | Owner  |    |                               |  |        |           |
| Contractor             | Morton #18  |      |        |         |            |       |    |                         | To Quality Oilwell Cementing, Inc.<br>You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed. |  |    |                               |  |        |           |
| Type Job               | Rotary Plug |      |        |         |            |       |    |                         | Charge To Philips Exploration  |  |    |                               |  |        |           |
| Hole Size              | 5 7/8       |      |        |         | T.D.       | 3960  |    |                         |  | Cement Amount Ordered 255 60/40 4:00EL 1/4# P10                                  |    |                               |  |        |           |
| Csg.                   |             |      |        |         | Depth      |       |    |                         |  | Street   |    |                               |  |        |           |
| Tbg. Size              |             |      |        |         | Depth      |       |    |                         |  | City State   |    |                               |  |        |           |
| Tool                   |             |      |        |         | Depth      |       |    |                         |  | The above was done to satisfaction and supervision of owner agent or contractor. |    |                               |  |        |           |
| Cement Left in Csg.    |             |      |        |         | Shoe Joint |       |    |                         |  |  |    |                               |  |        |           |
| Meas Line              |             |      |        |         | Displace   |       |    |                         |  |  |    |                               |  |        |           |
| EQUIPMENT              |             |      |        |         |            |       |    |                         |  |  |    | Common 153                    |  |        |           |
| Pumptrk                | 20          | No.  | Cement | 1012    |            |       |    |                         | Poz. Mix 102   |  |    |                               |  |        |           |
| Bulktrk                |             | No.  | Driver | 1009    |            |       |    |                         | Gel. 9   |  |    |                               |  |        |           |
| Bulktrk                | 15          | No.  | Driver | Michael |            |       |    |                         | Calcium  |  |    |                               |  |        |           |
| JOB SERVICES & REMARKS |             |      |        |         |            |       |    |                         |  |  |    | Hulls                         |  |        |           |
| Remarks:               |             |      |        |         |            |       |    |                         |  |  |    | Salt                          |  |        |           |
| Rat Hole 30SK          |             |      |        |         |            |       |    |                         |  |  |    | Flowseal 50H                  |  |        |           |
| Mouse Hole 15SK        |             |      |        |         |            |       |    |                         |  |  |    | Kol-Seal                      |  |        |           |
| Centralizers           |             |      |        |         |            |       |    |                         |  |  |    | Mud CLR 48                    |  |        |           |
| Baskets                |             |      |        |         |            |       |    |                         |  |  |    | CFL-117 or CD110 CAF 38       |  |        |           |
| D/V or Port Collar     |             |      |        |         |            |       |    |                         |  |  |    | Sand                          |  |        |           |
| 1st 1935 50SK          |             |      |        |         |            |       |    |                         |  |  |    | Handling 264                  |  |        |           |
| 2nd 1000 100SK         |             |      |        |         |            |       |    |                         |  |  |    | Mileage                       |  |        |           |
| 3rd 270 50SK           |             |      |        |         |            |       |    |                         |  |  |    | FLOAT EQUIPMENT               |  |        |           |
| 4th 40' 10SK & Plug    |             |      |        |         |            |       |    |                         |  |  |    | Guide Shoe 8 7/8 IN Hole Plug |  |        |           |
|                        |             |      |        |         |            |       |    |                         |  |  |    | Centralizer                   |  |        |           |
|                        |             |      |        |         |            |       |    |                         |  |  |    | Baskets                       |  |        |           |
|                        |             |      |        |         |            |       |    |                         |  |  |    | AFU Inserts                   |  |        |           |
|                        |             |      |        |         |            |       |    |                         |  |  |    | Float Shoe                    |  |        |           |
|                        |             |      |        |         |            |       |    |                         |  |  |    | Latch Down                    |  |        |           |
|                        |             |      |        |         |            |       |    |                         |  |  |    | Pumptrk Charge plug           |  |        |           |
|                        |             |      |        |         |            |       |    |                         |  |  |    | Mileage 50                    |  |        |           |
|                        |             |      |        |         |            |       |    |                         |  |  |    | Tax                           |  |        |           |
|                        |             |      |        |         |            |       |    |                         |  |  |    | Discount                      |  |        |           |
|                        |             |      |        |         |            |       |    |                         |  |  |    | Total Charge                  |  |        |           |

X  
Signature