KOLAR Document ID: 1497361

For KCC Use:
Effective Date:
District #
SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1 Oct 2016 Form must be Typed Form must be Signed All blanks must be Filled

CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

Expected Spud Date:	Spot Description:
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Check directions from nearest outside corner boundries)
City: State: Zip: +	County:
Contact Person:	Facility Name:
Phone:	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MSL
Name:	Cathodic Borehole Total Depth:
Type Drilling Equipment:	Depth to Bedrock: feet
☐ Air Rotary ☐ Other	Water Information
Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set:feet	Depth to bottom of usable water:
Length of Conductor pipe (if any): feet	Water well within one-quarter mile: ☐ Yes ☐ No Public water supply well within one mile: ☐ Yes ☐ No
Surface casing borehole size: inches Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing size: inches Cathodic surface casing centralizers set at depths of:;;	Well Farm Pond Stream Other
Cathodic surface casing centralizers set at depths of , , ; ; ; ;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depthfeet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
	Annular space between borehole and casing will be grouted with:
Anode installation depths are:;; ;; ;;	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surface
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material:
he undersigned hereby affirms that the drilling, completion and eventual plugging f this well will comply with K.S.A. 55-101 et. seq.	Borehole will be Pre-Plugged? Yes No
is agreed that the following minimum requirements will be met:	
. Notify the appropriate District office prior to spudding and again before plugging the	well. An agreement between the operator and the District Office on plugs
and placement is necessary prior to plugging. In all cases, notify District Office prior	
Notify appropriate District Office 48 hours prior to workover or re-entry.	
A copy of the approved notice of intent to drill shall be posted on each drilling rig.	
. The minimum amount of cathodic surface casing as specified below shall be set by g	grouting to the top when the cathodic surface casing is set.
	orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comple d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	tion Form (ACO-1) within 60 days from spud date.
u. Submit plugging report (GF-4) within oo days after final plugging is completed.	
· · · · · · · · · · · · · · · · · · ·	
Submitted Electronically	
Submitted Electronically	
For KCC Use ONLY	
API # 15	If this permit has expired or will not be drilled, check a box below, sign, date and return
Conductor pipe requiredfeet	to the address below.
Minimum Cathodic Surface Casing Required:feet	Permit Expired Well Not Drilled
Approved by:	
This authorization expires:	
(This authorization void if drilling not started within 12 months of approval date.)	Г
	Date Signature of Operator or Agent
Spud date: Agent:	
	_

Sida	TWO

For KCC Use ONLY	
API # 15	_

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

						_ Loc	ation of We	II: County:
ame:								feet from N / S Line of Sec
Number:								feet from L E / W Line of Sec
						Sec	:-	_ Twp S. R 🗌 E 🔲 W
						ls S	ection:	Regular or Irregular
						If S	ection is Ir	regular, locate well from nearest corner boundary.
								used: NE NW SE SW
				d electrica	tage to the	required b	/ the Kansa plat if desir	
								00 ft.
	:	:	:		:	:		
	:		:		:	:		LEGEND
	•		•				·	
	:	:	:		:	•		O Well Location
	:	•	:		:	•		Tank Battery Location
	:	:	:		:	:		
			:	•••••	:	:		Pipeline Location
		: :	:	••••	:	: :		Pipeline Location Electric Line Location
	: :		: 		:	:		Pipeline Location Electric Line Location Lease Road Location
			:		:		•	Pipeline Location Electric Line Location
					:		•	Pipeline Location Electric Line Location Lease Road Location - 272 ft.
			1		:		· · · · · · · · · · · · · · · · · · ·	Pipeline Location Electric Line Location Lease Road Location
			1		:		······································	Pipeline Location Electric Line Location Lease Road Location - 272 ft.
			1		:		······································	Pipeline Location Electric Line Location Lease Road Location - 272 ft.
			1		:		· · · · · · · · · · · · · · · · · · ·	Pipeline Location Electric Line Location Lease Road Location - 272 ft.
			1		:		····	Pipeline Location Electric Line Location Lease Road Location - 272 ft.
			1		:		······································	Pipeline Location Electric Line Location Lease Road Location - 272 ft.
			1				• • • • • • • • • • • • • • • • • • •	Pipeline Location Electric Line Location Lease Road Location - 272 ft.
			1	7			······································	Pipeline Location Electric Line Location Lease Road Location - 272 ft.
			1	7			····	Pipeline Location Electric Line Location Lease Road Location - 272 ft.
			1	7			····	Pipeline Location Electric Line Location Lease Road Location - 272 ft.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;

SEWARD CO. 3390' FEL

- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1497361

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		-	License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	of Pit:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R East West		
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes N	lo			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet)N/A: Steel Pits		
Depth fro	m ground level to dee	pest point:	(feet) No Pit		
If the pit is lined give a brief description of the lin material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.		
, , , , , , , , , , , , , , , , , , , ,		3 3,	3 4 7 4 4 4 4 4 4		
Distance to nearest water well within one-mile of	of nit:	Denth to shallo	west fresh water feet.		
Distance to nearest water well within one-mile of pit:		Source of inform			
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	l utilized in drilling/workover:		
Number of producing wells on lease:		Number of worl	king pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all sp flow into the pit? Yes No	oilled fluids to	Drill pits must b	e closed within 365 days of spud date.		
Submitted Electronically					
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS		

KOLAR Document ID: 1497361

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodi the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	batteries, pipelines, and electrical lines. The locations shown on the plat
I certify that, pursuant to the Kansas Surface Owner Notice Accowner(s) of the land upon which the subject well is or will be loce CP-1 that I am filing in connection with this form; 2) if the form beform; and 3) my operator name, address, phone number, fax, and	cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this d email address.
I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface own task, I acknowledge that I must provide the name and address of that I am being charged a \$30.00 handling fee, payable to the KC	er(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	
Submitted Electronically	
I	_

Form	CB1CDP1 - Cathodic Protection Borehole Intent
Operator	ONEOK NGL Pipeline, LLC
Well Name	St Francis Booster 1
Doc ID	1497361

Anode Installation Depths

Depth	
90	
280	
270	
260	
250	
240	
230	
220	
210	
200	
90	
80	
70	
60	
50	


	TYF	PE 1	PAGE	1	OF	1
CLIENT: ONEOK	PROJECT NAME: G	roundbed Insta	allation DATE	DRILLED:	TBD	
SITE: Multple	LOCATION: K	ansas				
OTHER ID#	FACILITY:		GPS			
DRILLING COMPANY: McClure	RIG:		BOREHOLE: 10	inch		
LOGGED	DRILLING					

METHOD: Wet Rotary or Dry


FLUID Water if wet rotary

BY:

	TYPE	INTERVAL	MATERIAL	JOINT LENGTH	DIAMETER
CASING:	SDR 21	0-20'	PVC		10"
SCREEN:					
GROUT:					
SEAL:					
FILTER PACK:					



Not to scale






St Francis Booster

Legend

--- Pipeline





Cheyenne County, KS Groundbed Location: 2000' from N section line

272' from E section line NE SE SE NE, S17, T2S, R40W

The locations shown on the plat are preliminary non-binding estimates. Pipeline and Groundbed are below ground features. Rectifier is an above ground feature.

DRAWN BY: TT

CHECKED BY: RZ

Date: 2/12/2020



Apex Companies, LLC 4608 South Garnett Rd., Suite 100 Tulsa, Oklahoma 74146

Phone: (918) 610-3543

Project No. 453804-007