KOLAR Document ID: 1385076

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used? Yes No
Cathodic Other (Core, Expl., etc.):	
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to: w/ sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
☐ EOR Permit #:	Location of haid disposal if hadica offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

KOLAR Document ID: 1385076

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	ast West	County:				
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.go\	. Digital electronic log
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		R			New Used	on, etc.		
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I		
Purpose:		epth Ty	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5513 (1200) 10.	JIEG.			. 30.0.71				

Form	ACO1 - Well Completion
Operator	Colt Energy Inc
Well Name	WEST LAUBER 10
Doc ID	1385076

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	11.25	8.625	22	40	Portland	14	none
Production	6.75	4.5	11.6	1362	Thick Set		Pheno- Seal 2#/sx

810 E 7TH
PO Box 92
EUREKA, KS 67045
(620) 583-5561



Cement or Acid Field Report
Ticket No. 3659
Foreman Rick Led God

12-7-17 1003		se & Well Number		Section	Township	Range	County	Sta
12-7-17 1003 Customer	West 1	aber # 10	,	23	265		/ /	
1			Safety	Unit #	Driv	148	Woodson	K3
failing Address	nergy Inc		Meeting	10.4	Ailes		Unit#	Driver
P.O. Box	3.88		AG -		Skuc			
ity	State	Zip Code	- 3m 1					
Inle	12.	"						
b Type		Cet. 249						-
sing Depth /3/2*		th <u>/37</u> と	SI	urry Vol	49			
	Hole Size	6 63/V"		urry Wt			ing	
				UITY VVI,	23.0	Court to	0:	
		oft in Casing 9	,			Dnii	Pipe	
placement21.5	Displacer	oft in Casing 4	T W	ater Gal/SK	90	Othe	Pipeer	
placement21.5	Displacer	ment PSI	T W	ater Gal/SK	90	Othe	er	
marks:	Displacer	ment PSILoo	Bu Bu	ater Gal/SK . Imp Plug to .	1500	Othe	er A	
marks: Sefety	Displacer	ment PSI _ Loo	Bu Bu	ater Gal/SK imp Plug to	1500	Othe	er	
marks: Safety of the control of the	Displacer	ment PSI _100 Resup bo	YY CAS	ater Gal/SK imp Plug to	1500 1500 Set Citedad	BPN	forsh water	
placement 21 marks: Sefety 2* phaseout for C	Displacer	ment PSI_LOO Lig ip to hulling Bil Luanter p	44 CAS	ater Gal/SK imp Plug to	1500 1500 at Checks	BPN tion of	first water	4
marks: Safety Plump (A physical	Displacer	ment PSI_LOO Lig ip to hulling Bil Luanter p	44 CAS	ater Gal/SK imp Plug to	1500 1500 at Checks	BPN tion of	first water	4
marks: Safety Plump (2) A phonocon for C	Displacer	ment PSI_LOO Lig ip to hulling Bil Luanter p	44 CAS	ater Gal/SK imp Plug to	1500 1500 at Checks	BPN tion of	first water	4
marks: Safety Plump (2) A phonocon for C	Displacer	ment PSI_LOO Lig ip to hulling Bil Luanter p	44 CAS	ater Gal/SK imp Plug to	1500 1500 at Checks	BPN tion of	first water	4
marks: Safety of the Composition	Displacer	ment PSI_LOO Lig ip to hulling Bil Luanter p	44 CAS	ater Gal/SK imp Plug to	1500 1500 at Checks	BPN tion of	first water	4
marks: Safety Plump (2) A phonocon for C	Displacer	ment PSI_LOO Lig ip to hulling Bil Luanter p	44 CAS	ater Gal/SK imp Plug to	1500 1500 at Checks	BPN tion of	first water	4
marks: Safety Plump (2) A phonocon for C	Displacer	ment PSI_LOO Lig ip to hulling Bil Luanter p	44 CAS	ater Gal/SK imp Plug to	1500 1500 at Checks	BPN tion of	first water	4

Code	Qty or Units	Description of Product or Services		
C100		Pump Charge	Unit Price	Total
2107	25	Mileage	Cal or	D) Caren
C241	160 21	thieret court		
C208	JZ0 "	2" phononial for	600	The same
C206	3.00	get flat		-0000
C214	Yor	hulls		
CIOZA	8.3	ton mileage but tex		
2403		4" top who plus		DE CONTRACTOR DE
		(Quintal)		
uthorizati	on A	RAHI	Sales Tax	A By
		yment terms and conditions of services according	Total	Garage S

I agree to the payment terms and conditions of services provided on the back of this job ticket. Any amendments to payment terms must be in writing on the front of this job ticket or in the Customer's records at ELITE's office.

Mud Rotary Drilling Andrew King - Manager/Driller

Bar Drilling, LLC Phone: (719) 210-8806

1317 105th Rd. Yates Center KS 66793

Company/Operator	Well No.			Me: (/19)	210-8806					Y	ates Cente	r, KS 6678		
Colt Energy Inc.			se Name Lauber	1	Well Local 707' fsl, 280	110.20.00	1/4 NE	1/4 SE	1/4 NE	Sec.	Twp.	Rge,		
P.O. Box 388			88 Well API #		Type/We		County		_			23	26s	14e
ola, KS 66749			Oil	State		1 1	1		Date Start	ted Date	Date Completed			
Job/Project Name/No.					Woodso	n	KS	13	76	12/2/201	7 12	17/2017		
,	Surface Record		Bit Record						-	oring Record				
D-111- 16			Type Si	Size	ze From	To	Core # Size			From	То	0/ D.		
Driller/Crew	Bit Size:	11 1/4	PDC	11 1/4	0'	40'	1		3"			% Rec.		
Andy King	Casing Size:	8 5/8	PDC	6 3/4	40'		+	_		1220	1246	100		
Charles King	Casing Length:		1 3 1	0 0/4	40	1399	2		3"	1246	1276	100		
	Cement Used:	14sx					-	-						
	Cement Type:	Portland					 	+						

Formation Record

From	To	Formation	From	To	ition Record			
0	19	overburden	110111	10	Formation	From	To	Formation
19	181	shale						
181	451	lansing lime						
451	532	shale						
532	703	KC lime						
703	798	shale						
798	806	lime						
806	830	shale	\rightarrow					
830	843	lime						
843	938	sandy shale						
938	956	lime						
956	959	shale						
959	974	lime						
974	996	shale						
996	1021	lime	\rightarrow					
1021	1031	shale						
1031	1060	sq. sand						
1060	1218	shale						
1218	1220	oil sand				Well Notes:		
1220	1246	1st Core				RAN 1362.1	5' OF 4 1/2" CA	SING
1246	1276	2nd Core						
1276	1375	sandy shale						
1375	1376	Miss lime						